

INTERNATIONAL STANDARD



2937

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Plain end seamless steel tubes for mechanical application

Tubes sans soudure, en acier, à extrémités lisses pour usages mécaniques

First edition — 1974-05-01

UDC 669.14.018-462

Ref. No. ISO 2937-1974 (E)

Descriptors : mechanical engineering, metal tubes, steels, seamless pipes, dimensions, materials specifications, designation.

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 2937 was drawn up by Technical Committee ISO/TC 5, *Metal pipes and fittings*, and circulated to the Member Bodies in February 1973.

It has been approved by the Member Bodies of the following countries :

Austria	Israel	Sweden
Belgium	Italy	Switzerland
Bulgaria	Mexico	Thailand
Canada	Netherlands	Turkey
Denmark	Norway	United Kingdom
Finland	Portugal	U.S.S.R.
France	Romania	
India	South Africa, Rep. of	

The Member Bodies of the following countries expressed disapproval of the document on technical grounds :

Australia
Germany



INTERNATIONAL STANDARD ISO 2937-1974 (E)/ERRATUM

Published 1976-02-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Plain end seamless steel tubes for mechanical application

ERRATUM

Page 2

Table 1 : In columns P and S, for grade C 35, replace 0,035 by 0,050.