
**Micrographics — A6 size microfilm
jackets —**

Part 2:

Other types of jacket for 16 mm and 35 mm
microfilm

Micrographie — Jaquettes de microfilm de format A6 —

Partie 2: Autres types de jaquettes pour microfilm de 16 mm et 35 mm



Contents

Foreword..... iii

Introduction iv

1 Scope 1

2 Normative references 1

3 Definitions 1

4 Physical characteristics 2

5 Methods of test 8

Annex A (informative) Bibliography and dimensional variations..... 9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 8127-2 was prepared by Technical Committee ISO/TC 171, *Document imaging applications*, Subcommittee SC 2, *Application issues*.

ISO 8127 consists of the following parts, under the general title *Micrographics — A6 size microfilm jackets*:

- *Part 1: Five channel jacket for 16 mm microfilm*
- *Part 2: Other types of jacket for 16 mm and 35 mm microfilm*

Annex A of this part of ISO 8127 is for information only.

Introduction

Microfilm jackets are means of arranging units of information in microfilm form into inter-related groups of units or chapters. This arrangement permits correction and addition of information without completely refilming the contents. Microfilm jackets are mainly used in active microfilm systems but may serve as enclosures for storage of strips or single frames of microfilm.

In order to help the users and manufacturers of microfilm equipment, standardization of the basic requirements for microfilm jackets has been necessary.

Jackets are used in information systems composed of not only jackets but also jacket loaders, file cabinets, readers, reader-printers, and duplicators. When planning a system using more than one microform, appropriate standards should be consulted and suitable hardware should be chosen with the view of assuring system compatibility.

The microfilm jacket consists of a support sheet and a thinner emulsion sheet affixed to the support sheet at a channel separation area to form the film channel into which microfilm can be inserted. The emulsion sheet is the contact printing surface.

There are two types of jackets, those with registration holes and those without. Some jacket-loading devices can handle either type of jacket while other loading devices can only handle one type of jacket. All jackets are, however, interchangeable in readers, duplicators and enlargers.

There are two versions of these types of jacket: one with the emulsion sheet on the back and the other with the emulsion sheet on the front to accommodate a different generation of microfilm. Jackets with an emulsion sheet on the back are the more common. They are used for first generation or camera microfilm from a planetary camera or a rotary camera with an even number of mirrors.

Microfilm is always inserted in the jacket so that the imaged side of the film is in contact with the emulsion sheet. When inserted in this way, the microfilm is right-reading from the support sheet side, and the heading is facing the viewer and is also right-reading.

It is not recommended and not usual to put second generation microfilm in jackets. If, however, it is necessary, specific requirements for microfilming of the original documents should be followed.

ISO 8127 defines the dimensions and other basic characteristics of the A6 size microfilm jackets. It is applicable to all microfilm jackets composed of a transparent support sheet and an emulsion sheet bonded together and divided in multiple channels to accommodate single or multiframe 16 mm or 35 mm microfilm, with a heading area incorporated.

Micrographics — A6 size microfilm jackets —

Part 2:

Other types of jacket for 16 mm and 35 mm microfilm

1 Scope

This part of ISO 8127 specifies the characteristics of four channel jackets for 16 mm microfilm, two channel jackets for 35 mm microfilm, one 35 mm and three 16 mm channel jackets and two 35 mm and one 16 mm channel jackets.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 8127. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 8127 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 446:1991, *Micrographics — ISO character and ISO test chart No. 1 — Description and use.*

ISO 543:1990, *Photography — Photographic films — Specifications for safety film.*

ISO 3334:1989, *Micrographics — ISO resolution test chart No. 2 — Description and use.*

ISO 4330:1987, *Photography — Determination of the curl of photographic film.*

ISO 5466:1996, *Photography — Processed safety photographic films — Storage practices.*

ISO 6148:1993, *Photography — Film dimensions — Micrographics.*

ISO 6196-1:1993, *Micrographics — Vocabulary — Part 1: General terms.*

ISO 6196-2:1993, *Micrographics — Vocabulary — Part 2: Image positions and methods of recording.*

ISO 6196-3:1987, *Micrographics — Vocabulary — Part 3: Film processing.*

ISO 6196-4:1998, *Micrographics — Vocabulary — Part 4: Materials and packaging.*

ISO 6196-5:1987, *Micrographics — Vocabulary — Part 5: Quality of images, legibility, inspection.*

ISO 6196-6:1992, *Micrographics — Vocabulary — Part 6: Equipment.*

ISO 8127-1:1989, *Micrographics — A6 size microfilm jackets — Part 1: Five channel jackets for 16 mm microfilm.*

3 Definitions

For the purposes of this part of ISO 8127, the definitions given in ISO 6196 apply.