

INTERNATIONAL STANDARD

ISO
8449

Second edition
1995-02-01

Pipework — Single overlap flexible metal hoses (with packing, limited tightness, circular or polygonal section, in protected carbon steel)

Tuyauteries — Tuyaux métalliques flexibles à agrafage simple (avec joint, à étanchéité limitée, de section circulaire ou polygonale, en acier non allié protégé)



Reference number
ISO 8449:1995(E)



Documents
Document Sharing Hub

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 8449 was prepared by Technical Committee ISO/TC 5, *Ferrous metal pipes and metallic fittings*, Subcommittee SC 11, *Flexible interlocked and convoluted metallic hoses*.

This second edition cancels and replaces the first edition (ISO 8449:1986), of which clause 1 has been technically revised.

© ISO 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Pipework — Single overlap flexible metal hoses (with packing, limited tightness, circular or polygonal section, in protected carbon steel)

1 Scope

This International Standard specifies the diameters of single overlap flexible metal hoses with packing, of limited tightness, of circular or polygonal section, in protected carbon steel in accordance with ISO 7657 and tested in accordance with ISO 7658. The packing should not be asbestos. Suitable materials include, for example, cotton, fibre-glass, nylon, Kevlar, polyamide, polyester etc.

This International Standard applies to flexible metal hoses, without external coating, as defined in ISO 7369:1989, 4.1.10, used under low pressure with permissible leakage, at temperatures between $-20\text{ }^{\circ}\text{C}$ and a maximum of $230\text{ }^{\circ}\text{C}$. In cases where the full temperature range of the packing ($230\text{ }^{\circ}\text{C}$) is not used, the manufacturer will state the maximum temperature limit.

NOTE 1 The specifications and temperature-related requirements for use are given in ISO 7657.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

1) To be published. (Revision of ISO 6708:1980)

2) To be published. (Revision of ISO 7657:1984)

Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 6708:—¹⁾, *Pipe components — Definition of nominal size (DN)*.

ISO 7369:1983, *Pipework — Flexible metallic hoses — Vocabulary of general terms*.

ISO 7657:—²⁾, *Pipework — General requirements for stripwound flexible metal hoses*.

ISO 7658:1984, *Pipework — Stripwound flexible metal hoses — Testing and verification of characteristics*.

3 Dimensions and performance

Dimensions and performance shall be as given in figure 1 and table 1.

NOTE 2 Figure 1 is not intended to specify a given manufacturing method or to define coil dimensions.

4 Test requirements

Tests shall be in accordance with ISO 7658.

5 Designation

A single overlap flexible metal hose that meets the requirements of this International Standard shall be designated as follows: