INTERNATIONAL STANDARD ISO/IEC 10021-5:1996

TECHNICAL CORRIGENDUM 2
TECHNICAL CORRIGENDUM 3

Published 2000-05-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Message Handling Systems (MHS): Message store: Abstract service definition

TECHNICAL CORRIGENDUM 2
TECHNICAL CORRIGENDUM 3

Technologies de l'information — Systèmes de messagerie (MHS): Dépôt de message: Définition de service abstrait

RECTIFICATIF TECHNIQUE 2
RECTIFICATIF TECHNIQUE 3

Technical Corrigenda 2 and 3 to International Standard ISO/IEC 10021-5:1996 were prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

ICS 35.240.20

Ref. No. ISO/IEC 10021-5:1996/Cor.2:2000(E)
ISO/IEC 10021-5:1996/Cor.3:2000(E)

© ISO/IEC 2000 – All rights reserved

Printed in Switzerland

Documents
Document Sharing Hub

Full document details: ISO_IEC 10021-5_1996_Cor 2_2000

Documents
Document Sharing Hub

Full document details: ISO_IEC 10021-5_1996_Cor 2_2000

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – MESSAGE HANDLING SYSTEMS (MHS): MESSAGE STORE: ABSTRACT SERVICE DEFINITION

TECHNICAL CORRIGENDUM 2 AND CORRIGENDUM 3

1 Subclause 6.5.2

Append the following to 6.5.2, bullet b):

This component is disregarded in the case where the auto-action-type supports only a single registration.

In 6.5.2, bullet c), change "(O)" *to* "(C)".

Append the following to 6.5.2, bullet c):

This shall be present if the auto-action-type identifies an auto-action for which a registration parameter is defined, and is absent otherwise.

2 Subclause 7.1.1

In 7.1.1, bullet b) second paragraph third sentence "If strong-authentication ...", *append* "or certificate-selector". *In the fourth sentence replace* "initiator-bind-token and initiator-certificate" *by* "initiator-bind-token, initiator-certificate and certificate-selector". *Insert after the fourth sentence* "The initiator-certificate shall contain the OR-address of the MS-user in the *x400Address* component in its subject alternative name field (see 12.3.2.1 of ITU-T Rec. X.509 | ISO/IEC 9594-8), unless the security-policy provides an alternative binding of the certificate to the MS-user.".

3 Subclause 7.1.2

In 7.1.2, in the ASN.1 replace:

```
additional-capabilities [9] MSExtensions OPTIONAL,
```

by:

```
bind-result-extensions [9] MSExtensions OPTIONAL,
```

In 7.1.2, bullet a) second paragraph third sentence "If strong-authentication ...", *append* ", and, optionally, a responder-certificate or certificate-selector". *In the fourth sentence replace* "responder-bind-token is" *by* "responder-bind-token, responder-certificate and certificate-selector are". *Insert after the fourth sentence* "The responder-certificate shall contain the OR-address of the MS in the *x400Address* component in its subject alternative name field (see 12.3.2.1 of ITU-T Rec. X.509 | ISO/IEC 9594-8), unless the security-policy provides an alternative binding of the certificate to the MS.".

Documents
Document Sharing Hub

Full document details: ISO_IEC 10021-5_1996_Cor 2_2000