

INTERNATIONAL STANDARD

ISO/IEC 10164-3

First edition
1993-06-15

Information technology — Open Systems Interconnection — Systems Management: Attributes for representing relationships

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — Gestion-systèmes: Attributs pour la représentation des relations*

Contents

Page

Foreword.....	iii
Introduction	iv
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	2
2.2 Paired Recommendations International Standards	2
2.3 Additional references	2
3 Definitions.....	3
3.1 Basic reference model definitions.....	3
3.2 Management framework definitions	3
3.3 CMIS definitions.....	3
3.4 Systems management overview definitions	3
3.5 Management information model definitions	3
3.6 Service conventions definitions	3
3.7 OSI conformance testing definitions.....	4
3.8 Additional definitions	4
4 Abbreviations	4
5 Conventions.....	4
6 Requirements.....	5
7 Model.....	5
7.1 General	5
7.2 Categories of relationships	6
7.3 Types of relationships	8
7.4 Relationship roles.....	9
8 Generic definitions	10
8.1 Generic attributes	10
8.2 Generic notifications	12
8.3 Managed objects	13
8.4 Compliance	13
9 Service definition	13
9.1 Introduction.....	13
9.2 Management of relationship attributes.....	14
10 Functional units	14
11 Protocol.....	14
11.1 Elements of procedure	14
11.2 Abstract syntax	15
11.3 Negotiation of functional units	16
12 Relationships with other functions	17
13 Conformance	17
13.1 General conformance class requirements	17
13.2 Dependent conformance class requirements.....	17

© ISO/IEC 1993

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 10164-3 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in collaboration with the CCITT. The identical text is published as CCITT Recommendation X.732.

ISO/IEC 10164 consists of the following parts, under the general title *Information technology – Open Systems Interconnection – Systems Management*:

- *Part 1 : Object Management Function*
- *Part 2 : State Management Function*
- *Part 3 : Attributes for representing relationships*
- *Part 4 : Alarm reporting function*
- *Part 5 : Event report management function*
- *Part 6: Log control function*
- *Part 7: Security alarm reporting function*
- *Part 8: Security audit trail function*
- *Part 9: Objects and attributes for access control*
- *Part 10: Accounting meter function*
- *Part 11: Workload monitoring function*
- *Part 12: Test management function*
- *Part 13: Summarization function*
- *Part 14: Confidence and diagnostic test categories*

ISO/IEC 10164-3 : 1993 (E)**Introduction**

ISO/IEC 10164 is a multipart Standard developed according to ISO 7498 and ISO/IEC 7498-4. ISO/IEC 10164 is related to the following International Standards:

ISO/IEC 9595:1990, *Information technology – Open Systems Interconnection – Common management information service definition*;

ISO/IEC 9596:1990, *Information technology – Open Systems Interconnection – Common management information protocol*;

ISO/IEC 10040:1992, *Information technology – Open Systems Interconnection – Systems management overview*;

ISO/IEC 10165:1992, *Information technology – Open Systems Interconnection – Structure of management information*.

INTERNATIONAL STANDARD

CCITT RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION – SYSTEMS MANAGEMENT: ATTRIBUTES FOR REPRESENTING RELATIONSHIPS

1 Scope

This Recommendation | International Standard defines a systems management function which may be used by an application process in a centralized or decentralized management environment to interact for the purpose of systems-management as defined by CCITT Rec. X.700 | ISO/IEC 7498-4. This Recommendation | International Standard defines the attributes for representing relationships and consists of services and generic definitions. It is positioned in the application layer of CCITT Rec. X.200 | ISO/IEC 7498 and is defined according to the model provided by ISO/IEC 9545. The role of systems management functions are described by CCITT Rec. X.701 | ISO/IEC 10040.

This Recommendation | International Standard

- establishes user requirements for attributes for representing relationships;
- establishes a model that relates the service and generic definitions provided by this function to user requirements;
- defines the services provided by the function;
- defines generic attribute types, notification types and parameters documented in accordance with CCITT Rec. X.722 | ISO/IEC 10165-4;
- specifies the protocol that is necessary in order to provide the services;
- defines the relationship between the service and management operations and notifications;
- specifies compliance requirements placed on other standards that makes use of these generic definitions;
- defines relationships with other systems management functions;
- specifies conformance requirements.

This Recommendation | International Standard does not

- define the nature of any implementation intended to provide this function;
- specify the manner in which management is accomplished by the user of this function;
- define the nature of any interactions that result in the use of this function;
- specify the services necessary for the establishment, normal and abnormal release of a management association;
- preclude the definition of further notification types;
- define managed objects.

2 Normative references

The following CCITT Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent editions of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The CCITT Secretariat maintains a list of the currently valid CCITT Recommendations.

2.1 Identical Recommendations | International Standards

- CCITT Recommendation X.701 (1992) | ISO/IEC 10040:1992, *Information technology – Open Systems Interconnection – Systems management overview.*
- CCITT Recommendation X.720 (1992) | ISO/IEC 10165-1:1993, *Information technology – Open Systems Interconnection – Structure of management information: Management information model.*
- CCITT Recommendation X.721 (1992) | ISO/IEC 10165-2:1992, *Information technology – Open Systems Interconnection – Structure of management information: Definition of management information.*
- CCITT Recommendation X.722 (1992) | ISO/IEC 10165-4:1992, *Information technology – Open Systems Interconnection – Structure of management information: Guidelines for the definition of managed objects.*
- CCITT Recommendation X.733 (1992) | ISO/IEC 10164-4:1992, *Information technology – Open Systems Interconnection – Systems Management: Alarm reporting function.*
- CCITT Recommendation X.734 (1992) | ISO/IEC 10164-5:1993, *Information technology – Open Systems Interconnection – Systems Management: Event report management function.*
- CCITT Recommendation X.735 (1992) | ISO/IEC 10164-6:1993, *Information technology – Open Systems Interconnection – Systems Management: Log control function.*

2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.200 (1988), *Reference Model of Open Systems Interconnection for CCITT Applications.*
ISO 7498:1984, *Information processing systems – Open Systems Interconnection – Basic Reference Model.*
- CCITT Recommendation X.209 (1988), *Specification of basic encoding rules for Abstract Syntax Notation One (ASN.1).*
ISO/IEC 8825:1990, *Information technology – Open Systems Interconnection – Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1).*
- CCITT Recommendation X.210 (1988), *Open Systems Interconnection – Layer Service Definition Conventions.*
ISO/TR 8509:1987, *Information processing systems – Open Systems Interconnection – Service conventions.*
- CCITT Recommendation X.290 (1992), *OSI conformance testing methodology and framework for protocol Recommendations for CCITT applications – General concepts.*
ISO/IEC 9646-1:1991, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework - Part 1: General concepts.*
- CCITT Recommendation X.700 (1992), *Management Framework Definition for Open Systems Interconnection (OSI) for CCITT Applications.*
ISO/IEC 7498-4:1989, *Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 4: Management framework.*
- CCITT Recommendation X.710 (1991), *Common Management Information Service Definition for CCITT Applications.*
ISO/IEC 9595:1991, *Information technology – Open Systems Interconnection – Common management information service definition.*

2.3 Additional references

- ISO/IEC 9545:1989, *Information technology – Open Systems Interconnection – Application layer structure.*

CCITT Rec. X.732 (1992 E)

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 Basic reference model definitions

This Recommendation | International Standard makes use of the following terms defined in CCITT Rec. X.200 | ISO 7498:

- a) open system;
- b) systems management.

3.2 Management framework definitions

This Recommendation | International Standard makes use of the following term defined in CCITT Rec. X.700 | ISO/IEC 7498-4:

managed object.

3.3 CMIS definitions

This Recommendation | International Standard makes use of the following term defined in CCITT Rec. X.710 | ISO/IEC 9595:

attribute.

3.4 Systems management overview definitions

This Recommendation | International Standard makes use of the following terms defined in CCITT Rec. X.701 | ISO/IEC 10040:

- a) agent;
- b) agent role;
- c) dependent conformance;
- d) general conformance;
- e) generic definitions;
- f) managed object class;
- g) manager;
- h) manager role;
- i) notification;
- j) systems management functional unit;
- k) systems management function;
- l) systems management application protocol;
- m) (systems management) operation.

3.5 Management information model definitions

This Recommendation | International Standard makes use of the following term defined in CCITT Rec. X.720 | ISO/IEC 10165-1:

managed object boundary.

3.6 Service conventions definitions

This Recommendation | International Standard makes use of the following terms defined in CCITT Rec. X.210 | ISO/TR 8509:

- a) confirm (primitive);
- b) confirmed-service;
- c) indication (primitive);
- d) non-confirmed-service;
- e) request (primitive);
- f) response (primitive).

ISO/IEC 10164-3 : 1993 (E)

3.7 OSI conformance testing definitions

This Recommendation | International Standard makes use of the following term defined in CCITT Rec. X.290 | ISO/IEC 9646-1:

system conformance statement.

3.8 Additional definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.8.1 service relationships: An asymmetric relationship denoting that the first of a pair of managed objects is a provider object (providing services) to the second, and that the second is a user object (using services) of the first.

3.8.2 peer relationships: A peer relationship is a symmetric relationship describing the rules under which pairs of similar managed objects communicate.

3.8.3 fallback relationships: A fallback relationship is an asymmetric relationship denoting that the second of a pair of managed objects (the secondary object) is capable of serving as a fallback or “next preferred choice” to the first managed object (the primary object).

3.8.4 back-up relationships: A back-up relationship is an asymmetric relationship denoting that the second of a pair of managed objects (the back-up object) is currently active and performing a back-up function in place of the first (the backed-up object).

3.8.5 group relationships: A group relationship is a relationship between two managed objects where one, the member object, belongs to a group represented by the other, the owner object.

4 Abbreviations

ASN.1	Abstract Syntax Notation One
CMIS	Common Management Information service
Conf	Confirmation
Ind	Indication
MAPDU	Management application protocol data unit
OSI	Open systems interconnection
Req	Request
Rsp	Response
SMAPM	Systems management application protocol machine
SMI	Structure of management information

5 Conventions

This Recommendation | International Standard defines services for the Relationship Change Reporting following the descriptive conventions defined in CCITT Rec. X.210 | ISO/TR 8509. In clause 9, the definition of each service includes a table that lists the service parameters. For a given service primitive, the presence of each parameter is described by one of the following values:

- M the parameter is mandatory;
- (=) the value of the parameter is equal to the value of the parameter in the column to the left;
- U the use of the parameter is a Service-user option;
- the parameter is not present in the interaction described by the primitive concerned;
- C the parameter is conditional;
- P the parameter is subject to the constraints imposed by CCITT Rec. X.710 | ISO/IEC 9595.

NOTE – The parameters that are marked “P” in service tables of this Recommendation | International Standard are mapped directly onto the corresponding parameters of the CMIS service primitive, without changing the semantics or syntax of the parameters. The remaining parameters are used to construct an MAPDU.