



INTERNATIONAL STANDARD ISO/IEC 14496-16:2006/Amd.1:2007
TECHNICAL CORRIGENDUM 1

Published 2008-06-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Coding of audio-visual objects —
Part 16:
Animation Framework eXtension (AFX)

AMENDMENT 1: Geometry and shadow

TECHNICAL CORRIGENDUM 1

Technologies de l'information — Codage des objets audiovisuels —

Partie 16: Extension du cadre d'animation (AFX)

AMENDEMENT 1: Géométrie et ombre

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/IEC 14496-16:2006/Amd.1:2007 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

In 5.9.2.2.1.9, 3DMC_extension_header, replace:

3DMC_extension_header() {	No. of bits	Mnemonic
do {		
function_type	4	uimsbf
if (function_type == "Order_mode")		
Order_mode_header ()		
else if (function_type == "Adaptive_quant_texCoord_mode")		
Adaptive_quant_texCoord_mode_header()		
} while(function_type != "Escape_mode")		
}		

with the following (where changes are highlighted in grey):

3DMC_extension_header() {	No. of bits	Mnemonic
do {		
function_type	4	vlclbf
if (function_type == "Order_mode")		
Order_mode_header ()		
else if (function_type == "Adaptive_quant_texCoord_mode")		
Adaptive_quant_texCoord_mode_header()		
else if (function_type == "Multiple_attribute_mode")		
multiple_attribute_mode_header()		
} while(function_type != "Escape_mode")		
}		

Insert the following new subclauses, renumbering subsequent subclauses:

5.9.2.2.1.11 multiple_attribute_mode_header

multiple_attribute_mode_header(){	No. of bits	Mnemonic
number_of_texCoord	<u>5</u>	
for 2 to number_of_texCoord		vlclbf
texCoord_header()		
number_of_otherAttr	8	
for 1 to number_of_otherAttr		
otherAttr_header()		
}		

5.9.2.2.1.12 otherAttr_header

otherAttr_header() {	No. of bits	Mnemonic
otherAttr_binding	2	uimsbf
otherAttr_dimension	8	
if (otherAttr_binding != "not_bound") {		
otherAttr_bbox	1	
if (otherAttr_bbox == '1') {		
for (i= &; i < otherAttr_dimension; i++)		
otherAttr_min(i)	32	bslbf
otherAttr_size	32	bslbf
}		
otherAttr_quant	5	uimsbf
otherAttr_pred_type	2	uimsbf
if (otherAttr_pred_type=="tree_prediction" otherAttr_pred_type=="parallelogram_prediction") {		
otherAttr_nlambda	2	uimsbf
for (i=1; i<otherAttr_nlambda; i++)		
otherAttr_lambda	4-19	simsbf
}		
}		
}		

Replace 5.9.2.2.1.18, *root_triangle()*:

root_triangle() {	No. of bits	Mnemonic
if (marching_triangle)		
qf_decode(marching_pattern , marching_pattern_context[marching_pattern])		vlc1bf
else {		
if (3D_MOBL_start_code == "partition_type_2")		
if (tt_leaf == '0' && depth==0)		
qf_decode(td_orientation , td_orientation_context)		vlc1bf
if (tt_leaf == '0')		
depth++		
else		
depth--		
}		
if (3D_MOBL_start_code == "partition_type_2")		
if (triangulated == '0')		
qf_decode(polygon_edge , polygon_edge_context[polygon_edge])		vlc1bf
root_coord()		
root_normal()		
root_color()		
root_texCoord()		
}		