

INTERNATIONAL STANDARD

ISO/IEC
14957

First edition
1996-12-15

Information technology — Notation of format for data element values

*Technologies de l'information — Notation du format pour les valeurs des
éléments de données*



Reference number
ISO/IEC 14957:1996(E)



Documents
Document Sharing Hub

Contents

1 Scope 1

2 Normative References 1

3 Definitions 1

4 Notation relative to character types and length of representation of a data
 element 2

4.1 Character type notation.....2

4.1.1 Normal types.....2

4.1.2 mixed types.....2

4.1.3 Extended types 2

4.2 Length.....3

4.2.1 Fixed length 3

4.2.2 Variable length 3

4.2.3 Length expressed by a number of lines of characters 4

5 Additional notation for figures.....4

5.1 Numeration system 4

5.2 Notation for non computable format specification 4

5.2.1 Numbers 5

5.2.2 Positive and negative numbers 5

5.3 Notation for computable format specification 5

5.3.1 Types of computable formats.....5

5.3.2 Integer formats.....5

5.3.3 Decimal formats.....6

5.3.4 Floating comma format 6

© ISO/IEC 1996
All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

This International Standard ISO/IEC 14957 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 14, *Data element principles*.

Introduction

Data interchange is experiencing rapid expansion, in the commercial, technical and public sectors. It gives rise to inter working between different communities which often have developed independently information processing applications and telecommunication networks which meet specific needs. Hence an overall situation which suffers from a lack of homogeneity.

In order to remedy this situation, an urgent standardization effort focused in particular on the representation of data elements is necessary.

The representation of a data element supposes in the first place that the format, i.e. the type of characters used in the representation and in the length of the latter is specified. So that these specifications have the same significance for everyone involved, it is necessary to express them in accordance with standardized conventions.

Such rules are likely to eliminate any and all risk of ambiguity, lack of understanding and error; they also facilitate the comparison of data element dictionaries, the design and creation of information systems as well as electronic data interchange (EDI).

These notations have been partially and variously expressed in different International Standards according to the specific contexts in which they have been defined, e.g. EDIFACT (ISO 9735), Banking Standards (as ISO 7982-1), Character sets (ISO 8859), Information processing (ISO 6093).

Therefore, the objective of this International Standard is to provide a unique source of reference on this issue for all Standards utilizing these type of notations independently of their environments.