



INTERNATIONAL STANDARD ISO/IEC 15938-12:2008 TECHNICAL CORRIGENDUM 1

Published 2009-04-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Multimedia content description interface —

Part 12: Query format

TECHNICAL CORRIGENDUM 1

Technologies de l'information — Interface de description du contenu multimédia —

Partie 12: Format de requête

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/IEC 15938-12:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

Page 16, 6.7.2, replace:

```
<complexType name="RelationType">
  <sequence/>
  <attribute name="relationType" type="mpqf:termReferenceListType"
use="required"/>
  <attribute name="sourceResource" type="IDREF" use="required"/>
  <attribute name="targetResource" type="IDREF" use="optional"/>
</complexType>
<simpleType name="termReferenceListType">
  <list itemType="anyURI"/>
</simpleType>
```

ICS 35.040

Ref. No. ISO/IEC 15938-12:2008/Cor.1:2009(E)

© ISO/IEC 2009 – All rights reserved

Published in Switzerland

AVA Documents
Document Sharing Hub

with:

```
<complexType name="RelationType">
  <sequence/>
  <attribute name="relationType" type="anyURI" use="required"/>
  <attribute name="sourceResource" type="IDREF" use="required"/>
  <attribute name="targetResource" type="IDREF" use="optional"/>
</complexType>
```

Page 49, 11.8.1, replace:

The abstract `AggregateExpressionType` type is the base type of all the aggregate expressions and extends the `ArithmeticExpressionType` type.

with:

The abstract `AggregateExpressionType` type is the base type of all the aggregate expressions.

Page 49, 11.8.2, replace:

```
<complexType name="AggregateExpressionType" abstract="true">
  <complexContent>
    <extension base="mpqf:ArithmeticExpressionType">
      <attribute name="aggregateID" type="ID" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

with:

```
<complexType name="AggregateExpressionType" abstract="true">
  <attribute name="aggregateID" type="ID" use="optional"/>
</complexType>
```

Page 118, B.6, replace:

```
<Term href="100.3">
  <Name>Product</Name>
</Term>
```

with:

```
<Term href="100.5">
  <Name>Product</Name>
</Term>
```