INTERNATIONAL STANDARD

ISO/IEC 23360-6-2

First edition
2021-10

Linux Standard Base (LSB) —

Part 6-2:
Core specification for PowerPC 64 architecture

Reference number
ISO/IEC 23360-6-2:2021(E)

Documents
Document Sharing Hub
© ISO/IEC 2021

Full document details: ISO IEC 23360-6-2-2021

COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO/IEC 2021 – All rights reserved

Documents
Document Sharing Hub

Full document details: ISO IEC 23360-6-2-2021

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by the Linux Foundation as Linux Standard Base (LSB): Core specification for PowerPC 64 architecture and drafted in accordance with its editorial rules. It was assigned to Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*, and adopted by National Bodies.

This first edition of ISO/IEC 23360-6-2 cancels and replaces ISO/IEC 23360-6:2006, which has been technically revised.

This document is based on “The GNU Free Documentation License, version 1.1”. The license is available at https://www.gnu.org/licenses/old-licenses/fdl-1.1.html.

A list of all parts in the ISO/IEC 23660 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

© ISO/IEC 2021 – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

Contents

Foreword ... **iii**
Introduction ... **vi**
I Introductory Elements ... **1**
1 Scope ... 2
2 References ... 3
2.1 Normative References ... 3
2.2 Informative References/Bibliography ... 5
3 Requirements ... 8
3.1 Relevant Libraries ... 8
3.2 LSB Implementation Conformance ... 8
3.3 LSB Application Conformance ... 9
4 Terms and Definitions ... 11
5 Documentation Conventions ... 13
II Executable and Linking Format (ELF) ... **14**
6 Introduction ... 15
7 Low Level System Information ... 16
7.1 Machine Interface ... 16
7.2 Function Calling Sequence ... 17
7.3 Traceback Tables ... 17
7.4 Process Initialization ... 17
7.5 Coding Examples ... 17
8 Object Format ... 19
8.1 Introduction ... 19
8.2 ELF Header ... 19
8.3 Special Sections ... 19
8.4 TOC ... 21
8.5 Symbol Table ... 21
8.6 Relocation ... 21
9 Program Loading and Dynamic Linking ... 22
9.1 Introduction ... 22
9.2 Program Loading ... 22
9.3 Dynamic Linking ... 22
III Base Libraries ... **23**
10 Libraries ... 24
10.1 Program Interpreter/Dynamic Linker ... 24
10.2 Interfaces for libc ... 24
10.3 Data Definitions for libc ... 45
10.4 Interfaces for libm ... 63
10.5 Data Definitions for libm ... 70
10.6 Interface Definitions for libm ... 71
10.7 Interfaces for libpthread ... 72
10.8 Data Definitions for libpthread ... 78
10.9 Interfaces for libgcc_s ... 79
10.10 Data Definitions for libgcc_s ... 80
10.11 Interface Definitions for libgcc_s ... 80
10.12 Interfaces for libdl ... 81
10.13 Data Definitions for libdl ... 82
10.14 Interfaces for libcrypt ... 82

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

10.15 Data Definitions for libcrypt....83
IV Utility Libraries....84
11 Libraries....85
11.1 Interfaces for libz....85
11.2 Data Definitions for libz....85
11.3 Interfaces for libncurses....86
11.4 Data Definitions for libncurses....86
11.5 Interfaces for libncursesw....86
11.6 Data Definitions for libncursesw....87
11.7 Interfaces for libutil....87
V Base Libraries....89
12 Libraries....90
12.1 Interfaces for libstdcxx....90
12.2 Interface Definitions for libstdcxx....222
VI Package Format and Installation....223
13 Software Installation....224
13.1 Package Dependencies....224
13.2 Package Architecture Considerations....224
Annex A Alphabetical Listing of Interfaces by Library....225
A.1 libc....225
A.2 libcrypt....241
A.3 libdl....241
A.4 libgcc_s....241
A.5 libm....242
A.6 libpthread....248
A.7 librt....251
A.8 libutil....252

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

Introduction

The LSB defines a binary interface for application programs that are compiled and packaged for LSB-conforming implementations on many different hardware architectures. A binary specification must include information specific to the computer processor architecture for which it is intended. To avoid the complexity of conditional descriptions, the specification has instead been divided into generic parts which are augmented by one of several architecture-specific parts, depending on the target processor architecture; the generic part will indicate when reference must be made to the architecture part, and vice versa.

This document should be used in conjunction with the documents it references. This document enumerates the system components it includes, but descriptions of those components may be included entirely or partly in this document, partly in other documents, or entirely in other reference documents. For example, the section that describes system service routines includes a list of the system routines supported in this interface, formal declarations of the data structures they use that are visible to applications, and a pointer to the underlying referenced specification for information about the syntax and semantics of each call. Only those routines not described in standards referenced by this document, or extensions to those standards, are described in the detail. Information referenced in this way is as much a part of this document as is the information explicitly included here.

The specification carries a version number of either the form `x.y` or `x.y.z`. This version number carries the following meaning:

1. The first number (`x`) is the major version number. Versions sharing the same major version number shall be compatible in a backwards direction; that is, a newer version shall be compatible with an older version. Any deletion of a library results in a new major version number. Interfaces marked as deprecated may be removed from the specification at a major version change.
2. The second number (`y`) is the minor version number. Libraries and individual interfaces may be added, but not removed. Interfaces may be marked as deprecated at a minor version change. Other minor changes may be permitted at the discretion of the LSB workgroup.
3. The third number (`z`), if present, is the editorial level. Only editorial changes should be included in such versions.

Since this specification is a descriptive Application Binary Interface, and not a source level API specification, it is not possible to make a guarantee of 100% backward compatibility between major releases. However, it is the intent that those parts of the binary interface that are visible in the source level API will remain backward compatible from version to version, except where a feature marked as "Deprecated" in one release may be removed from a future release. Implementors are strongly encouraged to make use of symbol versioning to permit simultaneous support of applications conforming to different releases of this specification.

LSB is a trademark of the Linux Foundation. Developers of applications or implementations interested in using the trademark should see the Linux Foundation Certification Policy for details.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

I Introductory Elements

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

1 Scope

The Linux Standard Base (LSB) defines a system interface for compiled applications and a minimal environment for support of installation scripts. Its purpose is to enable a uniform industry standard environment for high-volume applications conforming to the LSB.

These specifications are composed of two basic parts: a common part describing those parts of the interface that remain constant across all implementations of the LSB, and an architecture-specific part describing the parts of the interface that vary by processor architecture. Together, the common part and the relevant architecture-specific part for a single hardware architecture provide a complete interface specification for compiled application programs on systems that share a common hardware architecture.

The LSB contains both a set of Application Program Interfaces (APIs) and Application Binary Interfaces (ABIs). APIs may appear in the source code of portable applications, while the compiled binary of that application may use the larger set of ABIs. A conforming implementation provides all of the ABIs listed here. The compilation system may replace (e.g. by macro definition) certain APIs with calls to one or more of the underlying binary interfaces, and may insert calls to binary interfaces as needed.

The LSB is primarily a binary interface definition. Not all of the source level APIs available to applications may be contained in this specification.

This is the PPC64 architecture specific part of the Core module of the Linux Standard Base (LSB). This part supplements the common part of the LSB Core module with those interfaces that differ between architectures.

This part should be used in conjunction with LSB Core - Generic, the common part. Whenever a section of the common part is supplemented by architecture-specific information, the common part includes a reference to the architecture-specific part. This part may also contain additional information that is not referenced in the common part.

Interfaces described in this part of the LSB Core Specification are mandatory except where explicitly listed otherwise. Interfaces described in the LSB Core module are supplemented by other LSB modules. All other modules depend on the presence of LSB Core.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

2 References

2.1 Normative References

The following specifications are incorporated by reference into this specification. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced specification (including any amendments) applies.

Note: Where copies of a referenced specification are available on the World Wide Web, a Uniform Resource Locator (URL) is given, for informative purposes only. Such URL might at any given time resolve to a more recent copy of the specification, or be out of date (not resolve). Reference copies of specifications at the revision level indicated may be found at the Linux Foundation's Reference Specifications (http://refspecs.linuxbase.org) site.

Table 2-1 Normative References

Name	Title	URL
LSB Core - Generic	Linux Standard Base - Core Specification - Generic	http://www.linuxbase.org/spec/
64-bit PowerPC™ ELF ABI Supplement	64-bit PowerPC™ ELF ABI Supplement, Version 1.9	http://www.linux-foundation.org/spec/ELF/ppc64/
Filesystem Hierarchy Standard	Filesystem Hierarchy Standard (FHS) 3.0	http://refspecs.linuxbase.org/fhs
ISO C (1999)	ISO/IEC 9899:1999 - Programming Languages -- C	
ISO/IEC 14882: 2003 C++ Language	ISO/IEC 14882: 2003 Programming languages --C++	
Itanium™ C++ ABI	Itanium™ C++ ABI (Revision 1.86)	http://refspecs.linuxfoundation.org/cxxabi-1.86.html
Large File Support	Large File Support	http://www.UNIX-systems.org/version2/whatsnew/lfs20mar.html
Libncursesw API	Libncursesw API	http://invisible-island.net/ncurses/man/ncurses.3x.html
Libncursesw Placeholder	Libncursesw Specification Placeholder	http://refspecs.linux-foundation.org/libncursesw/libncurses.html
POSIX 1003.1-2001 (ISO/IEC 9945-2003)	ISO/IEC 9945-1:2003 Information technology -- Portable Operating System Interface	http://www.unix.org/version3/

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

Name	Title	URL
	(POSIX) -- Part 1: Base Definitions ISO/IEC 9945-2:2003 Information technology -- Portable Operating System Interface (POSIX) -- Part 2: System Interfaces ISO/IEC 9945-3:2003 Information technology -- Portable Operating System Interface (POSIX) -- Part 3: Shell and Utilities ISO/IEC 9945-4:2003 Information technology -- Portable Operating System Interface (POSIX) -- Part 4: Rationale Including Technical Cor. 1: 2004	
POSIX 1003.1-2008 (ISO/IEC 9945-2009)	Portable Operating System Interface (POSIX®) 2008 Edition / The Open Group Technical Standard Base Specifications, Issue 7	http://www.unix.org/version4/
SUSv2	CAE Specification, January 1997, System Interfaces and Headers (XSH),Issue 5 (ISBN: 1-85912-181-0, C606)	http://www.opengroup.org/publications/catalog/un.htm
SVID Issue 3	American Telephone and Telegraph Company, System V Interface Definition, Issue 3; Morristown, NJ, UNIX Press, 1989. (ISBN 0201566524)	
SVID Issue 4	System V Interface Definition, Fourth Edition	http://refspecs.linuxfoundation.org/svid4/
System V ABI	System V Application Binary Interface, Edition 4.1	http://www.sco.com/developers/devspecs/gabi41.pdf

AVA Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

Name	Title	URL
System V ABI Update	System V Application Binary Interface - DRAFT - 17 December 2003	http://www.sco.com/developers/gabi/2003-12-17/contents.html
The PowerPC™ Microprocessor Family	The PowerPC™ Microprocessor Family: The Programming Environment Manual for 32 and 64-bit Microprocessors	http://refspecs.linux-foundation.org/PPC_hrm.2005mar31.pdf
X/Open Curses, Issue 7	X/Open Curses, Issue 7 (ISBN: 1-931624-83-6, The Open Group, November 2009)	https://www2.opengroup.org/ogsys/catalog/C094

2.2 Informative References/Bibliography

The documents listed below provide essential background information to implementors of this specification. These references are included for information only, and do not represent normative parts of this specification.

Table 2-2 Other References

Name	Title	URL
DWARF Debugging Information Format, Version 4	DWARF Debugging Information Format, Version 4 (June 10, 2010)	http://www.dwarfstd.org/doc/DWARF4.pdf
IEC 60559/IEEE 754 Floating Point	IEC 60559:1989 Binary floating-point arithmetic for microprocessor systems	http://www.ieee.org/
ISO/IEC TR14652	ISO/IEC Technical Report 14652:2002 Specification method for cultural conventions	
ITU-T V.42	International Telecommunication Union Recommendation V.42 (2002): Error-correcting procedures for DCEs using asynchronous-to-synchronous conversionITUV	http://www.itu.int/rec/recommendation.asp?type=folders&lang=e&parent=T-REC-V.42
Li18nux Globalization Specification	LI18NUX 2000 Globalization Specification, Version 1.0 with Amendment 4	http://www.openi18n.org/docs/html/LI18NUX-2000-amd4.htm

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

Name	Title	URL
Linux Allocated Device Registry	LINUX ALLOCATED DEVICES	http://www.lanana.org/docs/device-list/devices-2.6+.txt
Linux Assigned Names And Numbers Authority	Linux Assigned Names And Numbers Authority	http://www.lanana.org/
Mozilla's NSS SSL Reference	Mozilla's NSS SSL Reference	http://www.mozilla.org/projects/security/pki/nss/ref/ssl/
NSPR Reference	Mozilla's NSPR Reference	http://refspecs.linuxfoundation.org/NSPR_API_Reference/NSPR_API.html
PAM	Open Software Foundation, Request For Comments: 86.0 , October 1995, V. Samar & R.Schemers (SunSoft)	http://www.opengroup.org/tech/rfc/mirror-rfc/rfc86.0.txt
RFC 1321: The MD5 Message-Digest Algorithm	IETF RFC 1321: The MD5 Message-Digest Algorithm	http://www.ietf.org/rfc/rfc1321.txt
RFC 1833: Binding Protocols for ONC RPC Version 2	IETF RFC 1833: Binding Protocols for ONC RPC Version 2	http://www.ietf.org/rfc/rfc1833.txt
RFC 1950: ZLIB Compressed Data Format Specication	IETF RFC 1950: ZLIB Compressed Data Format Specification	http://www.ietf.org/rfc/rfc1950.txt
RFC 1951: DEFLATE Compressed Data Format Specification	IETF RFC 1951: DEFLATE Compressed Data Format Specification version 1.3	http://www.ietf.org/rfc/rfc1951.txt
RFC 1952: GZIP File Format Specification	IETF RFC 1952: GZIP file format specification version 4.3	http://www.ietf.org/rfc/rfc1952.txt
RFC 2440: OpenPGP Message Format	IETF RFC 2440: OpenPGP Message Format	http://www.ietf.org/rfc/rfc2440.txt
RFC 2821:Simple Mail Transfer Protocol	IETF RFC 2821: Simple Mail Transfer Protocol	http://www.ietf.org/rfc/rfc2821.txt
RFC 2822:Internet Message Format	IETF RFC 2822: Internet Message Format	http://www.ietf.org/rfc/rfc2822.txt
RFC 5531/4506 RPC & XDR	IETF RFC 5531 & 4506	http://www.ietf.org/

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

Name	Title	URL
RFC 791:Internet Protocol	IETF RFC 791: Internet Protocol Specification	http://www.ietf.org/rfc/rfc791.txt
RPM Package Format	RPM Package Format V3.0	http://www.rpm.org/max-rpm/s1-rpm-file-format-rpm-file-format.html
zlib Manual	zlib 1.2 Manual	http://www.gzip.org/zlib/

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

3 Requirements

3.1 Relevant Libraries

The libraries listed in Table 3-1 shall be available on PPC64 Linux Standard Base systems, with the specified runtime names. These names override or supplement the names specified in the generic LSB (LSB Core - Generic) specification. The specified program interpreter, referred to as proginterp in this table, shall be used to load the shared libraries specified by `DT_NEEDED` entries at run time.

Table 3-1 Standard Library Names

Library	Runtime Name
libc	libc.so.6
libcrypt	libcrypt.so.1
libdl	libdl.so.2
libgcc_s	libgcc_s.so.1
libm	libm.so.6
libncurses	libncurses.so.5
libncursesw	libncursesw.so.5
libpthread	libpthread.so.0
libstdcxx	libstdc++.so.6
libutil	libutil.so.1
libz	libz.so.1
proginterp	/lib64/ld-lsb-ppc64.so.3

These libraries will be in an implementation-defined directory which the dynamic linker shall search by default.

3.2 LSB Implementation Conformance

A conforming implementation is necessarily architecture specific, and must provide the interfaces specified by both the generic LSB Core specification (LSB Core - Generic) and the relevant architecture specific part of the LSB Core Specification.

> **Rationale:** An implementation must provide *at least* the interfaces specified in these specifications. It may also provide additional interfaces.

A conforming implementation shall satisfy the following requirements:

- A processor architecture represents a family of related processors which may not have identical feature sets. The architecture specific parts of the LSB Core Specification that supplement this specification for a given target processor architecture describe a minimum acceptable processor. The implementation shall provide all features of this processor, whether in hardware or through emulation transparent to the application.

© 2021 ISO/IEC – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

- The implementation shall be capable of executing compiled applications having the format and using the system interfaces described in this specification.
- The implementation shall provide libraries containing the interfaces specified by this specification, and shall provide a dynamic linking mechanism that allows these interfaces to be attached to applications at runtime. All the interfaces shall behave as specified in this specification.
- The map of virtual memory provided by the implementation shall conform to the requirements of this specification.
- The implementation's low-level behavior with respect to function call linkage, system traps, signals, and other such activities shall conform to the formats described in this specification.
- The implementation shall provide all of the mandatory interfaces in their entirety.
- The implementation may provide one or more of the optional interfaces. Each optional interface that is provided shall be provided in its entirety. The product documentation shall state which optional interfaces are provided.
- The implementation shall provide all files and utilities specified as part of this specification in the format defined here and in other documents normatively included by reference. All commands and utilities shall behave as required by this specification. The implementation shall also provide all mandatory components of an application's runtime environment that are included or referenced in this specification.
- The implementation, when provided with standard data formats and values at a named interface, shall provide the behavior defined for those values and data formats at that interface. However, a conforming implementation may consist of components which are separately packaged and/or sold. For example, a vendor of a conforming implementation might sell the hardware, operating system, and windowing system as separately packaged items.
- The implementation may provide additional interfaces with different names. It may also provide additional behavior corresponding to data values outside the standard ranges, for standard named interfaces.

3.3 LSB Application Conformance

A conforming application containing object files is necessarily architecture specific, and must conform to both the generic LSB Core specification (LSB Core - Generic) and the relevant architecture specific part of the LSB Core Specification. A conforming application which contains no object files may be architecture neutral. Architecture neutral applications shall conform only to the requirements of the generic LSB Core specification (LSB Core - Generic).

A conforming application shall satisfy the following requirements:

- Executable files shall be either object files in the format defined in the Object Format section of this specification, or script files in a scripting language where the interpreter is required by this specification.
- Object files shall participate in dynamic linking as defined in the Program Loading and Linking section of this specification.
- Object files shall employ only the instructions, traps, and other low-level facilities defined as being for use by applications in the Low-Level System Information section of this specification

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

- If the application requires any optional interface defined in this specification in order to be installed or to execute successfully, the requirement for that optional interface shall be stated in the application's documentation.
- The application shall not use any interface or data format that is not required to be provided by a conforming implementation, unless such an interface or data format is supplied by another application through direct invocation of that application during execution. The other application must also be a conforming application, and the use of such interface or data format, as well as its source (in other words, the other conforming application), shall be identified in the documentation of the application.
- The application shall not use any values for a named interface that are reserved for vendor extensions.

A strictly conforming application shall not require or use any interface, facility, or implementation-defined extension not defined in this specification in order to be installed or to execute successfully.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

4 Terms and Definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 2382, ISO 80000–2, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

4.1

archLSB

Some LSB specification documents have both a generic, architecture-neutral part and an architecture-specific part. The latter describes elements whose definitions may be unique to a particular processor architecture. The term archLSB may be used in the generic part to refer to the corresponding section of the architecture-specific part.

4.2

Binary Standard, ABI

The total set of interfaces that are available to be used in the compiled binary code of a conforming application, including the run-time details such as calling conventions, binary format, C++ name mangling, etc.

4.3

Implementation-defined

Describes a value or behavior that is not defined by this document but is selected by an implementor. The value or behavior may vary among implementations that conform to this document. An application should not rely on the existence of the value or behavior. An application that relies on such a value or behavior cannot be assured to be portable across conforming implementations. The implementor shall document such a value or behavior so that it can be used correctly by an application.

4.4

Shell Script

A file that is read by an interpreter (e.g., awk). The first line of the shell script includes a reference to its interpreter binary.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

4.5

Source Standard, API

The total set of interfaces that are available to be used in the source code of a conforming application. Due to translations, the Binary Standard and the Source Standard may contain some different interfaces.

4.6

Undefined

Describes the nature of a value or behavior not defined by this document which results from use of an invalid program construct or invalid data input. The value or behavior may vary among implementations that conform to this document. An application should not rely on the existence or validity of the value or behavior. An application that relies on any particular value or behavior cannot be assured to be portable across conforming implementations.

4.7

Unspecified

Describes the nature of a value or behavior not specified by this document which results from use of a valid program construct or valid data input. The value or behavior may vary among implementations that conform to this document. An application should not rely on the existence or validity of the value or behavior. An application that relies on any particular value or behavior cannot be assured to be portable across conforming implementations.

In addition, for the portions of this specification which build on IEEE Std 1003.1-2001, the definitions given in *IEEE Std 1003.1-2001, Base Definitions, Chapter 3* apply.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

5 Documentation Conventions

Throughout this document, the following typographic conventions are used:

`function()`

the name of a function

command

the name of a command or utility

`CONSTANT`

a constant value

`parameter`

a parameter

`variable`

a variable

Throughout this specification, several tables of interfaces are presented. Each entry in these tables has the following format:

name

the name of the interface

(symver)

An optional symbol version identifier, if required.

[*`refno`*]

A reference number indexing the table of referenced specifications that follows this table.

For example,

forkpty(GLIBC_2.0) [SUSv4]

refers to the interface named `forkpty()` with symbol version `GLIBC_2.0` that is defined in the reference indicated by the tag `SUSv4`.

Note: For symbols with versions which differ between architectures, the symbol versions are defined in the architecture specific parts of of this module specification only. In the generic part, they will appear without symbol versions.

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

II Executable and Linking Format (ELF)

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

6 Introduction

Executable and Linking Format (ELF) defines the object format for compiled applications. This specification supplements the information found in System V ABI Update and 64-bit PowerPC™ ELF ABI Supplement, and is intended to document additions made since the publication of that document.

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

7 Low Level System Information

7.1 Machine Interface

7.1.1 Processor Architecture

The PowerPC Architecture is specified by the following documents:

- 64-bit PowerPC™ ELF ABI Supplement
- The PowerPC™ Microprocessor Family

Only the features of the PowerPC Power3 processor instruction set may be assumed to be present. An application should determine if any additional instruction set features are available before using those additional features. If a feature is not present, then the application may not use it.

Conforming applications may use only instructions which do not require elevated privileges.

Conforming applications shall not invoke the implementations underlying system call interface directly. The interfaces in the implementation base libraries shall be used instead.

> **Rationale:** Implementation-supplied base libraries may use the system call interface but applications must not assume any particular operating system or kernel version is present.

An implementation must support the 64-bit computation mode as described in The PowerPC™ Microprocessor Family.

Applications conforming to this specification must provide feedback to the user if a feature that is required for correct execution of the application is not present. Applications conforming to this specification should attempt to execute in a diminished capacity if a required feature is not present.

This specification does not provide any performance guarantees of a conforming system. A system conforming to this specification may be implemented in either hardware or software.

7.1.2 Data Representation

LSB-conforming applications shall use the data representation as defined in Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.1.3 Byte Ordering

LSB-conforming applications shall use big-endian byte ordering. LSB-conforming implementations may support little-endian applications.

7.1.4 Fundamental Types

LSB-conforming applications shall use the fundamental types as defined in Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

LSB-conforming applications shall not use the long double fundamental type.

7.1.5 Aggregates and Unions

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

7.1.6 Bit Fields

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.2 Function Calling Sequence

LSB-conforming applications shall use the function calling sequence as defined in Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.2.1 Registers

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.2.2 Stack Frame

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.2.3 Parameter Passing

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.2.4 Return Values

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.2.5 Function Descriptors

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.3 Traceback Tables

LSB-conforming applications shall use the traceback tables as defined in Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.3.1 Mandatory Fields

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.3.2 Optional Fields

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.4 Process Initialization

LSB-conforming applications shall use the Operating System Interfaces as defined in Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.4.1 Registers

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.4.2 Process Stack

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5 Coding Examples

LSB-conforming applications may implement fundamental operations using the Coding Examples as defined in Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

7.5.1 Code Model Overview

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.2 The TOC Section

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.3 TOC Assembly Language Syntax

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.4 Function Prologue and Epilogue

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.5 Register Saving and Restoring Functions

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.6 Saving General Registers Only

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.7 Saving General Registers and Floating Point Registers

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.8 Saving Floating Point Registers Only

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.9 Save and Restore Services

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.10 Data Objects

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.11 Function Calls

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.12 Branching

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

7.5.13 Dynamic Stack Space Allocation

See Chapter 3 of the 64-bit PowerPC™ ELF ABI Supplement.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

8 Object Format

8.1 Introduction

LSB-conforming implementations shall support the Executable and Linking Format (ELF) object file format, as defined by the following documents:

- System V ABI
- System V ABI Update
- 64-bit PowerPC™ ELF ABI Supplement
- LSB Core - Generic
- this document

LSB-conforming implementations need not support tags related functionality. LSB-conforming applications must not rely on tags related functionality.

8.2 ELF Header

LSB-conforming applications shall use the ELF header as defined in 64-bit PowerPC™ ELF ABI Supplement, Chapter 4.

8.3 Special Sections

The following sections are defined in the 64-bit PowerPC™ ELF ABI Supplement.

Table 8-1 ELF Special Sections

Name	Type	Attributes
.glink	SHT_PROGBITS	SHF_ALLOC+SHF_EX-ECINSTR
.got	SHT_PROGBITS	SHF_AL-LOC+SHF_WRITE
.plt	SHT_NOBITS	SHF_AL-LOC+SHF_WRITE
.sbss	SHT_NOBITS	SHF_AL-LOC+SHF_WRITE
.sdata	SHT_PROGBITS	SHF_AL-LOC+SHF_WRITE
.toc	SHT_PROGBITS	SHF_AL-LOC+SHF_WRITE
.tocbss	SHT_NOBITS	SHF_AL-LOC+SHF_WRITE

.glink

This section may be used to hold the global linkage table which aids the procedure linkage table. See Procedure Linkage Table in Chapter 5 of the processor supplement for more information.

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

.got

This section may be used to hold the Global Offset Table, or GOT. See The Toc Section and Coding Examples in Chapter 3 and Global Offset Table in Chapter 5 of the processor supplement for more information.

.plt

This section holds the procedure linkage table. See Procedure Linkage Table in Chapter 5 of the processor supplement for more information.

.sbss

This section holds uninitialized data that contribute to the program's memory image. The system initializes the data with zeroes when the program begins to run.

.sdata

This section holds initialized small data that contribute to the program memory image.

.toc

This section may be used to hold the initialized Table of Contents, or TOC.

.tocbss

This section may be used to hold the uninitialized portions of the TOC. This data may also be stored as zero-initialized data in a .toc section.

8.3.1 Additional Special Sections

The following additional sections are defined here.

Table 8-2 Additional Special Sections

Name	Type	Attributes
.branch_lt	SHT_PROGBITS	SHF_AL-LOC+SHF_WRITE
.opd	SHT_PROGBITS	SHF_AL-LOC+SHF_WRITE
.rela.dyn	SHT_RELA	SHF_ALLOC
.rela.plt	SHT_RELA	SHF_ALLOC
.toc1	SHT_PROGBITS	SHF_AL-LOC+SHF_WRITE

.branch_lt

This section holds destination addresses for very long branches.

.opd

This section contains the official procedure descriptors. A pointer to a function shall reference a procedure descriptor in this section.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

.rela.dyn

This section holds RELA type relocation information for all sections of a shared library except the PLT.

.rela.plt

This section holds RELA type relocation information for the PLT section of a shared library or dynamically linked application.

.toc1

This section holds the second level TOC information.

8.4 TOC

LSB-conforming applications shall use the Table of Contents (TOC) as defined in 64-bit PowerPC™ ELF ABI Supplement, Chapter 4.

8.5 Symbol Table

LSB-conforming applications shall use the Symbol Table as defined in Chapter 4 of the 64-bit PowerPC™ ELF ABI Supplement.

8.5.1 Symbol Values

See Chapter 4 of the 64-bit PowerPC™ ELF ABI Supplement.

8.6 Relocation

LSB-conforming applications shall use Relocations as defined in Chapter 4 of the 64-bit PowerPC™ ELF ABI Supplement.

8.6.1 Relocation Types

See Chapter 4 of the 64-bit PowerPC™ ELF ABI Supplement.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

9 Program Loading and Dynamic Linking

9.1 Introduction

LSB-conforming implementations shall support the object file information and system actions that create running programs as specified in the System V ABI, 64-bit PowerPC™ ELF ABI Supplement and as supplemented by the Linux Standard Base Specification and this document.

9.2 Program Loading

See 64-bit PowerPC™ ELF ABI Supplement, Chapter 5.1.

9.3 Dynamic Linking

See 64-bit PowerPC™ ELF ABI Supplement, Chapter 5.2.

9.3.1 Dynamic Section

The following dynamic entries are defined in the 64-bit PowerPC™ ELF ABI Supplement, Chapter 5.2.

DT_JMPREL

This entry is associated with a table of relocation entries for the procedure linkage table. This entry is mandatory both for executable and shared object files

DT_PLTGOT

This entry's d_ptr member gives the address of the first byte in the procedure linkage table

In addtion the following dynamic entries are also supported:

DT_RELACOUNT

The number of relative relocations in .rela.dyn

9.3.2 Global Offset Table

See 64-bit PowerPC™ ELF ABI Supplement, Chapter 5.2.2.

9.3.3 Function Addresses

See 64-bit PowerPC™ ELF ABI Supplement, Chapter 5.2.3.

9.3.4 Procedure Linkage Table

See 64-bit PowerPC™ ELF ABI Supplement, Chapter 5.2.4.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

III Base Libraries

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

10 Libraries

An LSB-conforming implementation shall support base libraries which provide interfaces for accessing the operating system, processor and other hardware in the system.

Only interfaces and interface details which are unique to the PPC64 platform are defined here. This section should be used in conjunction with the corresponding section of LSB Core - Generic.

10.1 Program Interpreter/Dynamic Linker

The Program Interpreter shall be `/lib64/ld-lsb-ppc64.so.3`.

10.2 Interfaces for libc

Table 10-1 defines the library name and shared object name for the libc library

Table 10-1 libc Definition

Library:	libc
SONAME:	libc.so.6

The behavior of the interfaces in this library is specified by the following specifications:

[LFS] Large File Support
[LSB] LSB Core - Generic
[RPC + XDR] RFC 5531/4506 RPC & XDR
[SUSv2] SUSv2
[SUSv3] POSIX 1003.1-2001 (ISO/IEC 9945-2003)
[SUSv4] POSIX 1003.1-2008 (ISO/IEC 9945-2009)
[SVID.4] SVID Issue 4

10.2.1 RPC

10.2.1.1 Interfaces for RPC

An LSB conforming implementation shall provide the architecture specific functions for RPC specified in Table 10-2, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-2 libc - RPC Function Interfaces

authnone_create(GLIBC_2.3) [SVID.4]	callrpc(GLIBC_2.3) [RPC + XDR]	clnt_create(GLIBC_2.3) [SVID.4]	clnt_pcreateerror(GLIBC_2.3) [SVID.4]
clnt_perrno(GLIBC_2.3) [SVID.4]	clnt_perror(GLIBC_2.3) [SVID.4]	clnt_spcreateerror(GLIBC_2.3) [SVID.4]	clnt_sperrno(GLIBC_2.3) [SVID.4]
clnt_sperror(GLIBC_2.3) [SVID.4]	clntraw_create(GLIBC_2.3) [RPC + XDR]	clnttcp_create(GLIBC_2.3) [RPC + XDR]	clntudp_bufcreate(GLIBC_2.3) [RPC + XDR]

© 2021 ISO/IEC – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

clntudp_create(GLIBC_2.3) [RPC + XDR]	key_decryptsession(GLIBC_2.3) [SVID.4]	pmap_getport(GLIBC_2.3) [LSB]	pmap_set(GLIBC_2.3) [LSB]
pmap_unset(GLIBC_2.3) [LSB]	svc_getreqset(GLIBC_2.3) [SVID.4]	svc_register(GLIBC_2.3) [LSB]	svc_run(GLIBC_2.3) [LSB]
svc_sendreply(GLIBC_2.3) [LSB]	svcerr_auth(GLIBC_2.3) [SVID.4]	svcerr_decode(GLIBC_2.3) [SVID.4]	svcerr_noproc(GLIBC_2.3) [SVID.4]
svcerr_noprog(GLIBC_2.3) [SVID.4]	svcerr_progvers(GLIBC_2.3) [SVID.4]	svcerr_systemerr(GLIBC_2.3) [SVID.4]	svcerr_weakauth(GLIBC_2.3) [SVID.4]
svcfd_create(GLIBC_2.3) [RPC + XDR]	svcraw_create(GLIBC_2.3) [RPC + XDR]	svctcp_create(GLIBC_2.3) [LSB]	svcudp_create(GLIBC_2.3) [LSB]
xdr_accepted_reply(GLIBC_2.3) [SVID.4]	xdr_array(GLIBC_2.3) [SVID.4]	xdr_bool(GLIBC_2.3) [SVID.4]	xdr_bytes(GLIBC_2.3) [SVID.4]
xdr_callhdr(GLIBC_2.3) [SVID.4]	xdr_callmsg(GLIBC_2.3) [SVID.4]	xdr_char(GLIBC_2.3) [SVID.4]	xdr_double(GLIBC_2.3) [SVID.4]
xdr_enum(GLIBC_2.3) [SVID.4]	xdr_float(GLIBC_2.3) [SVID.4]	xdr_free(GLIBC_2.3) [SVID.4]	xdr_int(GLIBC_2.3) [SVID.4]
xdr_long(GLIBC_2.3) [SVID.4]	xdr_opaque(GLIBC_2.3) [SVID.4]	xdr_opaque_auth(GLIBC_2.3) [SVID.4]	xdr_pointer(GLIBC_2.3) [SVID.4]
xdr_reference(GLIBC_2.3) [SVID.4]	xdr_rejected_reply(GLIBC_2.3) [SVID.4]	xdr_replymsg(GLIBC_2.3) [SVID.4]	xdr_short(GLIBC_2.3) [SVID.4]
xdr_string(GLIBC_2.3) [SVID.4]	xdr_u_char(GLIBC_2.3) [SVID.4]	xdr_u_int(GLIBC_2.3) [LSB]	xdr_u_long(GLIBC_2.3) [SVID.4]
xdr_u_short(GLIBC_2.3) [SVID.4]	xdr_union(GLIBC_2.3) [SVID.4]	xdr_vector(GLIBC_2.3) [SVID.4]	xdr_void(GLIBC_2.3) [SVID.4]
xdr_wrapstring(GLIBC_2.3) [SVID.4]	xdrmem_create(GLIBC_2.3) [SVID.4]	xdrrec_create(GLIBC_2.3) [SVID.4]	xdrrec_endofrecord(GLIBC_2.3) [RPC + XDR]
xdrrec_eof(GLIBC_2.3) [SVID.4]	xdrrec_skiprecord(GLIBC_2.3) [RPC + XDR]	xdrstdio_create(GLIBC_2.3) [LSB]	

An LSB conforming implementation shall provide the architecture specific deprecated functions for RPC specified in Table 10-3, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

Table 10-3 libc - RPC Deprecated Function Interfaces

key_decryptsession(GLIBC_2.3) [SVID.4]			

10.2.2 Epoll

10.2.2.1 Interfaces for Epoll

No external functions are defined for libc - Epoll in this part of the specification. See also the generic specification.

10.2.3 System Calls

10.2.3.1 Interfaces for System Calls

An LSB conforming implementation shall provide the architecture specific functions for System Calls specified in Table 10-4, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-4 libc - System Calls Function Interfaces

__fxstat(GLIBC_2.3) [LSB]	__getpgid(GLIBC_2.3) [LSB]	__lxstat(GLIBC_2.3) [LSB]	__xmknod(GLIBC_2.3) [LSB]
__xstat(GLIBC_2.3) [LSB]	access(GLIBC_2.3) [SUSv4]	acct(GLIBC_2.3) [LSB]	alarm(GLIBC_2.3) [SUSv4]
backtrace(GLIBC_2.3) [LSB]	backtrace_symbols(GLIBC_2.3) [LSB]	backtrace_symbols_fd(GLIBC_2.3) [LSB]	brk(GLIBC_2.3) [SUSv2]
chdir(GLIBC_2.3) [SUSv4]	chmod(GLIBC_2.3) [SUSv4]	chown(GLIBC_2.3) [SUSv4]	chroot(GLIBC_2.3) [SUSv2]
clock(GLIBC_2.3) [SUSv4]	close(GLIBC_2.3) [SUSv4]	closedir(GLIBC_2.3) [SUSv4]	creat(GLIBC_2.3) [SUSv4]
dup(GLIBC_2.3) [SUSv4]	dup2(GLIBC_2.3) [SUSv4]	execl(GLIBC_2.3) [SUSv4]	execle(GLIBC_2.3) [SUSv4]
execlp(GLIBC_2.3) [SUSv4]	execv(GLIBC_2.3) [SUSv4]	execve(GLIBC_2.3) [SUSv4]	execvp(GLIBC_2.3) [SUSv4]
exit(GLIBC_2.3) [SUSv4]	fchdir(GLIBC_2.3) [SUSv4]	fchmod(GLIBC_2.3) [SUSv4]	fchown(GLIBC_2.3) [SUSv4]
fcntl(GLIBC_2.3) [LSB]	fdatasync(GLIBC_2.3) [SUSv4]	fexecve(GLIBC_2.3) [SUSv4]	flock(GLIBC_2.3) [LSB]
fork(GLIBC_2.3) [SUSv4]	fstatfs(GLIBC_2.3) [LSB]	fstatvfs(GLIBC_2.3) [SUSv4]	fsync(GLIBC_2.3) [SUSv4]
ftime(GLIBC_2.3) [SUSv3]	ftruncate(GLIBC_2.3) [SUSv4]	getcontext(GLIBC_2.3.4) [SUSv3]	getdtablesize(GLIBC_2.3) [LSB]
getegid(GLIBC_2.3) [SUSv4]	geteuid(GLIBC_2.3) [SUSv4]	getgid(GLIBC_2.3) [SUSv4]	getgroups(GLIBC_2.3) [SUSv4]

© 2021 ISO/IEC – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

getitimer(GLIBC_2.3) [SUSv4]	getloadavg(GLIBC_2.3) [LSB]	getpagesize(GLIBC_2.3) [LSB]	getpgid(GLIBC_2.3) [SUSv4]
getpgrp(GLIBC_2.3) [SUSv4]	getpid(GLIBC_2.3) [SUSv4]	getppid(GLIBC_2.3) [SUSv4]	getpriority(GLIBC_2.3) [SUSv4]
getrlimit(GLIBC_2.3) [LSB]	getrusage(GLIBC_2.3) [SUSv4]	getsid(GLIBC_2.3) [SUSv4]	getuid(GLIBC_2.3) [SUSv4]
getwd(GLIBC_2.3) [SUSv3]	initgroups(GLIBC_2.3) [LSB]	ioctl(GLIBC_2.3) [LSB]	kill(GLIBC_2.3) [LSB]
killpg(GLIBC_2.3) [SUSv4]	lchown(GLIBC_2.3) [SUSv4]	link(GLIBC_2.3) [LSB]	lockf(GLIBC_2.3) [SUSv4]
lseek(GLIBC_2.3) [SUSv4]	mkdir(GLIBC_2.3) [SUSv4]	mkfifo(GLIBC_2.3) [SUSv4]	mlock(GLIBC_2.3) [SUSv4]
mlockall(GLIBC_2.3) [SUSv4]	mmap(GLIBC_2.3) [SUSv4]	mprotect(GLIBC_2.3) [SUSv4]	mremap(GLIBC_2.3) [LSB]
msync(GLIBC_2.3) [SUSv4]	munlock(GLIBC_2.3) [SUSv4]	munlockall(GLIBC_2.3) [SUSv4]	munmap(GLIBC_2.3) [SUSv4]
nanosleep(GLIBC_2.3) [SUSv4]	nice(GLIBC_2.3) [SUSv4]	open(GLIBC_2.3) [SUSv4]	opendir(GLIBC_2.3) [SUSv4]
pathconf(GLIBC_2.3) [SUSv4]	pause(GLIBC_2.3) [SUSv4]	pipe(GLIBC_2.3) [SUSv4]	poll(GLIBC_2.3) [SUSv4]
pread(GLIBC_2.3) [SUSv4]	pselect(GLIBC_2.3) [SUSv4]	ptrace(GLIBC_2.3) [LSB]	pwrite(GLIBC_2.3) [SUSv4]
read(GLIBC_2.3) [SUSv4]	readdir(GLIBC_2.3) [SUSv4]	readdir_r(GLIBC_2.3) [SUSv4]	readlink(GLIBC_2.3) [SUSv4]
readv(GLIBC_2.3) [SUSv4]	rename(GLIBC_2.3) [SUSv4]	rmdir(GLIBC_2.3) [SUSv4]	sbrk(GLIBC_2.3) [SUSv2]
sched_get_priority_max(GLIBC_2.3) [SUSv4]	sched_get_priority_min(GLIBC_2.3) [SUSv4]	sched_getparam(GLIBC_2.3) [SUSv4]	sched_getscheduler(GLIBC_2.3) [SUSv4]
sched_rr_get_interval(GLIBC_2.3) [SUSv4]	sched_setparam(GLIBC_2.3) [SUSv4]	sched_setscheduler(GLIBC_2.3) [LSB]	sched_yield(GLIBC_2.3) [SUSv4]
select(GLIBC_2.3) [SUSv4]	setcontext(GLIBC_2.3.4) [SUSv3]	setegid(GLIBC_2.3) [SUSv4]	seteuid(GLIBC_2.3) [SUSv4]
setgid(GLIBC_2.3) [SUSv4]	setitimer(GLIBC_2.3) [SUSv4]	setpgid(GLIBC_2.3) [SUSv4]	setpgrp(GLIBC_2.3) [SUSv4]
setpriority(GLIBC_2.3) [SUSv4]	setregid(GLIBC_2.3) [SUSv4]	setreuid(GLIBC_2.3) [SUSv4]	setrlimit(GLIBC_2.3) [LSB]
setrlimit64(GLIBC_2.3) [LFS]	setsid(GLIBC_2.3) [SUSv4]	setuid(GLIBC_2.3) [SUSv4]	sleep(GLIBC_2.3) [SUSv4]
statfs(GLIBC_2.3) [LSB]	statvfs(GLIBC_2.3) [SUSv4]	stime(GLIBC_2.3) [LSB]	symlink(GLIBC_2.3) [SUSv4]

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

sync(GLIBC_2.3) [SUSv4]	sysconf(GLIBC_2.3) [LSB]	sysinfo(GLIBC_2.3) [LSB]	time(GLIBC_2.3) [SUSv4]
times(GLIBC_2.3) [SUSv4]	truncate(GLIBC_2.3) [SUSv4]	ulimit(GLIBC_2.3) [SUSv4]	umask(GLIBC_2.3) [SUSv4]
uname(GLIBC_2.3) [SUSv4]	unlink(GLIBC_2.3) [LSB]	utime(GLIBC_2.3) [SUSv4]	utimes(GLIBC_2.3) [SUSv4]
vfork(GLIBC_2.3) [SUSv3]	wait(GLIBC_2.3) [SUSv4]	wait4(GLIBC_2.3) [LSB]	waitid(GLIBC_2.3) [SUSv4]
waitpid(GLIBC_2.3) [SUSv4]	write(GLIBC_2.3) [SUSv4]	writev(GLIBC_2.3) [SUSv4]	

An LSB conforming implementation shall provide the architecture specific deprecated functions for System Calls specified in Table 10-5, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-5 libc - System Calls Deprecated Function Interfaces

fstatfs(GLIBC_2.3) [LSB]	getdtablesize(GLIBC_2.3) [LSB]	getpagesize(GLIBC_2.3) [LSB]	getwd(GLIBC_2.3) [SUSv3]
statfs(GLIBC_2.3) [LSB]			

10.2.4 Standard I/O

10.2.4.1 Interfaces for Standard I/O

An LSB conforming implementation shall provide the architecture specific functions for Standard I/O specified in Table 10-6, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-6 libc - Standard I/O Function Interfaces

_IO_feof(GLIBC_2.3) [LSB]	_IO_getc(GLIBC_2.3) [LSB]	_IO_putc(GLIBC_2.3) [LSB]	_IO_puts(GLIBC_2.3) [LSB]
__fprintf_chk(GLIBC_2.4) [LSB]	__printf_chk(GLIBC_2.4) [LSB]	__snprintf_chk(GLIBC_2.4) [LSB]	__sprintf_chk(GLIBC_2.4) [LSB]
__vfprintf_chk(GLIBC_2.4) [LSB]	__vprintf_chk(GLIBC_2.4) [LSB]	__vsnprintf_chk(GLIBC_2.4) [LSB]	__vsprintf_chk(GLIBC_2.4) [LSB]
asprintf(GLIBC_2.3) [LSB]	asprintf(GLIBC_2.4) [LSB]	clearerr(GLIBC_2.3) [SUSv4]	clearerr_unlocked(GLIBC_2.3) [LSB]
ctermid(GLIBC_2.3) [SUSv4]	dprintf(GLIBC_2.3) [SUSv4]	fclose(GLIBC_2.3) [SUSv4]	fdopen(GLIBC_2.3) [SUSv4]
feof(GLIBC_2.3) [SUSv4]	feof_unlocked(GLIBC_2.3) [LSB]	ferror(GLIBC_2.3) [SUSv4]	ferror_unlocked(GLIBC_2.3) [LSB]

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

fflush(GLIBC_2.3) [SUSv4]	fflush_unlocked(GLIBC_2.3) [LSB]	fgetc(GLIBC_2.3) [SUSv4]	fgetc_unlocked(GLIBC_2.3) [LSB]
fgetpos(GLIBC_2.3) [SUSv4]	fgets(GLIBC_2.3) [SUSv4]	fgets_unlocked(GLIBC_2.3) [LSB]	fgetwc_unlocked (GLIBC_2.3) [LSB]
fgetws_unlocked (GLIBC_2.3) [LSB]	fileno(GLIBC_2.3) [SUSv4]	fileno_unlocked(GLIBC_2.3) [LSB]	flockfile(GLIBC_2.3) [SUSv4]
fopen(GLIBC_2.3) [SUSv4]	fprintf(GLIBC_2.3) [SUSv4]	fprintf(GLIBC_2.4) [SUSv4]	fputc(GLIBC_2.3) [SUSv4]
fputc_unlocked(GLIBC_2.3) [LSB]	fputs(GLIBC_2.3) [SUSv4]	fputs_unlocked(GLIBC_2.3) [LSB]	fputwc_unlocked (GLIBC_2.3) [LSB]
fputws_unlocked (GLIBC_2.3) [LSB]	fread(GLIBC_2.3) [SUSv4]	fread_unlocked(GLIBC_2.3) [LSB]	freopen(GLIBC_2.3) [SUSv4]
fscanf(GLIBC_2.3) [LSB]	fscanf(GLIBC_2.4) [LSB]	fseek(GLIBC_2.3) [SUSv4]	fseeko(GLIBC_2.3) [SUSv4]
fsetpos(GLIBC_2.3) [SUSv4]	ftell(GLIBC_2.3) [SUSv4]	ftello(GLIBC_2.3) [SUSv4]	fwrite(GLIBC_2.3) [SUSv4]
fwrite_unlocked(GLIBC_2.3) [LSB]	getc(GLIBC_2.3) [SUSv4]	getc_unlocked(GLIBC_2.3) [SUSv4]	getchar(GLIBC_2.3) [SUSv4]
getchar_unlocked(GLIBC_2.3) [SUSv4]	getdelim(GLIBC_2.3) [SUSv4]	getline(GLIBC_2.3) [SUSv4]	getw(GLIBC_2.3) [SUSv2]
getwc_unlocked(GLIBC_2.3) [LSB]	getwchar_unlocked(GLIBC_2.3) [LSB]	pclose(GLIBC_2.3) [SUSv4]	popen(GLIBC_2.3) [SUSv4]
printf(GLIBC_2.3) [SUSv4]	printf(GLIBC_2.4) [SUSv4]	putc(GLIBC_2.3) [SUSv4]	putc_unlocked(GLIBC_2.3) [SUSv4]
putchar(GLIBC_2.3) [SUSv4]	putchar_unlocked(GLIBC_2.3) [SUSv4]	puts(GLIBC_2.3) [SUSv4]	putw(GLIBC_2.3) [SUSv2]
putwc_unlocked(GLIBC_2.3) [LSB]	putwchar_unlocked(GLIBC_2.3) [LSB]	remove(GLIBC_2.3) [SUSv4]	rewind(GLIBC_2.3) [SUSv4]
rewinddir(GLIBC_2.3) [SUSv4]	scanf(GLIBC_2.3) [LSB]	scanf(GLIBC_2.4) [LSB]	seekdir(GLIBC_2.3) [SUSv4]
setbuf(GLIBC_2.3) [SUSv4]	setbuffer(GLIBC_2.3) [LSB]	setvbuf(GLIBC_2.3) [SUSv4]	snprintf(GLIBC_2.3) [SUSv4]
snprintf(GLIBC_2.4) [SUSv4]	sprintf(GLIBC_2.3) [SUSv4]	sprintf(GLIBC_2.4) [SUSv4]	sscanf(GLIBC_2.3) [LSB]

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

sscanf(GLIBC_2.4) [LSB]	telldir(GLIBC_2.3) [SUSv4]	tempnam(GLIBC_2.3) [SUSv4]	ungetc(GLIBC_2.3) [SUSv4]
vasprintf(GLIBC_2.3) [LSB]	vasprintf(GLIBC_2.4) [LSB]	vdprintf(GLIBC_2.3) [SUSv4]	vdprintf(GLIBC_2.4) [SUSv4]
vfprintf(GLIBC_2.3) [SUSv4]	vfprintf(GLIBC_2.4) [SUSv4]	vprintf(GLIBC_2.3) [SUSv4]	vprintf(GLIBC_2.4) [SUSv4]
vsnprintf(GLIBC_2.3) [SUSv4]	vsnprintf(GLIBC_2.4) [SUSv4]	vsprintf(GLIBC_2.3) [SUSv4]	vsprintf(GLIBC_2.4) [SUSv4]

An LSB conforming implementation shall provide the architecture specific deprecated functions for Standard I/O specified in Table 10-7, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-7 libc - Standard I/O Deprecated Function Interfaces

asprintf(GLIBC_2.3) [LSB]	fprintf(GLIBC_2.3) [SUSv4]	fscanf(GLIBC_2.3) [LSB]	printf(GLIBC_2.3) [SUSv4]
scanf(GLIBC_2.3) [LSB]	snprintf(GLIBC_2.3) [SUSv4]	sprintf(GLIBC_2.3) [SUSv4]	sscanf(GLIBC_2.3) [LSB]
tempnam(GLIBC_2.3) [SUSv4]	vasprintf(GLIBC_2.3) [LSB]	vdprintf(GLIBC_2.3) [SUSv4]	vfprintf(GLIBC_2.3) [SUSv4]
vprintf(GLIBC_2.3) [SUSv4]	vsnprintf(GLIBC_2.3) [SUSv4]	vsprintf(GLIBC_2.3) [SUSv4]	

An LSB conforming implementation shall provide the architecture specific data interfaces for Standard I/O specified in Table 10-8, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-8 libc - Standard I/O Data Interfaces

stderr(GLIBC_2.3) [SUSv4]	stdin(GLIBC_2.3) [SUSv4]	stdout(GLIBC_2.3) [SUSv4]	

10.2.5 Signal Handling

10.2.5.1 Interfaces for Signal Handling

An LSB conforming implementation shall provide the architecture specific functions for Signal Handling specified in Table 10-9, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-9 libc - Signal Handling Function Interfaces

__libc_current_sigrtmax(GLIBC_2.3) [LSB]	__libc_current_sigrtmin(GLIBC_2.3) [LSB]	__sigsetjmp(GLIBC_2.3.4) [LSB]	__sysv_signal(GLIBC_2.3) [LSB]
__xpg_sigpause(GLIBC_2.3) [LSB]	bsd_signal(GLIBC_2.3) [SUSv3]	psignal(GLIBC_2.3) [SUSv4]	raise(GLIBC_2.3) [SUSv4]

AVA Documents Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

sigaction(GLIBC_2.3) [SUSv4]	sigaddset(GLIBC_2.3) [SUSv4]	sigaltstack(GLIBC_2.3) [SUSv4]	sigandset(GLIBC_2.3) [LSB]
sigdelset(GLIBC_2.3) [SUSv4]	sigemptyset(GLIBC_2.3) [SUSv4]	sigfillset(GLIBC_2.3) [SUSv4]	sighold(GLIBC_2.3) [SUSv4]
sigignore(GLIBC_2.3) [SUSv4]	siginterrupt(GLIBC_2.3) [SUSv4]	sigisemptyset(GLIBC_2.3) [LSB]	sigismember(GLIBC_2.3) [SUSv4]
siglongjmp(GLIBC_2.3.4) [SUSv4]	signal(GLIBC_2.3) [SUSv4]	sigorset(GLIBC_2.3) [LSB]	sigpause(GLIBC_2.3) [LSB]
sigpending(GLIBC_2.3) [SUSv4]	sigprocmask(GLIBC_2.3) [SUSv4]	sigqueue(GLIBC_2.3) [SUSv4]	sigrelse(GLIBC_2.3) [SUSv4]
sigreturn(GLIBC_2.3) [LSB]	sigset(GLIBC_2.3) [SUSv4]	sigsuspend(GLIBC_2.3) [SUSv4]	sigtimedwait(GLIBC_2.3) [SUSv4]
sigwait(GLIBC_2.3) [SUSv4]	sigwaitinfo(GLIBC_2.3) [SUSv4]		

An LSB conforming implementation shall provide the architecture specific deprecated functions for Signal Handling specified in Table 10-10, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-10 libc - Signal Handling Deprecated Function Interfaces

sigpause(GLIBC_2.3) [LSB]			

An LSB conforming implementation shall provide the architecture specific data interfaces for Signal Handling specified in Table 10-11, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-11 libc - Signal Handling Data Interfaces

_sys_siglist(GLIBC_2.3.3) [LSB]			

10.2.6 Localization Functions

10.2.6.1 Interfaces for Localization Functions

An LSB conforming implementation shall provide the architecture specific functions for Localization Functions specified in Table 10-12, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-12 libc - Localization Functions Function Interfaces

bind_textdomain_codeset(GLIBC_2.3) [LSB]	bindtextdomain(GLIBC_2.3) [LSB]	catclose(GLIBC_2.3) [SUSv4]	catgets(GLIBC_2.3) [SUSv4]
catopen(GLIBC_2.3) [SUSv4]	dcgettext(GLIBC_2.3) [LSB]	dcngettext(GLIBC_2.3) [LSB]	dgettext(GLIBC_2.3) [LSB]

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

dngettext(GLIBC_2.3) [LSB]	gettext(GLIBC_2.3) [LSB]	iconv(GLIBC_2.3) [SUSv4]	iconv_close(GLIBC_2.3) [SUSv4]
iconv_open(GLIBC_2.3) [SUSv4]	localeconv(GLIBC_2.3) [SUSv4]	ngettext(GLIBC_2.3) [LSB]	nl_langinfo(GLIBC_2.3) [SUSv4]
setlocale(GLIBC_2.3) [SUSv4]	textdomain(GLIBC_2.3) [LSB]		

An LSB conforming implementation shall provide the architecture specific data interfaces for Localization Functions specified in Table 10-13, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-13 libc - Localization Functions Data Interfaces

_nl_msg_cat_cntr (GLIBC_2.3) [LSB]			

10.2.7 Posix Spawn Option

10.2.7.1 Interfaces for Posix Spawn Option

An LSB conforming implementation shall provide the architecture specific functions for Posix Spawn Option specified in Table 10-14, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-14 libc - Posix Spawn Option Function Interfaces

posix_spawn(GLIBC_2.15) [SUSv4]	posix_spawn_file_actions_addclose(GLIBC_2.3) [SUSv4]	posix_spawn_file_actions_adddup2(GLIBC_2.3) [SUSv4]	posix_spawn_file_actions_addopen(GLIBC_2.3) [SUSv4]
posix_spawn_file_actions_destroy (GLIBC_2.3) [SUSv4]	posix_spawn_file_actions_init(GLIBC_2.3) [SUSv4]	posix_spawnattr_destroy(GLIBC_2.3) [SUSv4]	posix_spawnattr_getflags(GLIBC_2.3) [SUSv4]
posix_spawnattr_getpgroup(GLIBC_2.3) [SUSv4]	posix_spawnattr_getschedparam(GLIBC_2.3) [SUSv4]	posix_spawnattr_getschedpolicy(GLIBC_2.3) [SUSv4]	posix_spawnattr_getsigdefault(GLIBC_2.3) [SUSv4]
posix_spawnattr_getsigmask(GLIBC_2.3) [SUSv4]	posix_spawnattr_init(GLIBC_2.3) [SUSv4]	posix_spawnattr_setflags(GLIBC_2.3) [SUSv4]	posix_spawnattr_setpgroup(GLIBC_2.3) [SUSv4]
posix_spawnattr_setschedparam(GLIBC_2.3) [SUSv4]	posix_spawnattr_setschedpolicy(GLIBC_2.3) [SUSv4]	posix_spawnattr_setsigdefault(GLIBC_2.3) [SUSv4]	posix_spawnattr_setsigmask(GLIBC_2.3) [SUSv4]
posix_spawnp(GLIBC_2.15) [SUSv4]			

© 2021 ISO/IEC – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

10.2.8 Posix Advisory Option

10.2.8.1 Interfaces for Posix Advisory Option

An LSB conforming implementation shall provide the architecture specific functions for Posix Advisory Option specified in Table 10-15, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-15 libc - Posix Advisory Option Function Interfaces

posix_fadvise(GLIBC_2.3) [SUSv4]	posix_fallocate(GLIBC_2.3) [SUSv4]	posix_madvise(GLIBC_2.3) [SUSv4]	posix_memalign(GLIBC_2.3) [SUSv4]

10.2.9 Socket Interface

10.2.9.1 Interfaces for Socket Interface

An LSB conforming implementation shall provide the architecture specific functions for Socket Interface specified in Table 10-16, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-16 libc - Socket Interface Function Interfaces

__h_errno_location(GLIBC_2.3) [LSB]	accept(GLIBC_2.3) [SUSv4]	bind(GLIBC_2.3) [SUSv4]	bindresvport(GLIBC_2.3) [LSB]
connect(GLIBC_2.3) [SUSv4]	gethostid(GLIBC_2.3) [SUSv4]	gethostname(GLIBC_2.3) [SUSv4]	getpeername(GLIBC_2.3) [SUSv4]
getsockname(GLIBC_2.3) [SUSv4]	getsockopt(GLIBC_2.3) [LSB]	if_freenameindex(GLIBC_2.3) [SUSv4]	if_indextoname(GLIBC_2.3) [SUSv4]
if_nameindex(GLIBC_2.3) [SUSv4]	if_nametoindex(GLIBC_2.3) [SUSv4]	listen(GLIBC_2.3) [SUSv4]	recv(GLIBC_2.3) [SUSv4]
recvfrom(GLIBC_2.3) [SUSv4]	recvmsg(GLIBC_2.3) [SUSv4]	send(GLIBC_2.3) [SUSv4]	sendmsg(GLIBC_2.3) [SUSv4]
sendto(GLIBC_2.3) [SUSv4]	setsockopt(GLIBC_2.3) [LSB]	shutdown(GLIBC_2.3) [SUSv4]	sockatmark(GLIBC_2.3) [SUSv4]
socket(GLIBC_2.3) [SUSv4]	socketpair(GLIBC_2.3) [SUSv4]		

An LSB conforming implementation shall provide the architecture specific data interfaces for Socket Interface specified in Table 10-17, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-17 libc - Socket Interface Data Interfaces

in6addr_any(GLIBC_2.3) [SUSv3]	in6addr_loopback(GLIBC_2.3) [SUSv3]		

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

10.2.10 Wide Characters

10.2.10.1 Interfaces for Wide Characters

An LSB conforming implementation shall provide the architecture specific functions for Wide Characters specified in Table 10-18, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-18 libc - Wide Characters Function Interfaces

__wcstod_internal(GLIBC_2.3) [LSB]	__wcstof_internal(GLIBC_2.3) [LSB]	__wcstol_internal(GLIBC_2.3) [LSB]	__wcstold_internal(GLIBC_2.3) [LSB]
__wcstold_internal(GLIBC_2.4) [LSB]	__wcstoul_internal(GLIBC_2.3) [LSB]	btowc(GLIBC_2.3) [SUSv4]	fgetwc(GLIBC_2.3) [SUSv4]
fgetws(GLIBC_2.3) [SUSv4]	fputwc(GLIBC_2.3) [SUSv4]	fputws(GLIBC_2.3) [SUSv4]	fwide(GLIBC_2.3) [SUSv4]
fwprintf(GLIBC_2.3) [SUSv4]	fwprintf(GLIBC_2.4) [SUSv4]	fwscanf(GLIBC_2.3) [LSB]	fwscanf(GLIBC_2.4) [LSB]
getwc(GLIBC_2.3) [SUSv4]	getwchar(GLIBC_2.3) [SUSv4]	mblen(GLIBC_2.3) [SUSv4]	mbrlen(GLIBC_2.3) [SUSv4]
mbrtowc(GLIBC_2.3) [SUSv4]	mbsinit(GLIBC_2.3) [SUSv4]	mbsnrtowcs(GLIBC_2.3) [SUSv4]	mbsrtowcs(GLIBC_2.3) [SUSv4]
mbstowcs(GLIBC_2.3) [SUSv4]	mbtowc(GLIBC_2.3) [SUSv4]	putwc(GLIBC_2.3) [SUSv4]	putwchar(GLIBC_2.3) [SUSv4]
swprintf(GLIBC_2.3) [SUSv4]	swprintf(GLIBC_2.4) [SUSv4]	swscanf(GLIBC_2.3) [LSB]	swscanf(GLIBC_2.4) [LSB]
towctrans(GLIBC_2.3) [SUSv4]	towlower(GLIBC_2.3) [SUSv4]	towupper(GLIBC_2.3) [SUSv4]	ungetwc(GLIBC_2.3) [SUSv4]
vfwprintf(GLIBC_2.3) [SUSv4]	vfwprintf(GLIBC_2.4) [SUSv4]	vfwscanf(GLIBC_2.3) [LSB]	vfwscanf(GLIBC_2.4) [LSB]
vswprintf(GLIBC_2.3) [SUSv4]	vswprintf(GLIBC_2.4) [SUSv4]	vswscanf(GLIBC_2.3) [LSB]	vswscanf(GLIBC_2.4) [LSB]
vwprintf(GLIBC_2.3) [SUSv4]	vwprintf(GLIBC_2.4) [SUSv4]	vwscanf(GLIBC_2.3) [LSB]	vwscanf(GLIBC_2.4) [LSB]
wcpcpy(GLIBC_2.3) [SUSv4]	wcpncpy(GLIBC_2.3) [SUSv4]	wcrtomb(GLIBC_2.3) [SUSv4]	wcscasecmp(GLIBC_2.3) [SUSv4]
wcscat(GLIBC_2.3) [SUSv4]	wcschr(GLIBC_2.3) [SUSv4]	wcscmp(GLIBC_2.3) [SUSv4]	wcscoll(GLIBC_2.3) [SUSv4]
wcscpy(GLIBC_2.3) [SUSv4]	wcscspn(GLIBC_2.3) [SUSv4]	wcsdup(GLIBC_2.3) [SUSv4]	wcsftime(GLIBC_2.3) [SUSv4]
wcslen(GLIBC_2.3) [SUSv4]	wcsncasecmp(GLIBC_2.3) [SUSv4]	wcsncat(GLIBC_2.3) [SUSv4]	wcsncmp(GLIBC_2.3) [SUSv4]
wcsncpy(GLIBC_2.3) [SUSv4]	wcsnlen(GLIBC_2.3) [SUSv4]	wcsnrtombs(GLIBC_2.3) [SUSv4]	wcspbrk(GLIBC_2.3) [SUSv4]

AVA Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

wcsrchr(GLIBC_2.3) [SUSv4]	wcsrtombs(GLIBC_2.3) [SUSv4]	wcsspn(GLIBC_2.3) [SUSv4]	wcsstr(GLIBC_2.3) [SUSv4]
wcstod(GLIBC_2.3) [SUSv4]	wcstof(GLIBC_2.3) [SUSv4]	wcstoimax(GLIBC_2.3) [SUSv4]	wcstok(GLIBC_2.3) [SUSv4]
wcstol(GLIBC_2.3) [SUSv4]	wcstold(GLIBC_2.3) [SUSv4]	wcstold(GLIBC_2.4) [SUSv4]	wcstoll(GLIBC_2.3) [SUSv4]
wcstombs(GLIBC_2.3) [SUSv4]	wcstoq(GLIBC_2.3) [LSB]	wcstoul(GLIBC_2.3) [SUSv4]	wcstoull(GLIBC_2.3) [SUSv4]
wcstoumax(GLIBC_2.3) [SUSv4]	wcstouq(GLIBC_2.3) [LSB]	wcswcs(GLIBC_2.3) [SUSv3]	wcswidth(GLIBC_2.3) [SUSv4]
wcsxfrm(GLIBC_2.3) [SUSv4]	wctob(GLIBC_2.3) [SUSv4]	wctomb(GLIBC_2.3) [SUSv4]	wctrans(GLIBC_2.3) [SUSv4]
wctype(GLIBC_2.3) [SUSv4]	wcwidth(GLIBC_2.3) [SUSv4]	wmemchr(GLIBC_2.3) [SUSv4]	wmemcmp(GLIBC_2.3) [SUSv4]
wmemcpy(GLIBC_2.3) [SUSv4]	wmemmove(GLIBC_2.3) [SUSv4]	wmemset(GLIBC_2.3) [SUSv4]	wprintf(GLIBC_2.3) [SUSv4]
wprintf(GLIBC_2.4) [SUSv4]	wscanf(GLIBC_2.3) [LSB]	wscanf(GLIBC_2.4) [LSB]	

An LSB conforming implementation shall provide the architecture specific deprecated functions for Wide Characters specified in Table 10-19, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-19 libc - Wide Characters Deprecated Function Interfaces

__wcstold_internal(GLIBC_2.3) [LSB]	fwprintf(GLIBC_2.3) [SUSv4]	fwscanf(GLIBC_2.3) [LSB]	swprintf(GLIBC_2.3) [SUSv4]
swscanf(GLIBC_2.3) [LSB]	vfwprintf(GLIBC_2.3) [SUSv4]	vfwscanf(GLIBC_2.3) [LSB]	vswprintf(GLIBC_2.3) [SUSv4]
vswscanf(GLIBC_2.3) [LSB]	vwprintf(GLIBC_2.3) [SUSv4]	vwscanf(GLIBC_2.3) [LSB]	wcstold(GLIBC_2.3) [SUSv4]
wprintf(GLIBC_2.3) [SUSv4]	wscanf(GLIBC_2.3) [LSB]		

10.2.11 String Functions

10.2.11.1 Interfaces for String Functions

An LSB conforming implementation shall provide the architecture specific functions for String Functions specified in Table 10-20, with the full mandatory functionality as described in the referenced underlying specification.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

Table 10-20 libc - String Functions Function Interfaces

__mempcpy(GLIBC_2.3) [LSB]	__rawmemchr(GLIBC_2.3) [LSB]	__stpcpy(GLIBC_2.3) [LSB]	__strdup(GLIBC_2.3) [LSB]
__strtod_internal(GLIBC_2.3) [LSB]	__strtof_internal(GLIBC_2.3) [LSB]	__strtok_r(GLIBC_2.3) [LSB]	__strtol_internal(GLIBC_2.3) [LSB]
__strtold_internal(GLIBC_2.3) [LSB]	__strtold_internal(GLIBC_2.4) [LSB]	__strtoll_internal(GLIBC_2.3) [LSB]	__strtoul_internal(GLIBC_2.3) [LSB]
__strtoull_internal(GLIBC_2.3) [LSB]	__xpg_strerror_r(GLIBC_2.3.4) [LSB]	bcmp(GLIBC_2.3) [SUSv3]	bcopy(GLIBC_2.3) [SUSv3]
bzero(GLIBC_2.3) [SUSv3]	ffs(GLIBC_2.3) [SUSv4]	index(GLIBC_2.3) [SUSv3]	memccpy(GLIBC_2.3) [SUSv4]
memchr(GLIBC_2.3) [SUSv4]	memcmp(GLIBC_2.3) [SUSv4]	memcpy(GLIBC_2.3) [SUSv4]	memmove(GLIBC_2.3) [SUSv4]
memrchr(GLIBC_2.3) [LSB]	memset(GLIBC_2.3) [SUSv4]	rindex(GLIBC_2.3) [SUSv3]	stpcpy(GLIBC_2.3) [SUSv4]
stpncpy(GLIBC_2.3) [SUSv4]	strcasecmp(GLIBC_2.3) [SUSv4]	strcasestr(GLIBC_2.3) [LSB]	strcat(GLIBC_2.3) [SUSv4]
strchr(GLIBC_2.3) [SUSv4]	strcmp(GLIBC_2.3) [SUSv4]	strcoll(GLIBC_2.3) [SUSv4]	strcpy(GLIBC_2.3) [SUSv4]
strcspn(GLIBC_2.3) [SUSv4]	strdup(GLIBC_2.3) [SUSv4]	strerror(GLIBC_2.3) [SUSv4]	strerror_r(GLIBC_2.3) [LSB]
strfmon(GLIBC_2.3) [SUSv4]	strfmon(GLIBC_2.4) [SUSv4]	strftime(GLIBC_2.3) [SUSv4]	strlen(GLIBC_2.3) [SUSv4]
strncasecmp(GLIBC_2.3) [SUSv4]	strncat(GLIBC_2.3) [SUSv4]	strncmp(GLIBC_2.3) [SUSv4]	strncpy(GLIBC_2.3) [SUSv4]
strndup(GLIBC_2.3) [SUSv4]	strnlen(GLIBC_2.3) [SUSv4]	strpbrk(GLIBC_2.3) [SUSv4]	strptime(GLIBC_2.3) [LSB]
strrchr(GLIBC_2.3) [SUSv4]	strsep(GLIBC_2.3) [LSB]	strsignal(GLIBC_2.3) [SUSv4]	strspn(GLIBC_2.3) [SUSv4]
strstr(GLIBC_2.3) [SUSv4]	strtof(GLIBC_2.3) [SUSv4]	strtoimax(GLIBC_2.3) [SUSv4]	strtok(GLIBC_2.3) [SUSv4]
strtok_r(GLIBC_2.3) [SUSv4]	strtold(GLIBC_2.3) [SUSv4]	strtold(GLIBC_2.4) [SUSv4]	strtoll(GLIBC_2.3) [SUSv4]
strtoq(GLIBC_2.3) [LSB]	strtoull(GLIBC_2.3) [SUSv4]	strtoumax(GLIBC_2.3) [SUSv4]	strtouq(GLIBC_2.3) [LSB]
strxfrm(GLIBC_2.3) [SUSv4]	swab(GLIBC_2.3) [SUSv4]		

An LSB conforming implementation shall provide the architecture specific deprecated functions for String Functions specified in Table 10-21, with the full mandatory functionality as described in the referenced underlying specification.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-21 libc - String Functions Deprecated Function Interfaces

__strtold_internal(GLIBC_2.3) [LSB]	strerror_r(GLIBC_2.3) [LSB]	strfmon(GLIBC_2.3) [SUSv4]	strtold(GLIBC_2.3) [SUSv4]

10.2.12 IPC Functions

10.2.12.1 Interfaces for IPC Functions

An LSB conforming implementation shall provide the architecture specific functions for IPC Functions specified in Table 10-22, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-22 libc - IPC Functions Function Interfaces

ftok(GLIBC_2.3) [SUSv4]	msgctl(GLIBC_2.3) [SUSv4]	msgget(GLIBC_2.3) [SUSv4]	msgrcv(GLIBC_2.3) [SUSv4]
msgsnd(GLIBC_2.3) [SUSv4]	semctl(GLIBC_2.3) [SUSv4]	semget(GLIBC_2.3) [SUSv4]	semop(GLIBC_2.3) [SUSv4]
shmat(GLIBC_2.3) [SUSv4]	shmctl(GLIBC_2.3) [SUSv4]	shmdt(GLIBC_2.3) [SUSv4]	shmget(GLIBC_2.3) [SUSv4]

10.2.13 Regular Expressions

10.2.13.1 Interfaces for Regular Expressions

An LSB conforming implementation shall provide the architecture specific functions for Regular Expressions specified in Table 10-23, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-23 libc - Regular Expressions Function Interfaces

regcomp(GLIBC_2.3) [SUSv4]	regerror(GLIBC_2.3) [SUSv4]	regexec(GLIBC_2.3.4) [LSB]	regfree(GLIBC_2.3) [SUSv4]

10.2.14 Character Type Functions

10.2.14.1 Interfaces for Character Type Functions

An LSB conforming implementation shall provide the architecture specific functions for Character Type Functions specified in Table 10-24, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-24 libc - Character Type Functions Function Interfaces

__ctype_get_mb_cur_max(GLIBC_2.3) [LSB]	_tolower(GLIBC_2.3) [SUSv4]	_toupper(GLIBC_2.3) [SUSv4]	isalnum(GLIBC_2.3) [SUSv4]
isalpha(GLIBC_2.3) [SUSv4]	isascii(GLIBC_2.3) [SUSv4]	iscntrl(GLIBC_2.3) [SUSv4]	isdigit(GLIBC_2.3) [SUSv4]

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

isgraph(GLIBC_2.3) [SUSv4]	islower(GLIBC_2.3) [SUSv4]	isprint(GLIBC_2.3) [SUSv4]	ispunct(GLIBC_2.3) [SUSv4]
isspace(GLIBC_2.3) [SUSv4]	isupper(GLIBC_2.3) [SUSv4]	iswalnum(GLIBC_2.3) [SUSv4]	iswalpha(GLIBC_2.3) [SUSv4]
iswblank(GLIBC_2.3) [SUSv4]	iswcntrl(GLIBC_2.3) [SUSv4]	iswctype(GLIBC_2.3) [SUSv4]	iswdigit(GLIBC_2.3) [SUSv4]
iswgraph(GLIBC_2.3) [SUSv4]	iswlower(GLIBC_2.3) [SUSv4]	iswprint(GLIBC_2.3) [SUSv4]	iswpunct(GLIBC_2.3) [SUSv4]
iswspace(GLIBC_2.3) [SUSv4]	iswupper(GLIBC_2.3) [SUSv4]	iswxdigit(GLIBC_2.3) [SUSv4]	isxdigit(GLIBC_2.3) [SUSv4]
toascii(GLIBC_2.3) [SUSv4]	tolower(GLIBC_2.3) [SUSv4]	toupper(GLIBC_2.3) [SUSv4]	

10.2.15 Time Manipulation

10.2.15.1 Interfaces for Time Manipulation

An LSB conforming implementation shall provide the architecture specific functions for Time Manipulation specified in Table 10-25, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-25 libc - Time Manipulation Function Interfaces

adjtime(GLIBC_2.3) [LSB]	asctime(GLIBC_2.3) [SUSv4]	asctime_r(GLIBC_2.3) [SUSv4]	ctime(GLIBC_2.3) [SUSv4]
ctime_r(GLIBC_2.3) [SUSv4]	difftime(GLIBC_2.3) [SUSv4]	gmtime(GLIBC_2.3) [SUSv4]	gmtime_r(GLIBC_2.3) [SUSv4]
localtime(GLIBC_2.3) [SUSv4]	localtime_r(GLIBC_2.3) [SUSv4]	mktime(GLIBC_2.3) [SUSv4]	tzset(GLIBC_2.3) [SUSv4]
ualarm(GLIBC_2.3) [SUSv3]			

An LSB conforming implementation shall provide the architecture specific data interfaces for Time Manipulation specified in Table 10-26, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-26 libc - Time Manipulation Data Interfaces

__daylight(GLIBC_2.3) [LSB]	__timezone(GLIBC_2.3) [LSB]	__tzname(GLIBC_2.3) [LSB]	daylight(GLIBC_2.3) [SUSv4]
timezone(GLIBC_2.3) [SUSv4]	tzname(GLIBC_2.3) [SUSv4]		

10.2.16 Terminal Interface Functions

10.2.16.1 Interfaces for Terminal Interface Functions

An LSB conforming implementation shall provide the architecture specific functions for Terminal Interface Functions specified in Table 10-27, with the full mandatory functionality as described in the referenced underlying specification.

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021

Table 10-27 libc - Terminal Interface Functions Function Interfaces

cfgetispeed(GLIBC_2.3) [SUSv4]	cfgetospeed(GLIBC_2.3) [SUSv4]	cfmakeraw(GLIBC_2.3) [LSB]	cfsetispeed(GLIBC_2.3) [SUSv4]
cfsetospeed(GLIBC_2.3) [SUSv4]	cfsetspeed(GLIBC_2.3) [LSB]	tcdrain(GLIBC_2.3) [SUSv4]	tcflow(GLIBC_2.3) [SUSv4]
tcflush(GLIBC_2.3) [SUSv4]	tcgetattr(GLIBC_2.3) [SUSv4]	tcgetpgrp(GLIBC_2.3) [SUSv4]	tcgetsid(GLIBC_2.3) [SUSv4]
tcsendbreak(GLIBC_2.3) [SUSv4]	tcsetattr(GLIBC_2.3) [SUSv4]	tcsetpgrp(GLIBC_2.3) [SUSv4]	

10.2.17 System Database Interface

10.2.17.1 Interfaces for System Database Interface

An LSB conforming implementation shall provide the architecture specific functions for System Database Interface specified in Table 10-28, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-28 libc - System Database Interface Function Interfaces

endgrent(GLIBC_2.3) [SUSv4]	endprotoent(GLIBC_2.3) [SUSv4]	endpwent(GLIBC_2.3) [SUSv4]	endservent(GLIBC_2.3) [SUSv4]
endutent(GLIBC_2.3) [LSB]	endutxent(GLIBC_2.3) [SUSv4]	getgrent(GLIBC_2.3) [SUSv4]	getgrent_r(GLIBC_2.3) [LSB]
getgrgid(GLIBC_2.3) [SUSv4]	getgrgid_r(GLIBC_2.3) [SUSv4]	getgrnam(GLIBC_2.3) [SUSv4]	getgrnam_r(GLIBC_2.3) [SUSv4]
getgrouplist(GLIBC_2.3) [LSB]	gethostbyaddr(GLIBC_2.3) [SUSv3]	gethostbyaddr_r(GLIBC_2.3) [LSB]	gethostbyname(GLIBC_2.3) [SUSv3]
gethostbyname2(GLIBC_2.3) [LSB]	gethostbyname2_r(GLIBC_2.3) [LSB]	gethostbyname_r(GLIBC_2.3) [LSB]	getprotobyname(GLIBC_2.3) [SUSv4]
getprotobyname_r(GLIBC_2.3) [LSB]	getprotobynumber(GLIBC_2.3) [SUSv4]	getprotobynumber_r(GLIBC_2.3) [LSB]	getprotoent(GLIBC_2.3) [SUSv4]
getprotoent_r(GLIBC_2.3) [LSB]	getpwent(GLIBC_2.3) [SUSv4]	getpwent_r(GLIBC_2.3) [LSB]	getpwnam(GLIBC_2.3) [SUSv4]
getpwnam_r(GLIBC_2.3) [SUSv4]	getpwuid(GLIBC_2.3) [SUSv4]	getpwuid_r(GLIBC_2.3) [SUSv4]	getservbyname(GLIBC_2.3) [SUSv4]
getservbyname_r(GLIBC_2.3) [LSB]	getservbyport(GLIBC_2.3) [SUSv4]	getservbyport_r(GLIBC_2.3) [LSB]	getservent(GLIBC_2.3) [SUSv4]
getservent_r(GLIBC_2.3) [LSB]	getutent(GLIBC_2.3) [LSB]	getutent_r(GLIBC_2.3) [LSB]	getutxent(GLIBC_2.3) [SUSv4]
getutxid(GLIBC_2.3) [SUSv4]	getutxline(GLIBC_2.3) [SUSv4]	pututxline(GLIBC_2.3) [SUSv4]	setgrent(GLIBC_2.3) [SUSv4]

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

setgroups(GLIBC_2.3) [LSB]	setprotoent(GLIBC_2.3) [SUSv4]	setpwent(GLIBC_2.3) [SUSv4]	setservent(GLIBC_2.3) [SUSv4]
setutent(GLIBC_2.3) [LSB]	setutxent(GLIBC_2.3) [SUSv4]	utmpname(GLIBC_2.3) [LSB]	

An LSB conforming implementation shall provide the architecture specific deprecated functions for System Database Interface specified in Table 10-29, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-29 libc - System Database Interface Deprecated Function Interfaces

gethostbyaddr(GLIBC_2.3) [SUSv3]	gethostbyaddr_r(GLIBC_2.3) [LSB]	gethostbyname(GLIBC_2.3) [SUSv3]	gethostbyname2(GLIBC_2.3) [LSB]
gethostbyname2_r(GLIBC_2.3) [LSB]	gethostbyname_r(GLIBC_2.3) [LSB]		

10.2.18 Language Support

10.2.18.1 Interfaces for Language Support

An LSB conforming implementation shall provide the architecture specific functions for Language Support specified in Table 10-30, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-30 libc - Language Support Function Interfaces

__libc_start_main(GLIBC_2.3) [LSB]			

10.2.19 Large File Support

10.2.19.1 Interfaces for Large File Support

An LSB conforming implementation shall provide the architecture specific functions for Large File Support specified in Table 10-31, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-31 libc - Large File Support Function Interfaces

__fxstat64(GLIBC_2.3) [LSB]	__lxstat64(GLIBC_2.3) [LSB]	__xstat64(GLIBC_2.3) [LSB]	creat64(GLIBC_2.3) [LFS]
fgetpos64(GLIBC_2.3) [LFS]	fopen64(GLIBC_2.3) [LFS]	freopen64(GLIBC_2.3) [LFS]	fseeko64(GLIBC_2.3) [LFS]
fsetpos64(GLIBC_2.3) [LFS]	fstatfs64(GLIBC_2.3) [LSB]	fstatvfs64(GLIBC_2.3) [LFS]	ftello64(GLIBC_2.3) [LFS]

© 2021 ISO/IEC – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

ftruncate64(GLIBC_2.3) [LFS]	ftw64(GLIBC_2.3) [LFS]	getrlimit64(GLIBC_2.3) [LFS]	lockf64(GLIBC_2.3) [LFS]
lseek64(GLIBC_2.3) [LFS]	mkstemp64(GLIBC_2.3) [LSB]	mmap64(GLIBC_2.3) [LFS]	nftw64(GLIBC_2.3.3) [LFS]
open64(GLIBC_2.3) [LFS]	posix_fadvise64(GLIBC_2.3) [LSB]	posix_fallocate64(GLIBC_2.3) [LSB]	pread64(GLIBC_2.3) [LSB]
pwrite64(GLIBC_2.3) [LSB]	readdir64(GLIBC_2.3) [LFS]	readdir64_r(GLIBC_2.3) [LSB]	statfs64(GLIBC_2.3) [LSB]
statvfs64(GLIBC_2.3) [LFS]	tmpfile64(GLIBC_2.3) [LFS]	truncate64(GLIBC_2.3) [LFS]	

An LSB conforming implementation shall provide the architecture specific deprecated functions for Large File Support specified in Table 10-32, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-32 libc - Large File Support Deprecated Function Interfaces

fstatfs64(GLIBC_2.3) [LSB]	statfs64(GLIBC_2.3) [LSB]		

10.2.20 Inotify

10.2.20.1 Interfaces for Inotify

No external functions are defined for libc - Inotify in this part of the specification. See also the generic specification.

10.2.21 Standard Library

10.2.21.1 Interfaces for Standard Library

An LSB conforming implementation shall provide the architecture specific functions for Standard Library specified in Table 10-33, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-33 libc - Standard Library Function Interfaces

_Exit(GLIBC_2.3) [SUSv4]	__assert_fail(GLIBC_2.3) [LSB]	__cxa_atexit(GLIBC_2.3) [LSB]	__cxa_finalize(GLIBC_2.3) [LSB]
__errno_location(GLIBC_2.3) [LSB]	__fpending(GLIBC_2.3) [LSB]	__getpagesize(GLIBC_2.3) [LSB]	__isinf(GLIBC_2.3) [LSB]
__isinff(GLIBC_2.3) [LSB]	__isinfl(GLIBC_2.3) [LSB]	__isinfl(GLIBC_2.4) [LSB]	__isnan(GLIBC_2.3) [LSB]
__isnanf(GLIBC_2.3) [LSB]	__isnanl(GLIBC_2.3) [LSB]	__isnanl(GLIBC_2.4) [LSB]	__sysconf(GLIBC_2.3) [LSB]

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

__xpg_basename (GLIBC_2.3) [LSB]	_exit(GLIBC_2.3) [SUSv4]	_longjmp(GLIBC_2.3.4) [SUSv4]	_setjmp(GLIBC_2.3.4) [SUSv4]
a64l(GLIBC_2.3) [SUSv4]	abort(GLIBC_2.3) [SUSv4]	abs(GLIBC_2.3) [SUSv4]	alphasort(GLIBC_2.3) [SUSv4]
alphasort64(GLIBC_2.3) [LSB]	argz_add(GLIBC_2.3) [LSB]	argz_add_sep(GLIBC_2.3) [LSB]	argz_append(GLIBC_2.3) [LSB]
argz_count(GLIBC_2.3) [LSB]	argz_create(GLIBC_2.3) [LSB]	argz_create_sep(GLIBC_2.3) [LSB]	argz_delete(GLIBC_2.3) [LSB]
argz_extract(GLIBC_2.3) [LSB]	argz_insert(GLIBC_2.3) [LSB]	argz_next(GLIBC_2.3) [LSB]	argz_replace(GLIBC_2.3) [LSB]
argz_stringify(GLIBC_2.3) [LSB]	atof(GLIBC_2.3) [SUSv4]	atoi(GLIBC_2.3) [SUSv4]	atol(GLIBC_2.3) [SUSv4]
atoll(GLIBC_2.3) [SUSv4]	basename(GLIBC_2.3) [LSB]	bsearch(GLIBC_2.3) [SUSv4]	calloc(GLIBC_2.3) [SUSv4]
closelog(GLIBC_2.3) [SUSv4]	confstr(GLIBC_2.3) [SUSv4]	cuserid(GLIBC_2.3) [SUSv2]	daemon(GLIBC_2.3) [LSB]
dirfd(GLIBC_2.3) [SUSv4]	dirname(GLIBC_2.3) [SUSv4]	div(GLIBC_2.3) [SUSv4]	dl_iterate_phdr(GLIBC_2.3) [LSB]
drand48(GLIBC_2.3) [SUSv4]	drand48_r(GLIBC_2.3) [LSB]	ecvt(GLIBC_2.3) [SUSv3]	envz_add(GLIBC_2.3) [LSB]
envz_entry(GLIBC_2.3) [LSB]	envz_get(GLIBC_2.3) [LSB]	envz_merge(GLIBC_2.3) [LSB]	envz_remove(GLIBC_2.3) [LSB]
envz_strip(GLIBC_2.3) [LSB]	erand48(GLIBC_2.3) [SUSv4]	erand48_r(GLIBC_2.3) [LSB]	err(GLIBC_2.3) [LSB]
error(GLIBC_2.3) [LSB]	errx(GLIBC_2.3) [LSB]	fcvt(GLIBC_2.3) [SUSv3]	fmemopen(GLIBC_2.3) [SUSv4]
fmtmsg(GLIBC_2.3) [SUSv4]	fnmatch(GLIBC_2.3) [LSB]	fpathconf(GLIBC_2.3) [SUSv4]	free(GLIBC_2.3) [SUSv4]
freeaddrinfo(GLIBC_2.3) [SUSv4]	ftrylockfile(GLIBC_2.3) [SUSv4]	ftw(GLIBC_2.3) [SUSv4]	funlockfile(GLIBC_2.3) [SUSv4]
gai_strerror(GLIBC_2.3) [SUSv4]	gcvt(GLIBC_2.3) [SUSv3]	getaddrinfo(GLIBC_2.3) [SUSv4]	getcwd(GLIBC_2.3) [LSB]
getdate(GLIBC_2.3) [SUSv4]	getdomainname(GLIBC_2.3) [LSB]	getenv(GLIBC_2.3) [SUSv4]	getlogin(GLIBC_2.3) [SUSv4]
getlogin_r(GLIBC_2.3) [SUSv4]	getnameinfo(GLIBC_2.3) [SUSv4]	getopt(GLIBC_2.3) [LSB]	getopt_long(GLIBC_2.3) [LSB]
getopt_long_only(GLIBC_2.3) [LSB]	getsubopt(GLIBC_2.3) [SUSv4]	gettimeofday(GLIBC_2.3) [SUSv4]	glob(GLIBC_2.3) [SUSv4]
glob64(GLIBC_2.3) [LSB]	globfree(GLIBC_2.3) [SUSv4]	globfree64(GLIBC_2.3) [LSB]	grantpt(GLIBC_2.3) [SUSv4]

© 2021 ISO/IEC – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

hcreate(GLIBC_2.3) [SUSv4]	hcreate_r(GLIBC_2.3) [LSB]	hdestroy(GLIBC_2.3) [SUSv4]	hdestroy_r(GLIBC_2.3) [LSB]
hsearch(GLIBC_2.3) [SUSv4]	hsearch_r(GLIBC_2.3) [LSB]	htonl(GLIBC_2.3) [SUSv4]	htons(GLIBC_2.3) [SUSv4]
imaxabs(GLIBC_2.3) [SUSv4]	imaxdiv(GLIBC_2.3) [SUSv4]	inet_addr(GLIBC_2.3) [SUSv4]	inet_aton(GLIBC_2.3) [LSB]
inet_ntoa(GLIBC_2.3) [SUSv4]	inet_ntop(GLIBC_2.3) [SUSv4]	inet_pton(GLIBC_2.3) [SUSv4]	initstate(GLIBC_2.3) [SUSv4]
initstate_r(GLIBC_2.3) [LSB]	insque(GLIBC_2.3) [SUSv4]	isatty(GLIBC_2.3) [SUSv4]	isblank(GLIBC_2.3) [SUSv4]
jrand48(GLIBC_2.3) [SUSv4]	jrand48_r(GLIBC_2.3) [LSB]	l64a(GLIBC_2.3) [SUSv4]	labs(GLIBC_2.3) [SUSv4]
lcong48(GLIBC_2.3) [SUSv4]	lcong48_r(GLIBC_2.3) [LSB]	ldiv(GLIBC_2.3) [SUSv4]	lfind(GLIBC_2.3) [SUSv4]
llabs(GLIBC_2.3) [SUSv4]	lldiv(GLIBC_2.3) [SUSv4]	longjmp(GLIBC_2.3.4) [SUSv4]	lrand48(GLIBC_2.3) [SUSv4]
lrand48_r(GLIBC_2.3) [LSB]	lsearch(GLIBC_2.3) [SUSv4]	makecontext(GLIBC_2.3) [SUSv3]	malloc(GLIBC_2.3) [SUSv4]
memmem(GLIBC_2.3) [LSB]	mkdtemp(GLIBC_2.3) [SUSv4]	mkstemp(GLIBC_2.3) [SUSv4]	mktemp(GLIBC_2.3) [SUSv3]
mrand48(GLIBC_2.3) [SUSv4]	mrand48_r(GLIBC_2.3) [LSB]	nftw(GLIBC_2.3.3) [SUSv4]	nrand48(GLIBC_2.3) [SUSv4]
nrand48_r(GLIBC_2.3) [LSB]	ntohl(GLIBC_2.3) [SUSv4]	ntohs(GLIBC_2.3) [SUSv4]	open_memstream(GLIBC_2.3) [SUSv4]
openlog(GLIBC_2.3) [SUSv4]	perror(GLIBC_2.3) [SUSv4]	posix_openpt(GLIBC_2.3) [SUSv4]	ptsname(GLIBC_2.3) [SUSv4]
putenv(GLIBC_2.3) [SUSv4]	qsort(GLIBC_2.3) [SUSv4]	rand(GLIBC_2.3) [SUSv4]	rand_r(GLIBC_2.3) [SUSv4]
random(GLIBC_2.3) [SUSv4]	random_r(GLIBC_2.3) [LSB]	realloc(GLIBC_2.3) [SUSv4]	realpath(GLIBC_2.3) [SUSv4]
remque(GLIBC_2.3) [SUSv4]	scandir(GLIBC_2.3) [SUSv4]	scandir64(GLIBC_2.3) [LSB]	seed48(GLIBC_2.3) [SUSv4]
seed48_r(GLIBC_2.3) [LSB]	sendfile(GLIBC_2.3) [LSB]	setenv(GLIBC_2.3) [SUSv4]	sethostname(GLIBC_2.3) [LSB]
setlogmask(GLIBC_2.3) [SUSv4]	setstate(GLIBC_2.3) [SUSv4]	setstate_r(GLIBC_2.3) [LSB]	srand(GLIBC_2.3) [SUSv4]
srand48(GLIBC_2.3) [SUSv4]	srand48_r(GLIBC_2.3) [LSB]	srandom(GLIBC_2.3) [SUSv4]	srandom_r(GLIBC_2.3) [LSB]
strtod(GLIBC_2.3) [SUSv4]	strtol(GLIBC_2.3) [SUSv4]	strtoul(GLIBC_2.3) [SUSv4]	swapcontext(GLIBC_2.3.4) [SUSv3]

© 2021 ISO/IEC – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO IEC 23360-6-2-2021

syslog(GLIBC_2.3) [SUSv4]	syslog(GLIBC_2.4) [SUSv4]	system(GLIBC_2.3) [LSB]	tdelete(GLIBC_2.3) [SUSv4]
tfind(GLIBC_2.3) [SUSv4]	tmpfile(GLIBC_2.3) [SUSv4]	tmpnam(GLIBC_2.3) [SUSv4]	tsearch(GLIBC_2.3) [SUSv4]
ttyname(GLIBC_2.3) [SUSv4]	ttyname_r(GLIBC_2.3) [SUSv4]	twalk(GLIBC_2.3) [SUSv4]	unlockpt(GLIBC_2.3) [SUSv4]
unsetenv(GLIBC_2.3) [SUSv4]	usleep(GLIBC_2.3) [SUSv3]	verrx(GLIBC_2.3) [LSB]	vfscanf(GLIBC_2.3) [LSB]
vfscanf(GLIBC_2.4) [LSB]	vscanf(GLIBC_2.3) [LSB]	vscanf(GLIBC_2.4) [LSB]	vsscanf(GLIBC_2.3) [LSB]
vsscanf(GLIBC_2.4) [LSB]	vsyslog(GLIBC_2.3) [LSB]	vsyslog(GLIBC_2.4) [LSB]	warn(GLIBC_2.3) [LSB]
warnx(GLIBC_2.3) [LSB]	wordexp(GLIBC_2.3) [SUSv4]	wordfree(GLIBC_2.3) [SUSv4]	

An LSB conforming implementation shall provide the architecture specific deprecated functions for Standard Library specified in Table 10-34, with the full mandatory functionality as described in the referenced underlying specification.

Note: These interfaces are deprecated, and applications should avoid using them. These interfaces may be withdrawn in future releases of this specification.

Table 10-34 libc - Standard Library Deprecated Function Interfaces

__isinfl(GLIBC_2.3) [LSB]	__isnanl(GLIBC_2.3) [LSB]	basename(GLIBC_2.3) [LSB]	getdomainname(GLIBC_2.3) [LSB]
inet_aton(GLIBC_2.3) [LSB]	syslog(GLIBC_2.3) [SUSv4]	tmpnam(GLIBC_2.3) [SUSv4]	vfscanf(GLIBC_2.3) [LSB]
vscanf(GLIBC_2.3) [LSB]	vsscanf(GLIBC_2.3) [LSB]	vsyslog(GLIBC_2.3) [LSB]	

An LSB conforming implementation shall provide the architecture specific data interfaces for Standard Library specified in Table 10-35, with the full mandatory functionality as described in the referenced underlying specification.

Table 10-35 libc - Standard Library Data Interfaces

__environ(GLIBC_2.3) [LSB]	_environ(GLIBC_2.3) [LSB]	_sys_errlist(GLIBC_2.12) [LSB]	environ(GLIBC_2.3) [SUSv4]
getdate_err(GLIBC_2.3) [SUSv4]	optarg(GLIBC_2.3) [SUSv4]	opterr(GLIBC_2.3) [SUSv4]	optind(GLIBC_2.3) [SUSv4]
optopt(GLIBC_2.3) [SUSv4]			

Documents
Document Sharing Hub

© 2021 ISO/IEC – All rights reserved

Full document details: ISO IEC 23360-6-2-2021