

INTERNATIONAL STANDARD

ISO/IEC
9506-2

First edition
1990-10-15

AMENDMENT 2
1995-12-15

Industrial automation systems — Manufacturing Message Specification —

Part 2: Protocol specification

AMENDMENT 2: Conditioned service response

*Systèmes d'automatisation industrielle — Spécification de messagerie
industrielle —*

Partie 2: Spécification de protocole

AMENDEMENT 2: Réponse conditionnelle de service



Reference number
ISO/IEC 9506-2:1990/Amd 2:1995(E)



Documents
Document Sharing Hub

Contents

	Page
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Abbreviations	1
5 Conventions	2
6 Elements of Protocol Procedure	2
7 MMS PDU	2
8 Environment and General Management Protocol	4
9 VMD Support Protocol	4
10 Domain Management Protocol	5
11 Program Invocation Management Protocol	6
12 Variable Access Protocol	6
13 Semaphore Management Protocol	7
14 Operator Communication Protocol	7
15 Event Management Protocol	8
16 Journal Management Protocol	9

© ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

17	Mapping to ACSE and Presentation Services	9
18	Conformance	10
19	MMS Abstract Syntax	10
20	Data Exchange Protocol	11
21	Conditioned Service Response Protocol	11
21.1	Introduction	11
21.2	AccessCondition	12
21.3	DefineAccessControlList	12
21.4	GetAccessControlListAttributes	13
21.5	ReportAccessControlledObjects	16
21.6	DeleteAccessControlList	17
21.7	ChangeAccessControl	18
Annexes		
A	Requirements for Companion Standards	20
B	File Access Service	20
C	File Management Protocol	20

Withdrawing

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Amendment 2 to International Standard ISO/IEC 9506-2:1990 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee 5, *Architecture and communications*.

Introduction

This amendment details the changes to ISO/IEC 9506-2 to support conditioned service response. In developing these changes, it is assumed that the changes from the inclusion of the Data Exchange Service, ISO/IEC 9506-2/Amd.1, and the changes from technical corrigendum ISO/IEC 9506-2/Cor.1, have already been applied to the base document. All clause number references refer to the document as amended and corrected; page number references refer to the base document.

This amendment adds a new object, an Access Control List, to the structure of the MMS VMD. The VMD references one such object that provides conditions that constrain the successful access of any object within the VMD by an MMS Client. In addition, each named object within a VMD references some Access Control List object, and the conditions expressed in that Access Control List object constrain the use of the parent object by an MMS Client. The present MMS system allows an MMS Server to support or deny support for any MMS service to an MMS Client for all object instances within its implementation; this amendment allows an MMS Server to offer support for a MMS service to an MMS Client for some object instances but not for others. If support of object specific access control is negotiated in the Initiate dialogue, the MMS client may examine and manipulate the Access Control List object of individual object instances.

The attribute MMS Deletable is removed from the object description of all MMS objects. In its place, a derivation rule is provided such that services that report MMS Deletable can do so in a manner consistent with implementations not employing this amendment.

There are seven classes of constraint, called Service Classes, that are covered by this amendment. These classes are Read, Write, Load, Store, Execute, Delete, and Edit. Not all classes are applicable to all objects. The Edit class describes the ability to change the Access Control List characteristics of any object.

This amendment makes use of the Authentication Unit of the Association Control Service Element (ACSE) now available as an implementation option. It does so by allowing the conditions expressed in the Access Control List to depend on the Authentication Value present in the A-ASSOCIATE service primitives. Such use of the Authentication Unit is not required, however, to make use of the Access Control List mechanism.

By using the mechanisms present in this amendment, an implementation can restrict access to an object (for reading, writing, loading, storing, execution, deletion, or other modification) to MMS Clients that either (1) attempt access from known network nodes, (2) provide proper authentication (passwords), (3) have synchronized their use with other MMS Clients through use of the semaphores, or (4) an arbitrary combination of these methods. The specification of passwords requires the use of the Authentication Unit of ACSE.

This amendment also modifies the MMS Service model by adding an explicit Object Model for an Application Association. This model should be present in the basic MMS Object Model, independent of the use of Access Control Lists. Its omission in the base document should be considered an oversight, corrected by this amendment.

The introduction of an object model for the application association allows one to move the list of transactions objects from the VMD to the application association, thereby allowing the invoke ID to be the sole key attribute of the transaction. The case of processing of Event Actions, however, requires us to introduce a new attribute to the VMD, namely a list of transactions associated with Event Action processing that are not bound (necessarily) to an association.

Withdrawn

Industrial automation systems — Manufacturing Message Specification —

Part 2:

Protocol specification

AMENDMENT 2: Conditioned service response

1. Scope

(This amendment makes no changes to clause 1 of ISO/IEC 9506-2.)

2. Normative References

Immediately following the reference to ISO 8650, page 2, add the following:

ISO 8649:1988/Amd. 1: 1990, *Information processing systems - Open Systems Interconnection - Service definition for the Association Control Service Element Amendment 1: Authentication during association establishment.*

ISO 8650:1988/Amd 1:1990, *Information processing systems - Open Systems Interconnection - Protocol specification for the Association Control Service Element Amendment 1: Authentication during association establishment.*

Immediately following the reference to ISO/IEC 9506-1, add the following:

ISO/IEC 9506-2:1990/Amd. 1:1993, *Industrial automation systems - Manufacturing Message Specification - Part 2: Protocol Specification Amendment 1: Data Exchange.*

ISO/IEC 9506-2:1990/Cor. 1:1995, *Industrial Automation Systems - Manufacturing Message Specification - Part 2: Protocol Specification Technical corrigendum 1.*

3. Definitions

(This amendment makes no changes to clause 3 of ISO/IEC 9506-2.)

4. Abbreviations

(This amendment makes no changes to clause 4 of ISO/IEC 9506-2.)

5. Conventions

(This amendment makes no changes to clause 5 of ISO/IEC 9506-2.)

6. Elements of Protocol Procedure

(This amendment makes no changes to clause 6 of ISO/IEC 9506-2.)

7. MMS PDU

In clause 7, near the top of page 19, replace the lines

```
IMPORTS AP-title, AP-invocation-id, AE-qualifier, AE-invocation-id
  FROM ISO-8650-ACSE-1
{iso standard 8650 abstract-syntax(2) acse-pdi(1)};
```

with:

```
IMPORTS AP-title, AP-invocation-id, AE-qualifier,
  AE-invocation-id, Authentication-value
  FROM ISO-8650-ACSE-1
{iso standard 8650 abstract-syntax(2) acse-pdi(1)}
```

In 7.5.2, in the middle of page 23, change the last line of the production from:

```
exchangeData          [81] IMPLICIT ExchangeData-Request
-- Shall not appear in minor version 1
```

to:

```
exchangeData          [81] IMPLICIT ExchangeData-Request,
-- Shall not appear in minor version one
defineAccessControlList [82] IMPLICIT
  DefineAccessControlList-Request,
-- Shall not appear in minor version one or two
getAccessControlListAttributes [83] IMPLICIT
  GetAccessControlListAttributes-Request,
-- Shall not appear in minor version one or two
reportAccessControlledObjects [84] IMPLICIT
  ReportAccessControlledObjects-Request,
-- Shall not appear in minor version one or two
deleteAccessControlList [85] IMPLICIT
  DeleteAccessControlList-Request,
-- Shall not appear in minor version one or two
changeAccessControl [86] IMPLICIT
  ChangeAccessControl-Request
-- Shall not appear in minor version one or two
```

In 7.5.4 near the top of page 27, change the last line of the production from:

```
exchangeData          [81] IMPLICIT
                        ExchangeData-Response
-- Shall not appear in minor version one
```

to

```
exchangeData          [81] IMPLICIT
                        ExchangeData-Response,
-- Shall not appear in minor version one
defineAccessControlList [82] IMPLICIT
                        DefineAccessControlList-Response,
-- Shall not appear in minor version one or two
getAccessControlListAttributes [83] IMPLICIT
                        GetAccessControlListAttributes-Response,
-- Shall not appear in minor version one or two
reportAccessControlledObjects [84] IMPLICIT
                        ReportAccessControlledObjects-Response,
-- Shall not appear in minor version one or two
deleteAccessControlList [85] IMPLICIT
                        DeleteAccessControlList-Response,
-- Shall not appear in minor version one or two
changeAccessControl    [86] IMPLICIT
                        ChangeAccessControl-Response
-- Shall not appear in minor version one or two
```

In 7.5.5, page 30, at the very end of the ServiceError production, change:

```
additionalService    [10] AdditionalService-Error
} OPTIONAL
```

to:

```
additionalService    [10] AdditionalService-Error,
changeAccessControl [11] IMPLICIT ChangeAccessControlError
-- Shall not appear in minor version one or two
} OPTIONAL
```