

INTERNATIONAL STANDARD

ISO/IEC
9529-2


First edition
1989-09-15

**Information processing systems — Data
interchange on 90 mm (3,5 in) flexible disk
cartridges using modified frequency modulation
recording at 15 916 ftprad, on 80 tracks on each
side —**

Part 2:
Track format

*Systèmes de traitement de l'information — Échange de données sur cartouches à
disquette de 90 mm (3,5 in) utilisant un enregistrement à modulation de fréquence
modifiée à 15 916 ftprad sur 80 pistes sur chaque face —*

Partie 2: Schéma de piste



Reference number
ISO/IEC 9529-2:1989

AVA

Documents
Document Sharing Hub

Contents

	Page
Foreword	iv
Introduction.....	v
1 Scope	1
2 Conformance.....	1
3 Normative references.....	1
4 General requirements	2
4.1 Mode of recording	2
4.2 Track location tolerance of the recorded flexible disk cartridge	2
4.3 Recording offset angle	2
4.4 Density of recording	3
4.5 Flux transition spacing	3
4.6 Average Signal Amplitude	3
4.7 Byte.....	4
4.8 Sector	4
4.9 Cylinder	4
4.10 Cylinder number	4
4.11 Data capacity of a track	4
4.12 Hexadecimal notation	4
4.13 Error Detection Characters (EDC)	4

© ISO/IEC 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

5	Track layout.....	5
5.1	Index Gap	5
5.2	Sector Identifier	5
5.2.1	Identifier Mark	5
5.2.2	Address Identifier	6
5.3	Identifier Gap	6
5.4	Data Block	7
5.4.1	Data Mark	7
5.4.2	Data Field	7
5.4.3	EDC	7
5.5	Data Block Gap	7
5.6	Track Gap	7
6	Coded representation of data.....	8
6.1	Standards	8
6.2	Coding methods	8

Annexes

A	Procedure and equipment for measuring flux transition spacing	9
B	Data separators for decoding MFM recording	12
C	EDC implementation	13

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) together form a system for worldwide standardization as a whole. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for approval before their acceptance as International Standards. They are approved in accordance with procedures requiring at least 75 % approval by the national bodies voting.

International Standard ISO/IEC 9529-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

Introduction

ISO/IEC 9529 specifies the characteristics of 90 mm (3,5 in) flexible disk cartridges recorded at 15 916 ftprad using modified frequency modulation recording, on 80 tracks on each side. ISO/IEC 9529-1 specifies the dimensional, physical and magnetic characteristics of the cartridge, so as to provide physical interchangeability between data processing systems.

ISO/IEC 9529-1 and ISO/IEC 9529-2, together with the labelling scheme specified in ISO 9293, provide for full data interchange between data processing systems.

This page intentionally left blank