



INTERNATIONAL STANDARD ISO/IEC 9594-9:1998
TECHNICAL CORRIGENDUM 2

Published 2002-08-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Open Systems Interconnection — The Directory: Replication

TECHNICAL CORRIGENDUM 2

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Duplication

RECTIFICATIF TECHNIQUE 2

Technical Corrigendum 2 to ISO/IEC 9594-9:1998 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

ICS 35.100.70

Ref. No. ISO/IEC 9594-9:1998/Cor.2:2002(E)

© ISO/IEC 2002 – All rights reserved

Published in Switzerland

AVA Documents
Document Sharing Hub

Withdrawn

INTERNATIONAL STANDARD
ITU-T RECOMMENDATION

Information technology – Open Systems Interconnection – The Directory:
Replication

TECHNICAL CORRIGENDUM 2

NOTE – This Technical Corrigendum covers the result of the ballot resolutions of Draft Technical Corrigenda 2, 3, and 4.

1) Defect reports covered by Draft Technical Corrigendum 2

(Covering resolutions to defect report 187, 208 and 243)

1.1) This corrects the defects reported in defect report 9594/187

In 7.2.1.1, add **root** to the list of SDSE types.

In 11.3.1.1, delete **root** from the list of SDSE types.

1.2) This corrects the defects reported in defect report 9594/208

Insert the following text into 7.2.2.3, at the end of both the second paragraph and the first sentence of the third paragraph (after "appropriate knowledge"):

and access control information.

Insert a new third paragraph into 7.2.2.3 as follows:

If subordinate knowledge is supplied, and the supplying DSE (of type **subr**) is also of type **admPoint**, then the SDSE shall additionally be of type **admPoint** and the **administrativeRole** attribute shall be supplied. If such a DSE has any immediately subordinate subentries containing **PrescriptiveACI** relating to the administrative point, then they shall also be supplied as SDSEs in the shadowed information.

NOTE – A DSE can be of type **subr** and **admPoint** in a superior DSA, when the naming context in the subordinate DSA is the start of a new administrative area.

Update Figure 3 as follows to show a subentry immediately below a subordinate reference. The subentry contains **prescriptiveACI** and is part of the shadowed information.

