INTERNATIONAL STANDARD

ISO/IEC/IEEE 8802-11

Second edition
2018-05

Information technology — Telecommunications and information exchange between systems — Local and metropolitan area networks — Specific requirements —

Part 11: Wireless LAN medium access control (MAC) and physical layer (PHY) specifications

Technologies de l'information — Télécommunications et échange d'information entre systèmes — Réseaux locaux et métropolitains — Exigences spécifiques —

Partie 11: Spécifications du contrôle d'accès du milieu sans fil (MAC) et de la couche physique (PHY)

Reference number
ISO/IEC/IEEE 8802-11:2018(E)

© IEEE 2016

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2016

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO or IEEE at the respective address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org

Published in Switzerland

© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Documents
Document Sharing Hub

Full document details: ISO/IEC/IEEE 8802-11-2018

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

ISO/IEC/IEEE 8802-11 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE Std 802.11-2016) and drafted in accordance with its editorial rules. It was adopted, under the "fast-track procedure" defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

This second edition cancels and replaces the first edition (ISO/IEC/IEEE 8802-11:2012), which has been technically revised.

A list of all parts in the ISO/IEC/IEEE 8802 series can be found on the ISO website.

© IEEE 2016 – All rights reserved

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Documents
Document Sharing Hub

Full document details: ISO/IEC/IEEE 8802-11-2018

Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

IEEE Std 802.11™-2016
(Revision of
IEEE Std 802.11-2012)

IEEE Standard for Information technology—Telecommunications and information exchange between systems Local and metropolitan area networks—Specific requirements

Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications

Prepared by the 802.11 Working Group of the

LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 7 December 2016

IEEE-SA Standards Board

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

Abstract: Technical corrections and clarifications to IEEE Std 802.11 for wireless local area networks (WLANs) as well as enhancements to the existing medium access control (MAC) and physical layer (PHY) functions are specified in this revision. Amendments 1 to 5 published in 2012 and 2013 have also been incorporated into this revision.

Keywords: 2.4 GHz, 256-QAM, 3650 MHz, 4.9 GHz, 5 GHz, 5.9 GHz, 60 GHz, advanced encryption standard, AES, audio, beamforming, carrier sense multiple access/collision avoidance, CCMP, channel switching, clustering, contention based access period, Counter mode with Cipher-block chaining Message authentication code Protocol, confidentiality, CSMA/CA, DFS, direct link, directional multi-gigabit, dynamic allocation of service period, dynamic extension of service period, dynamic frequency selection, dynamic truncation of service period, E911, EDCA, emergency alert system, emergency services, fast session transfer, forwarding, GCMP, generic advertisement service, high throughput, IEEE 802.11™, international roaming, interworking, interworking with external networks, LAN, local area network, MAC, management, measurement, medium access control, media-independent handover, medium access controller, mesh, MIH, millimeter-wave, MIMO, MIMO-OFDM, multi-band operation, multi-hop, multi-user MIMO, multiple input multiple output, network advertisement, network discovery, network management, network selection, noncontiguous frequency segments, OCB, path-selection, personal basic service set, PHY, physical layer, power saving, QoS, quality of service, quality-of-service management frame, radio, radio frequency, RF, radio resource, radio management, relay operation, spatial sharing, SSPN, subscriber service provider, television white spaces, TPC, transmit power control, video, wireless access in vehicular environments, wireless LAN, wireless local area network, WLAN, wireless network management, zero-knowledge proof

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 14 December 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 978-1-5044-3646-5 STD22369
PDF: ISBN 978-1-5044-3645-8 STDPD22369

IEEE Prohibits discrimination, harassment, and bullying.
For more information, visit http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html.
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading "Important Notices and Disclaimers Concerning IEEE Standards Documents." They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association ("IEEE-SA") Standards Board. IEEE ("the Institute") develops its standards through a consensus development process, approved by the American National Standards Institute ("ANSI"), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied "AS IS" and "WITH ALL FAULTS."

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at http://ieeexplore.ieee.org or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE-SA Website at http://standards.ieee.org.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: http://standards.ieee.org/findstds/errata/index.html. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at http://standards.ieee.org/about/sasb/patcom/patents.html. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

Participants

At the time this revision was sent to sponsor ballot, the IEEE 802.11 Working Group (WG) had the following officers:

Adrian P. Stephens, *Chair*
Jon W. Rosdahl, *1st Vice Chair*
Dorothy V. Stanley, *2nd Vice Chair*
Stephen McCann, *Secretary*

The officers of the WG Task Group mc and the members of the WG ballot group for this revision are as follows:

Dorothy V. Stanley, *Chair*
Mark A. Hamilton, *Vice Chair*
Jon W. Rosdahl, *Secretary*
Adrian P. Stephens, *Technical Editor*

Osama S. Aboulmagd
Santosh P. Abraham
Roberto Aiello
Thomas Alexander
Peiman Amini
Sirikiat Lek Ariyavisitakul
Lee R. Armstrong
Yusuke Asai
Alex Ashley
Kwok Shum Au
Vijay Auluck
Stefan Aust
David Bagby
Eugene Baik
Gabor Bajko
Raja Banerjea
Phillip Barber
Anuj Batra
Tuncer Baykas
Alan Berkema
Nehru Bhandaru
Philippe Boucachard
Andre Bourdoux
John Buffington
Lin Cai
George Calcev
Chris Calvert
Radhakrishna Canchi
Laurent Cariou
William Carney
Jaesun Cha
Romana Challans
Kim Chang
Kuor-Hsin Chang
Xin Chang
Clint F. Chaplin
Bin Chen
Jiamin Chen
Jixin Chen
Lidong Chen
Qian Chen
Xi Chen
Minho Cheong
George Cherian
Francois Chin
Rojan Chitrakar
Jinsoo Choi
Sangsung Choi
Li Chia Chia Choo
Sayantan Choudhury
Liwen Chu
Jinyoung Chun
John Coffey
Kenneth Coop
Carlos Cordeiro
Neiyer Correal
Subir Das
Hendricus De Ruijter
Rolf J. de Vegt
Yohannes Demessie
Michael Denson
Ting Dong
Xiandong Dong
Klaus Doppler
Roger P. Durand
Donald E. Eastlake
Peter Ecclesine
Richard Edgar
Amal Ekbal
Marc Emmelmann
Vinko Erceg
Ping Fang
Yonggang Fang
Qin Fei
Stanislav Filin
Norman Finn
Matthew J. Fischer
George Flammer
Chittabrata Ghosh
James P. K. Gilb
Reinhard Gloger
Daning Gong
David Goodall
Elad Gottlib
Sudheer A. Grandhi
Stephen Grau
Michael Grigat
David Halasz
Christopher J. Hansen
Peng Hao
Hiroshi Harada
Daniel N. Harkins
Brian D. Hart
Ahmadreza Hedayat
Robert F. Heile
Jerome Henry
Chin Keong Ho
Anh Tuan Hoang
Dien Hoang
Wei Hong
Ying-Chuan Hsiao
Jing-Rong Hsieh
David Hunter
Yasuhiko Inoue
Mitsuru Iwaoka
Wuncheol Jeong
Yangseok Jeong
Sunggeun Jin
ZhongYi Jin
Nihar Jindal
V. K. Jones
Jari Junell
Padam Kafle
Carl W. Kain
Hyunduk Kang
Mika Kasslin
Richard H. Kennedy
Stuart J. Kerry
Eunkyung Kim
Jeongki Kim
Jinho Kim
Joo Young Kim
Joonsuk Kim
Suhwook Kim
Taejoon Kim
Youhan Kim
Youngsoo Kim
Shoichi Kitazawa
Jarkko Kneckt
Gwangzeen Ko
Fumihide Kojima
Tom Kolze
Timo Koskela
Bruce P. Kraemer
Jin-Sam Kwak
Joseph Kwak

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

Hyoungjin Kwon
Young Hoon Kwon
Paul Lambert
Zhou Lan
Leonardo Lanante
James Lansford
Jean-Pierre Le Rouzic
Anseok Lee
Donghun Lee
Jae Seung Lee
Wookbong Lee
Zhongding Lei
Wai Kong Leung
Joseph Levy
Feng Li
Huan-Bang Li
Liang Li
Lingjie Li
Yunbo Li
Yunzhou Li
Zhiqiang Li
Erik Lindskog
Jianhan Liu
Pei Liu
Yong Liu
Zongru Liu
Peter Loc
Su Lu
Long Luo
Yi Luo
Zhendong Luo
Kaiying Lv
Michael Lynch
Jouni K. Malinen
Hiroshi Mano
Simone Merlin
James Miller
Keiichi Mizutani
Apurva Mody
Michael Montemurro
Kenichi Mori
Hitoshi Morioka
Ronald Murias
Andrew Myles
Yukimasa Nagai
Yuhei Nagao
Hiroki Nakano
Chiu Ngo
Paul Nikolich
Hiroyo Ogawa
Minseok Oh
Min-Seok Oh
David Olson
Satoshi Oyama
Michael J. Paljug
Santos Ghanshyam Pandey
Anna Pantelidou
Giwon Park
Minyoung Park
Seung-Hoon Park
Jaya Shankar Pathmasuntharam
Sandhya Patil
Xiaoming Peng
Eldad Perahia
James E. Petranovich
Albert Petrick
John Petro
Xu Ping
Juho Pirskanen
Khiam Boon Png
Vishakan Ponnampalam
Ron Porat
Henry S. Ptasinski
Rethnakaran Pulikkoonattu
Chang-Woo Chang Pyo
Emily H. Qi
Huyu Qu
Harish Ramamurthy
Jayaram Ramasastry
Ivan Reede
Edward Reuss
Maximilian Riegel
Mark Rison
Zhigang Rong
Cheol Ryu
Kiseon Ryu
Kazuyuki Sakoda
Ruben E. Salazar Cardozo
Hemanth Sampath
Sigurd Schelstraete
Jean Schwoerer
Jonathan Segev
Cristina Seibert
Yongho Seok
Kunal Shah
Huairong Shao
Zhenhai Shao
Stephen J. Shellhammer
Ian Sherlock
Wei Shi
Nobuhiko Shibagaki
Shusaku Shimada
Chang Sub Shin
Thomas M. Siep
Michael Sim
Dwight Smith
Graham Kenneth Smith
Myung Sun Song
Sudhir Srinivasa
Robert Stacey
Lawrence Stefani
Rene Struik
Jung Hoon Suh
Chin-Sean Sum
Bo Sun
Chen Sun
Sheng Sun
Kazuaki Takahashi
Mineo Takai
Sagar Tamhane
Joseph Teo
Thomas Tetzlaff
Jerry Thrasher
Tong Tian
Jens Tingleff
Fei Tong
Ha Nguyen Tran
Kazuyoshi Tsukada
Masahiro Umehira
Richard D. J. Van Nee
Allert Van Zelst
Prabodh Varshney
Sameer Vermani
Dalton T. Victor
Gabriel Villardi
George A. Vlantis
Chao Chun Wang
Haiguang Wang
Haiming Wang
James June Wang
Lei Wang
Lin Wang
Qi Wang
Xiang Wang
Xuehuan Wang
Lisa Ward
Zou Wei-Xia
Lei Wen
Menzo M. Wentink
Harya Wicaksana
Eric Wong
Harry R. Worstell
Tianyu Wu
Zhanji Wu
Zhenyu Xiao
Dongmei Xu
Quanping Xu
Guang-Qi Yang
Lin Yang
Xun Yang
Yunsong Yang
Fan Ye
James Yee
Peter Yee
Wai-Leong Yeow
Kaoru Yokoo
Su Khiong Khiong Yong
Christopher Young
Heejung Yu
Zhan Yu
Tevfik Yucek
Guangrong Yue
Katsuo D. A. Yunoki
Hongyuan Zhang
Hui Zhang
Junjian Zhang
Nianzu Zhang
Xin Zhang
Mu Zhao
Jun Zheng
Shoukang Zheng
Mingtuo Zhou
Yan Zhuang
Lan Zhuo

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

Major contributions were received from the following individuals:

Carlos Aldana
Yaron Alpert
Edward Au
Gabor Bajko
Sean Coffey
Daniel Cohn
Carlos Cordeiro
Peter Ecclesine
Vinko Erceg
Matthew J. Fischer
Michael Fischer
Mark A. Hamilton
Daniel N. Harkins
Brian D. Hart
Guido R. Hiertz
Wei Hong
David Hunter
Mitsuru Iwaoka
Assaf Kasher
Peter Khoury
Youhan Kim
Wookbong Lee
Erik Lindskog
Jouni K. Malinen
Stephen McCann
Michael Montemurro
Hiroyuki Motozuka
Andrew Myles
Eldad Perahia
Emily H. Qi
Mark Rison
Jon W. Rosdahl
Dick Roy
Kazuyuki Sakoda
Amichai Sanderovich
Sigurd Schelstraete
Yongho Seok
Graham Kenneth Smith
Dorothy V. Stanley
Adrian P. Stephens
Bo Sun
Fei Tong
Payam Torab
Solomon Trainin
Ganesh Venkatesan
Qi Wang
Gaius Wee
Menzo M. Wentink
Mingguang Xu
Chen Yanming

The following members of the individual balloting committee voted on this revision. Balloters may have voted for approval, disapproval, or abstention.

Osama S. Aboulmagd
Tomoko Adachi
Iwan Adhicandra
Thomas Alexander
Richard Alfvin
Nobumitsu Amachi
Carol Ansley
Butch Anton
Yusuke Asai
Alfred Asterjadhi
Stefan Aust
Michael Bahr
Gabor Bajko
Phillip Barber
Tuncer Baykas
Mathilde Benveniste
Harry Bims
Gennaro Boggia
Nancy Bravin
Theodore Brillhart
John Buffington
William Byrd
Brent Cain
Radhakrishna Canchi
Fengming Cao
William Carney
Juan Carreon
Minho Cheong
Keith Chow
Jinyoung Chun
Charles Cook
Todor Cooklev
Carlos Cordeiro
Steven Crowley
Yezid Donoso
Sourav Dutta
Donald E. Eastlake
Peter Ecclesine
Richard Edgar
Marc Emmelmann
David Evans
Zhong Fan
Liu Fangfang
Matthew J. Fischer
Michael Fischer
Avraham Freedman
Dan Gal
Devon Gayle
James P. K. Gilb
Tim Godfrey
Joel Goergen
Randall Groves
Robert Grow
Michael Gundlach
Chris Guy
Gloria Gwynne
Rainer Hach
Russell Haines
Mark A. Hamilton
Christopher J. Hansen
Jerome Henry
Marco Hernandez
Guido Hiertz
Ronald Hochnadel
Werner Hoelzl
David Hunter
Tetsushi Ikegami
Noriyuki Ikeuchi
Yasuhiko Inoue
Sergiu Iordanescu
Akio Iso
Atsushi Ito
Raj Jain
Michael Johas Teener
Adri Jovin
Joe Natharoj Juisai
Naveen Kakani
Shinkyo Kaku
Hyunjeong Kang
Piotr Karocki
Assaf Kasher
Ruediger Kays
Stuart J. Kerry
Yongbum Kim
Youhan Kim
Patrick Kinney
Bruce P. Kraemer
Yasushi Kudoh
Thomas Kurihara
Paul Lambert
Jeremy Landt
Mark Laubach
Hyeong Ho Lee
Wookbong Lee
James Lepp
Joseph Levy
Arthur H. Light
William Lumpkins
Chris Lyttle
Elvis Maculuba
Jouni K. Malinen
James Marin
Roger Marks
Jeffery Masters
Stephen McCann
Michael McInnis
Filip Mestanov
Apurva Mody
Jose Morales
Ronald Murias
Rick Murphy
Andrew Myles
Juichi Nakada
Nabil Nasser
Michael Newman
Chiu Ngo
Nicks Nikjoo
Paul Nikolich
Satoshi Obara
Robert O'Hara
Yoshihiro Ohba

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

Satoshi Oyama
Stephen Palm
Glenn Parsons
Arumugam Paventhan
Brian Phelps
Walter Pienciak
Subburajan Ponnuswamy
Clinton Powell
Venkatesha Prasad
Emily H. Qi
R. K. Rannow
Maximilian Riegel
Mark Rison
Robert Robinson
Benjamin Rolfe
Jon W. Rosdahl
Kazuyuki Sakoda
Osman Sakr
Amichai Sanderovich
John Santhoff
Naotaka Sato
Bartien Sayogo
Sigurd Schelstraete
Andy Scott
Yongho Seok
Kunal Shah
Ian Sherlock
Shusaku Shimada
Robert Slater
Di Dieter Smely
Graham Kenneth Smith
Daniel Smolinski
Kapil Sood
Robert Stacey
Dorothy V. Stanley
Thomas Starai
Adrian P. Stephens
Rene Struik
Walter Struppler
Mark Sturza
Rakesh Taori
David Tepen
Patricia Thaler
David Thompson
Edward Tiedemann
Jens Tingleff
Keat Beng Toh
Payam Torab
Solomon Trainin
Ha Nguyen Tran
Kazuyoshi Tsukada
Mark-Rene Uchida
Lorenzo Vangelista
Allert Van Zelst
Dmitri Varsanofiev
Prabodh Varshney
Ganesh Venkatesan
George A. Vlantis
Khurram Waheed
Haiming Wang
Lei Wang
Stephen Webb
Hung-Yu Wei
Menzo M. Wentink
Chun Yu Charles Wong
Forrest Wright
James Yee
Oren Yuen
Daidi Zhong
Zhen Zhou

When the IEEE-SA Standards Board approved this revision on 7 December 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman
Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson
Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

Introduction

This introduction is not part of IEEE Std 802.11-2016, IEEE Standard for Information technology—Telecommunications and information exchange between systems—Local and metropolitan area network—Specific requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications.

This revision gives users, in one document, the IEEE 802.11 standard for wireless local area networks (WLANs) with all of the amendments that have been published to date.

Incorporating published amendments

The original standard was published in 1997, revised in 1999 with MIB changes, and reaffirmed in 2003.

A revision was published in 2007, which incorporated into the 1999 edition the following amendments:

- IEEE Std 802.11a™-1999: High-speed Physical Layer in the 5 GHz Band (Amendment 1)
- IEEE Std 802.11b™-1999: Higher-Speed Physical Layer Extension in the 2.4 GHz Band (Amendment 2)
- IEEE Std 802.11b-1999/Corrigendum 1-2001: Higher-speed Physical Layer (PHY) extension in the 2.4 GHz band (Corrigendum 1 to Amendment 2)
- IEEE Std 802.11d™-2001: Specification for operation in additional regulatory domains (Amendment 3)
- IEEE Std 802.11g™-2003: Further Higher Data Rate Extension in the 2.4 GHz Band (Amendment 4)
- IEEE Std 802.11h™-2003: Spectrum and Transmit Power Management Extensions in the 5 GHz band in Europe (Amendment 5)
- IEEE Std 802.11i™-2004: Medium Access Control (MAC) Security Enhancements (Amendment 6)
- IEEE Std 802.11j™-2004: 4.9 GHz–5 GHz Operation in Japan (Amendment 7)
- IEEE Std 802.11e™-2005: Medium Access Control (MAC) Quality of Service Enhancements (Amendment 8)

A revision was published in 2012, which incorporated into the 2007 revision the following amendments:

- IEEE Std 802.11k™-2008: Radio Resource Measurement of Wireless LANs (Amendment 1)
- IEEE Std 802.11r™-2008: Fast Basic Service Set (BSS) Transition (Amendment 2)
- IEEE Std 802.11y™-2008: 3650–3700 MHz Operation in USA (Amendment 3)
- IEEE Std 802.11w™-2009: Protected Management Frames (Amendment 4)
- IEEE Std 802.11n™-2009: Enhancements for Higher Throughput (Amendment 5)
- IEEE Std 802.11p™-2010: Wireless Access in Vehicular Environments (Amendment 6)
- IEEE Std 802.11z™-2010: Extensions to Direct-Link Setup (DLS) (Amendment 7)
- IEEE Std 802.11v™-2011: Wireless Network Management (Amendment 8)
- IEEE Std 802.11u™-2011: Interworking with External Networks (Amendment 9)
- IEEE Std 802.11s™-2011: Mesh Networking (Amendment 10)

This revision is based on IEEE Std 802.11-2012, into which the following amendments have been incorporated:

- IEEE Std 802.11ae™-2012: Prioritization of Management Frames (Amendment 1)
- IEEE Std 802.11aa™-2012: MAC Enhancements for Robust Audio Video Streaming (Amendment 2)

Copyright © 2016 IEEE. All rights reserved.

Documents
Document Sharing Hub
© IEEE 2016 – All rights reserved

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

— IEEE Std 802.11ad™-2012: Enhancements for Very High Throughput in the 60 GHz Band (Amendment 3)
— IEEE Std 802.11ac™-2013: Enhancements for Very High Throughput for Operation in Bands below 6 GHz (Amendment 4)
— IEEE Std 802.11af™-2013: Television White Spaces (TVWS) Operation (Amendment 5)

Technical corrections, clarifications, and enhancements

In addition, this revision specifies technical corrections and clarifications to IEEE Std 802.11 as well as enhancements to the existing medium access control (MAC) and physical layer (PHY) functions. In addition, this revision removes some features previously marked as obsolete and adds new indications of other obsolete features.

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

Renumbering of clauses and annexes

The numbering of certain clauses and annexes has been modified since IEEE Std 802.11-2012.

The evolution of this numbering is shown in Figure i.




Figure i—The evolution of numbering in IEEE Std 802.11

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

Contents

1. Overview ... 122

1.1 Scope ... 122
1.2 Purpose ... 122
1.3 Supplementary information on purpose ... 122
1.4 Word usage ... 123
1.5 Terminology for mathematical, logical, and bit operations ... 124

2. Normative references ... 125

3. Definitions, acronyms, and abbreviations ... 128

3.1 Definitions ... 128
3.2 Definitions specific to IEEE Std 802.11 ... 143
3.3 Definitions specific to IEEE 802.11 operation in some regulatory domains ... 170
3.4 Abbreviations and acronyms ... 170
3.5 Abbreviations and acronyms in some regulatory domains ... 182

4. General description ... 183

4.1 General description of the architecture ... 183
4.2 How wireless local area networks (WLANs) are different ... 183
4.2.1 Introduction ... 183
4.2.2 Wireless station (STA) ... 183
4.2.3 Media impact on design and performance ... 183
4.2.4 The impact of handling mobile STAs ... 184
4.2.5 Interaction with other IEEE 802® layers ... 184
4.2.6 Interaction with non-IEEE-802 protocols ... 184
4.3 Components of the IEEE 802.11 architecture ... 184
4.3.1 General ... 184
4.3.2 The independent BSS (IBSS) ... 185
4.3.3 The personal BSS (PBSS) ... 185
4.3.4 STA membership in a BSS is dynamic ... 185
4.3.5 Distribution system (DS) concepts ... 186
4.3.5.1 Overview ... 186
4.3.5.2 Extended service set (ESS): the large coverage network ... 187
4.3.6 Area concepts ... 188
4.3.7 Integration with non-IEEE-802.11 LANs ... 189
4.3.8 Robust security network association (RSNA) ... 190
4.3.9 Centralized coordination service set (CCSS) and extended centralized AP or PCP clustering (ECAPC) ... 190
4.3.10 QoS BSS ... 192
4.3.11 Wireless LAN radio measurements ... 193
4.3.11.1 General ... 193
4.3.11.2 Beacon ... 194
4.3.11.3 Measurement pilot ... 194
4.3.11.4 Frame ... 194
4.3.11.5 Channel load ... 195
4.3.11.6 Noise histogram ... 195
4.3.11.7 STA statistics ... 195
4.3.11.8 Location ... 195
4.3.11.9 Measurement pause ... 195

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

4.3.11.10 Neighbor report 195
4.3.11.11 Link measurement 195
4.3.11.12 Transmit stream/category measurement 195
4.3.12 Operation in licensed frequency bands 196
4.3.12.1 General 196
4.3.12.2 Dynamic STA enablement (DSE) in licensed bands 196
4.3.12.3 Contention based protocol (CBP) in nonexclusively licensed bands . 196
4.3.12.4 Using DSE STA identification to resolve interference 196
4.3.12.5 Further coexistence enhancements in nonexclusively licensed bands 196
4.3.13 High-throughput (HT) STA 196
4.3.14 Very high throughput (VHT) STA 197
4.3.15 Television very high throughput (TVHT) STA 198
4.3.16 STA transmission of Data frames outside the context of a BSS 199
4.3.17 Tunneled direct-link setup 200
4.3.18 Wireless network management 200
4.3.18.1 Overview 200
4.3.18.2 BSS max idle period management 201
4.3.18.3 BSS transition management 201
4.3.18.4 Channel usage 201
4.3.18.5 Collocated interference reporting 201
4.3.18.6 Diagnostic reporting 201
4.3.18.7 Directed multicast service (DMS) 201
4.3.18.8 Event reporting 202
4.3.18.9 Flexible multicast service (FMS) 202
4.3.18.10 Location services 202
4.3.18.11 Multicast Diagnostic report 202
4.3.18.12 Multiple BSSID capability 202
4.3.18.13 Proxy ARP 202
4.3.18.14 QoS traffic capability 202
4.3.18.15 SSID list 203
4.3.18.16 Triggered STA statistics 203
4.3.18.17 TIM broadcast 203
4.3.18.18 Timing measurement 203
4.3.18.19 Fine timing measurement 203
4.3.18.20 Traffic filtering service 203
4.3.18.21 U-APSD coexistence 203
4.3.18.22 WNM notification 203
4.3.18.23 WNM sleep mode 204
4.3.19 Subscription service provider network (SSPN) interface 204
4.3.20 Mesh BSS 205
4.3.20.1 General 205
4.3.20.2 Overview of the mesh BSS 205
4.3.20.3 Mesh STA 205
4.3.20.4 IEEE 802.11 components and mesh BSS 206
4.3.20.5 Introduction to mesh functions 207
4.3.21 DMG STA 210
4.3.22 DMG relay 211
4.3.23 Robust audio video (AV) streaming 211
4.3.23.1 Groupcast with retries (GCR) 211
4.3.23.2 Stream classification service (SCS) 212
4.3.23.3 Overlapping BSS (OBSS) management 212
4.3.23.4 Interworking with IEEE 802.1Q™ Stream Reservation Protocol (SRP) 212
4.3.23.5 Intra-access category prioritization 212

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

4.3.24 Operation under geolocation database (GDB) control ... 213
4.4 Logical service interfaces ... 215
4.4.1 General ... 215
4.4.2 SS ... 215
4.4.3 PBSS control point service (PCPS) ... 216
4.4.4 DSS ... 216
4.5 Overview of the services ... 217
4.5.1 General ... 217
4.5.2 Distribution of MSDUs within a DS ... 218
4.5.2.1 Distribution ... 218
4.5.2.2 Integration ... 219
4.5.2.3 QoS traffic scheduling ... 219
4.5.3 Services that support the distribution service and the PCP service ... 220
4.5.3.1 General ... 220
4.5.3.2 Mobility types ... 220
4.5.3.3 Association ... 220
4.5.3.4 Reassociation ... 221
4.5.3.5 Disassociation ... 221
4.5.4 Access control and data confidentiality services ... 222
4.5.4.1 General ... 222
4.5.4.2 Authentication ... 222
4.5.4.3 Deauthentication ... 223
4.5.4.4 Data confidentiality ... 223
4.5.4.5 Key management ... 224
4.5.4.6 Data origin authenticity ... 224
4.5.4.7 Replay detection ... 224
4.5.4.8 Fast BSS transition ... 225
4.5.4.9 Robust management frame protection ... 225
4.5.5 Spectrum management services ... 225
4.5.5.1 General ... 225
4.5.5.2 TPC ... 225
4.5.5.3 DFS ... 225
4.5.6 Traffic differentiation and QoS support ... 226
4.5.6.1 General ... 226
4.5.6.2 Quality-of-service management frame support ... 226
4.5.7 Support for higher layer timer synchronization ... 226
4.5.8 Radio measurement service ... 227
4.5.9 Interworking with external networks ... 227
4.5.10 Generic advertisement service (GAS) ... 228
4.6 Multiple logical address spaces ... 228
4.7 Differences among ESS, PBSS, and IBSS LANs ... 229
4.8 Differences between ESS and MBSS LANs ... 231
4.9 Reference model ... 231
4.9.1 General ... 231
4.9.2 Interworking reference model ... 231
4.9.3 Reference model for supporting multiple MAC sublayers ... 233
4.9.4 Reference model for multi-band operation ... 234
4.10 IEEE Std 802.11 and IEEE Std 802.1X-2010 ... 236
4.10.1 General ... 236
4.10.2 IEEE 802.11 usage of IEEE Std 802.1X-2010 ... 236
4.10.3 Infrastructure functional model overview ... 237
4.10.3.1 General ... 237
4.10.3.2 AKM operations with AS ... 237
4.10.3.3 AKM operations with a password or PSK ... 239

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

4.10.3.4 Alternate operations with PSK 240
4.10.3.5 Disassociation 241
4.10.4 IBSS functional model description 241
4.10.4.1 General 241
4.10.4.2 Key usage 241
4.10.4.3 Sample IBSS 4-way handshakes 241
4.10.4.4 IBSS IEEE 802.1X example 243
4.10.5 PBSS functional model description 244
4.10.6 Authenticator-to-AS protocol 245
4.10.7 PMKSA caching 245
4.10.8 Protection of group addressed robust Management frames 245

5. MAC service definition 246

5.1 Overview of MAC services 246
5.1.1 Data service 246
5.1.1.1 General 246
5.1.1.2 Determination of UP 246
5.1.1.3 Interpretation of priority parameter in MAC service primitives 246
5.1.1.4 Interpretation of service class parameter in MAC service primitives in a STA 247
5.1.2 Security services 248
5.1.3 MSDU ordering 248
5.1.4 MSDU format 249
5.1.5 MAC data service architecture 250
5.1.5.1 General 250
5.1.5.2 Non-AP STA role 253
5.1.5.3 AP role 253
5.1.5.4 Mesh STA role 253
5.1.5.5 Mesh gate role 254
5.2 MAC data service specification 254
5.2.1 General 254
5.2.2 MA-UNITDATA.request 254
5.2.2.1 Function 254
5.2.2.2 Semantics of the service primitive 255
5.2.2.3 When generated 255
5.2.2.4 Effect of receipt 255
5.2.3 MA-UNITDATA.indication 257
5.2.3.1 Function 257
5.2.3.2 Semantics of the service primitive 257
5.2.3.3 When generated 257
5.2.3.4 Effect of receipt 258
5.2.4 MA-UNITDATA-STATUS.indication 259
5.2.4.1 Function 259
5.2.4.2 Semantics of the service primitive 259
5.2.4.3 When generated 261
5.2.4.4 Effect of receipt 261

6. Layer management 262

6.1 Overview of management model 262
6.2 Generic management primitives 263
6.3 MLME SAP interface 263
6.3.1 Introduction 263

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.2 Power management ... 264
6.3.2.1 Introduction ... 264
6.3.2.2 MLME-POWERMGT.request ... 264
6.3.2.3 MLME-POWERMGT.confirm ... 264
6.3.3 Scan ... 265
6.3.3.1 Introduction ... 265
6.3.3.2 MLME-SCAN.request ... 265
6.3.3.3 MLME-SCAN.confirm ... 267
6.3.4 Synchronization ... 276
6.3.4.1 Introduction ... 276
6.3.4.2 MLME-JOIN.request ... 276
6.3.4.3 MLME-JOIN.confirm ... 278
6.3.5 Authenticate ... 279
6.3.5.1 Introduction ... 279
6.3.5.2 MLME-AUTHENTICATE.request ... 279
6.3.5.3 MLME-AUTHENTICATE.confirm ... 280
6.3.5.4 MLME-AUTHENTICATE.indication ... 282
6.3.5.5 MLME-AUTHENTICATE.response ... 283
6.3.6 Deauthenticate ... 284
6.3.6.1 Introduction ... 284
6.3.6.2 MLME-DEAUTHENTICATE.request ... 284
6.3.6.3 MLME-DEAUTHENTICATE.confirm ... 285
6.3.6.4 MLME-DEAUTHENTICATE.indication ... 285
6.3.7 Associate ... 286
6.3.7.1 Introduction ... 286
6.3.7.2 MLME-ASSOCIATE.request ... 286
6.3.7.3 MLME-ASSOCIATE.confirm ... 288
6.3.7.4 MLME-ASSOCIATE.indication ... 292
6.3.7.5 MLME-ASSOCIATE.response ... 295
6.3.8 Reassociate ... 297
6.3.8.1 Introduction ... 297
6.3.8.2 MLME-REASSOCIATE.request ... 297
6.3.8.3 MLME-REASSOCIATE.confirm ... 299
6.3.8.4 MLME-REASSOCIATE.indication ... 303
6.3.8.5 MLME-REASSOCIATE.response ... 306
6.3.9 Disassociate ... 309
6.3.9.1 MLME-DISASSOCIATE.request ... 309
6.3.9.2 MLME-DISASSOCIATE.confirm ... 309
6.3.9.3 MLME-DISASSOCIATE.indication ... 310
6.3.10 Reset ... 310
6.3.10.1 Introduction ... 310
6.3.10.2 MLME-RESET.request ... 311
6.3.11 Start ... 311
6.3.11.1 Introduction ... 311
6.3.11.2 MLME-START.request ... 311
6.3.11.3 MLME-START.confirm ... 317
6.3.12 Stop ... 317
6.3.12.1 General ... 317
6.3.12.2 MLME-STOP.request ... 317
6.3.13 Protocol layer model for spectrum management and radio measurement ... 318
6.3.14 Measurement request ... 321
6.3.14.1 Introduction ... 321
6.3.14.2 MLME-MREQUEST.request ... 321
6.3.14.3 MLME-MREQUEST.indication ... 322

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.15 Channel measurement 323
6.3.15.1 Introduction 323
6.3.15.2 MLME-MEASURE.request 323
6.3.15.3 MLME-MEASURE.confirm 324
6.3.16 Measurement report 325
6.3.16.1 Introduction 325
6.3.16.2 MLME-MREPORT.request 325
6.3.16.3 MLME-MREPORT.indication 326
6.3.17 Channel switch 327
6.3.17.1 MLME-CHANNELSWITCH.request 327
6.3.17.2 MLME-CHANNELSWITCH.confirm 328
6.3.17.3 MLME-CHANNELSWITCH.indication 328
6.3.17.4 MLME-CHANNELSWITCH.response 329
6.3.18 TPC request 331
6.3.18.1 Introduction 331
6.3.18.2 MLME-TPCADAPT.request 331
6.3.18.3 MLME-TPCADAPT.confirm 331
6.3.19 SetKeys 332
6.3.19.1 MLME-SETKEYS.request 332
6.3.20 DeleteKeys 333
6.3.20.1 MLME-DELETEKEYS.request 333
6.3.21 MIC (michael) failure event 334
6.3.21.1 MLME-MICHAELMICFAILURE.indication 334
6.3.22 EAPOL 335
6.3.22.1 MLME-EAPOL.request 335
6.3.22.2 MLME-EAPOL.confirm 336
6.3.23 MLME-PEERKEY-START 336
6.3.23.1 MLME-PEERKEY-START.request 336
6.3.24 SetProtection 337
6.3.24.1 MLME-SETPROTECTION.request 337
6.3.25 MLME-PROTECTEDFRAMEDROPPED 338
6.3.25.1 MLME- PROTECTEDFRAMEDROPPED.indication 338
6.3.26 TS management interface 338
6.3.26.1 General 338
6.3.26.2 MLME-ADDTS.request 339
6.3.26.3 MLME-ADDTS.confirm 341
6.3.26.4 MLME-ADDTS.indication 344
6.3.26.5 MLME-ADDTS.response 346
6.3.26.6 MLME-DELTS.request 349
6.3.26.7 MLME-DELTS.indication 350
6.3.26.8 MLME-ADDTSRESERVE.request 351
6.3.26.9 MLME-ADDTSRESERVE.confirm 352
6.3.26.10 MLME-ADDTSRESERVE.indication 353
6.3.26.11 MLME-ADDTSRESERVE.response 354
6.3.27 Management of direct links 354
6.3.27.1 Introduction 354
6.3.27.2 MLME-DLS.request 355
6.3.27.3 MLME-DLS.confirm 355
6.3.27.4 MLME-DLS.indication 356
6.3.27.5 MLME-DLS.response 357
6.3.27.6 MLME-DLS-TEARDOWN.request 358
6.3.27.7 MLME-DLS-TEARDOWN.indication 359
6.3.28 Higher layer synchronization support 360
6.3.28.1 Introduction 360

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.28.2 MLME-HL-SYNC.request 360
6.3.28.3 MLME-HL-SYNC.indication 361
6.3.29 Block Ack 361
6.3.29.1 General 361
6.3.29.2 MLME-ADDBA.request 361
6.3.29.3 MLME-ADDBA.confirm 363
6.3.29.4 MLME-ADDBA.indication 364
6.3.29.5 MLME-ADDBA.response 365
6.3.29.6 MLME-DELBA.request 367
6.3.29.7 MLME-DELBA.indication 368
6.3.30 Schedule element management 369
6.3.30.1 Introduction 369
6.3.30.2 MLME-SCHEDULE.request 369
6.3.30.3 MLME-SCHEDULE.indication 369
6.3.31 Vendor-specific action 370
6.3.31.1 Introduction 370
6.3.31.2 MLME-VSPECIFIC.request 370
6.3.31.3 MLME-VSPECIFIC.indication 371
6.3.32 Neighbor report request 372
6.3.32.1 General 372
6.3.32.2 MLME-NEIGHBORREPREQ.request 372
6.3.32.3 MLME-NEIGHBORREPREQ.indication 373
6.3.33 Neighbor report response 374
6.3.33.1 General 374
6.3.33.2 MLME-NEIGHBORREPRESP.request 374
6.3.33.3 MLME-NEIGHBORREPRESP.indication 375
6.3.34 Link Measure Request 376
6.3.34.1 General 376
6.3.34.2 MLME-LINKMEASURE.request 376
6.3.34.3 MLME-LINKMEASURE.confirm 377
6.3.35 MLME SAP interface for resource request 378
6.3.35.1 MLME-RESOURCE-REQUEST.request 378
6.3.35.2 MLME-RESOURCE-REQUEST.indication 379
6.3.35.3 MLME-RESOURCE-REQUEST.response 380
6.3.35.4 MLME-RESOURCE-REQUEST.confirm 380
6.3.35.5 MLME-RESOURCE-REQUEST-LOCAL.request 381
6.3.35.6 MLME-RESOURCE-REQUEST-LOCAL.confirm 382
6.3.36 MLME SAP interface for remote requests 382
6.3.36.1 MLME-REMOTE-REQUEST.request 382
6.3.36.2 MLME-REMOTE-REQUEST.indication 383
6.3.37 Extended channel switch announcement 383
6.3.37.1 General 383
6.3.37.2 MLME-EXTCHANNELSWITCH.request 384
6.3.37.3 MLME-EXTCHANNELSWITCH.confirm 385
6.3.37.4 MLME-EXTCHANNELSWITCH.indication 385
6.3.37.5 MLME-EXTCHANNELSWITCH.response 387
6.3.38 DSE power constraint announcement 388
6.3.38.1 General 388
6.3.38.2 MLME-DSETPC.request 388
6.3.38.3 MLME-DSETPC.confirm 389
6.3.38.4 MLME-DSETPC.indication 390
6.3.38.5 MLME-DSETPC.response 390
6.3.39 Enablement 391
6.3.39.1 General 391

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.39.2 MLME-ENABLEMENT.request ... 391
6.3.39.3 MLME-ENABLEMENT.confirm ... 392
6.3.39.4 MLME-ENABLEMENT.indication ... 393
6.3.39.5 MLME-ENABLEMENT.response ... 394
6.3.40 Deenablement ... 395
6.3.40.1 MLME-DEENABLEMENT.request ... 395
6.3.40.2 MLME-DEENABLEMENT.indication ... 396
6.3.41 SA Query support ... 397
6.3.41.1 MLME-SA-QUERY.request ... 397
6.3.41.2 MLME-SA-QUERY.confirm ... 398
6.3.41.3 MLME-SA-QUERY.indication ... 398
6.3.41.4 MLME-SA-QUERY.response ... 399
6.3.42 Get TSF timer ... 400
6.3.42.1 General ... 400
6.3.42.2 MLME-GETTSFTIME.request ... 400
6.3.42.3 MLME-GETTSFTIME.confirm ... 400
6.3.43 Timing Advertisement ... 401
6.3.43.1 General ... 401
6.3.43.2 MLME-TIMING-ADVERTISEMENT.request ... 401
6.3.43.3 MLME-TIMING-ADVERTISEMENT.indication ... 402
6.3.44 TDLS Discovery ... 403
6.3.44.1 General ... 403
6.3.44.2 MLME-TDLSDISCOVERY.request ... 403
6.3.44.3 MLME-TDLSDISCOVERY.confirm ... 404
6.3.44.4 MLME-TDLSDISCOVERY.indication ... 405
6.3.44.5 MLME-TDLSDISCOVERY.response ... 405
6.3.45 TDLS direct-link establishment ... 406
6.3.45.1 General ... 406
6.3.45.2 MLME-TDLSSETUPREQUEST.request ... 406
6.3.45.3 MLME-TDLSSETUPREQUEST.indication ... 407
6.3.45.4 MLME-TDLSSETUPRESPONSE.request ... 408
6.3.45.5 MLME-TDLSSETUPRESPONSE.indication ... 409
6.3.45.6 MLME-TDLSSETUPCONFIRM.request ... 409
6.3.45.7 MLME-TDLSSETUPCONFIRM.indication ... 410
6.3.45.8 MLME-TDLSPOTENTIALPEERSTA.request ... 410
6.3.45.9 MLME-TDLSPOTENTIALPEERSTA.confirm ... 411
6.3.46 TDLS direct-link teardown ... 412
6.3.46.1 General ... 412
6.3.46.2 MLME-TDLSTEARDOWN.request ... 412
6.3.46.3 MLME-TDLSTEARDOWN.indication ... 413
6.3.47 TDLS peer U-APSD (TPU) ... 413
6.3.47.1 General ... 413
6.3.47.2 MLME-TDLSPTI.request ... 414
6.3.47.3 MLME-TDLSPTI.confirm ... 415
6.3.47.4 MLME-TDLSPTI.indication ... 415
6.3.47.5 MLME-TDLSPTI.response ... 416
6.3.48 TDLS channel switching ... 417
6.3.48.1 General ... 417
6.3.48.2 MLME-TDLSCHANNELSWITCH.request ... 417
6.3.48.3 MLME-TDLSCHANNELSWITCH.confirm ... 418
6.3.48.4 MLME-TDLSCHANNELSWITCH.indication ... 419
6.3.48.5 MLME-TDLSCHANNELSWITCH.response ... 419
6.3.49 TDLS peer PSM ... 420
6.3.49.1 General ... 420

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.49.2 MLME-TDLSPEERPSM.request 420
6.3.49.3 MLME-TDLSPEERPSM.confirm 421
6.3.49.4 MLME-TDLSPEERPSM.indication 422
6.3.49.5 MLME-TDLSPEERPSM.response 422
6.3.50 Event request 423
6.3.50.1 General 423
6.3.50.2 MLME-EVLREQUEST.request 423
6.3.50.3 MLME-EVLREQUEST.indication 424
6.3.51 Event report 425
6.3.51.1 General 425
6.3.51.2 MLME-EVLREPORT.request 425
6.3.51.3 MLME-EVLREPORT.indication 426
6.3.52 Event 427
6.3.52.1 General 427
6.3.52.2 MLME-EVLOG.request 427
6.3.52.3 MLME-EVLOG.confirm 427
6.3.53 Diagnostic request 428
6.3.53.1 General 428
6.3.53.2 MLME-DIAGREQUEST.request 428
6.3.53.3 MLME-DIAGREQUEST.indication 429
6.3.54 Diagnostic report 430
6.3.54.1 MLME-DIAGREPORT.request 430
6.3.54.2 MLME-DIAGREPORT.indication 431
6.3.55 Location configuration request 431
6.3.55.1 General 431
6.3.55.2 MLME-LOCATIONCFG.request 432
6.3.55.3 MLME-LOCATIONCFG.confirm 433
6.3.55.4 MLME-LOCATIONCFG.indication 433
6.3.55.5 MLME-LOCATIONCFG.response 434
6.3.56 Location track notification 435
6.3.56.1 General 435
6.3.56.2 MLME-LOCATIONTRACKNOTIF.request 435
6.3.56.3 MLME-LOCATIONTRACKNOTIF.indication 436
6.3.57 Timing measurement 437
6.3.57.1 General 437
6.3.57.2 MLME-TIMINGMSMT.request 438
6.3.57.3 MLME-TIMINGMSMT.confirm 439
6.3.57.4 MLME-TIMINGMSMT.indication 440
6.3.58 Fine timing measurement (FTM) 441
6.3.58.1 General 441
6.3.58.2 MLME-FINETIMINGMSMT.request 442
6.3.58.3 MLME-FINETIMINGMSMT.confirm 443
6.3.58.4 MLME-FINETIMINGMSMT.indication 444
6.3.59 BSS transition management 446
6.3.59.1 BSS transition management procedure 446
6.3.59.2 MLME-BTMQUERY.request 446
6.3.59.3 MLME-BTMQUERY.indication 448
6.3.59.4 MLME-BTM.request 449
6.3.59.5 MLME-BTM.indication 450
6.3.59.6 MLME-BTM.response 451
6.3.59.7 MLME-BTM.confirm 452
6.3.60 FMS setup 453
6.3.60.1 General 453
6.3.60.2 MLME-FMS.request 454

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.60.3 MLME-FMS.confirm 454
6.3.60.4 MLME-FMS.indication 455
6.3.60.5 MLME-FMS.response 456
6.3.61 Collocated Interference request 456
6.3.61.1 General 456
6.3.61.2 MLME-CLINTERFERENCEREQUEST.request 457
6.3.61.3 MLME-CLINTERFERENCEREQUEST.indication 458
6.3.62 Collocated Interference report 459
6.3.62.1 General 459
6.3.62.2 MLME-CLINTERFERENCEREPORT.request 459
6.3.62.3 MLME-CLINTERFERENCEREPORT.indication 460
6.3.63 TFS setup 460
6.3.63.1 General 460
6.3.63.2 MLME-TFS.request 461
6.3.63.3 MLME-TFS.confirm 462
6.3.63.4 MLME-TFS.indication 462
6.3.63.5 MLME-TFS.response 463
6.3.64 WNM sleep mode request 464
6.3.64.1 General 464
6.3.64.2 MLME-SLEEPMODE.request 465
6.3.64.3 MLME-SLEEPMODE.indication 465
6.3.64.4 MLME-SLEEPMODE.response 466
6.3.64.5 MLME-SLEEPMODE.confirm 467
6.3.65 TIM broadcast setup 468
6.3.65.1 General 468
6.3.65.2 MLME-TIMBROADCAST.request 469
6.3.65.3 MLME-TIMBROADCAST.confirm 469
6.3.65.4 MLME-TIMBROADCAST.indication 470
6.3.65.5 MLME-TIMBROADCAST.response 471
6.3.66 QoS traffic capability update 471
6.3.66.1 General 471
6.3.66.2 MLME-QOSTRAFFICCAPUPDATE.request 472
6.3.66.3 MLME-QOSTRAFFICCAPUPDATE.indication 473
6.3.67 Channel Usage request 473
6.3.67.1 General 473
6.3.67.2 MLME-CHANNELUSAGE.request 474
6.3.67.3 MLME-CHANNELUSAGE.confirm 475
6.3.67.4 MLME-CHANNELUSAGE.indication 476
6.3.67.5 MLME-CHANNELUSAGE.response 477
6.3.68 DMS or GCR request and response procedure 478
6.3.68.1 General 478
6.3.68.2 MLME-GATS.request 478
6.3.68.3 MLME-GATS.confirm 479
6.3.68.4 MLME-GATS.indication 480
6.3.68.5 MLME-GATS.response 480
6.3.68.6 MLME-GATS-TERM.request 481
6.3.68.7 MLME-GATS-TERM.indication 482
6.3.69 Timing measurement request 483
6.3.69.1 General 483
6.3.69.2 MLME-TIMINGMSMTRQ.request 483
6.3.69.3 MLME-TIMINGMSMTRQ.indication 483
6.3.70 Fine timing measurement request 484
6.3.70.1 General 484
6.3.70.2 MLME-FINETIMINGMSMTRQ.request 484

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.70.3 MLME-FINETIMINGMSMTRQ.indication ... 485
6.3.71 WNM notification request ... 486
6.3.71.1 General ... 486
6.3.71.2 MLME-WNMNOTIFICATIONREQUEST.request ... 486
6.3.71.3 MLME-WNMNOTIFICATIONREQUEST indication ... 487
6.3.72 WNM notification response ... 488
6.3.72.1 MLME-WNMNOTIFICATIONRESPONSE.request ... 488
6.3.72.2 MLME-WNMNOTIFICATIONRESPONSE.indication ... 488
6.3.73 Network discovery and selection support ... 489
6.3.73.1 General ... 489
6.3.73.2 MLME-GAS.request ... 489
6.3.73.3 MLME-GAS.confirm ... 490
6.3.73.4 MLME-GAS.indication ... 492
6.3.73.5 MLME-GAS.response ... 493
6.3.74 QoS Map element management ... 494
6.3.74.1 General ... 494
6.3.74.2 MLME-QOS-MAP.request ... 495
6.3.74.3 MLME-QOS-MAP.indication ... 495
6.3.75 Mesh peering management ... 496
6.3.75.1 Introduction ... 496
6.3.75.2 MLME-MESHPEERINGMANAGEMENT.request ... 496
6.3.75.3 MLME-MESHPEERINGMANAGEMENT.confirm ... 497
6.3.75.4 MLME-MESHPEERINGMANAGEMENT.indication ... 498
6.3.75.5 MLME-MESHPEERINGMANAGEMENT.response ... 498
6.3.76 Mesh power management ... 499
6.3.76.1 Introduction ... 499
6.3.76.2 MLME-MESHPOWERMGT.request ... 499
6.3.76.3 MLME-MESHPOWERMGT.confirm ... 500
6.3.77 Mesh neighbor offset synchronization ... 500
6.3.77.1 Introduction ... 500
6.3.77.2 MLME-MESHNEIGHBOROFFSETSYNCSTART.request ... 501
6.3.77.3 MLME-MESHNEIGHBOROFFSETSYNCSTART.confirm ... 501
6.3.77.4 MLME-MESHNEIGHBOROFFSETCALCULATE.request ... 502
6.3.77.5 MLME-MESHNEIGHBOROFFSETCALCULATE.confirm ... 502
6.3.77.6 MLME-MESHNEIGHBOROFFSETSYNCSTOP.request ... 503
6.3.77.7 MLME-MESHNEIGHBOROFFSETSYNCSTOP.confirm ... 503
6.3.78 Mesh TBTT adjustment ... 504
6.3.78.1 Introduction ... 504
6.3.78.2 MLME-MESHTBTTADJUSTMENT.request ... 504
6.3.78.3 MLME-MESHTBTTADJUSTMENT.confirm ... 505
6.3.78.4 MLME-MESHTBTTADJUSTMENT.indication ... 506
6.3.78.5 MLME-MESHTBTTADJUSTMENT.response ... 506
6.3.79 MCCA management interface ... 507
6.3.79.1 Introduction ... 507
6.3.79.2 MLME-ACTIVATEMCCA.request ... 507
6.3.79.3 MLME-MCCASETUP.request ... 508
6.3.79.4 MLME-MCCASETUP.confirm ... 509
6.3.79.5 MLME-MCCASETUP.indication ... 510
6.3.79.6 MLME-MCCASETUP.response ... 511
6.3.79.7 MLME-MCCAADVERTISEMENT.request ... 512
6.3.79.8 MLME-MCCAADVERTISEMENT.confirm ... 512
6.3.79.9 MLME-MCCAADVERTISEMENT.indication ... 513
6.3.79.10 MLME-MCCAADVERTISEMENT.response ... 514
6.3.79.11 MLME-MCCATEARDOWN.request ... 514

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.79.12 MLME-MCCATEARDOWN.indication ... 515
6.3.80 MBSS congestion control ... 516
6.3.80.1 Introduction ... 516
6.3.80.2 MLME-MBSSCONGESTIONCONTROL.request ... 516
6.3.80.3 MLME-MBSSCONGESTIONCONTROL.indication ... 516
6.3.81 MBSS proxy update ... 517
6.3.81.1 Introduction ... 517
6.3.81.2 MLME-MBSSPROXYUPDATE.request ... 517
6.3.81.3 MLME-MBSSPROXYUPDATE.confirm ... 518
6.3.81.4 MLME-MBSSPROXYUPDATE.indication ... 519
6.3.81.5 MLME-MBSSPROXYUPDATE.response ... 519
6.3.82 MBSS mesh gate announcement ... 520
6.3.82.1 Introduction ... 520
6.3.82.2 MLME-MBSSGATEANNOUNCEMENT.request ... 520
6.3.82.3 MLME-MBSSGATEANNOUNCEMENT.indication ... 521
6.3.83 Mesh link metric ... 522
6.3.83.1 Introduction ... 522
6.3.83.2 MLME-MESHLINKMETRICREAD.request ... 522
6.3.83.3 MLME-MESHLINKMETRICREAD.confirm ... 522
6.3.83.4 MLME-MESHLINKMETRICREPORT.request ... 523
6.3.83.5 MLME-MESHLINKMETRICREPORT.indication ... 524
6.3.84 HWMP mesh path selection ... 525
6.3.84.1 Introduction ... 525
6.3.84.2 MLME-HWMPMESHPATHSELECTION.request ... 525
6.3.84.3 MLME-HWMPMESHPATHSELECTION.indication ... 526
6.3.85 QMF policy ... 527
6.3.85.1 Introduction ... 527
6.3.85.2 MLME-QMFPOLICY.request ... 527
6.3.85.3 MLME-QMFPOLICY.indication ... 528
6.3.85.4 MLME-QMFPOLICYCHANGE.request ... 528
6.3.85.5 MLME-QMFPOLICYCHANGE.confirm ... 529
6.3.85.6 MLME-QMFPOLICYCHANGE.indication ... 530
6.3.85.7 MLME-QMFPOLICYCHANGE.response ... 530
6.3.85.8 MLME-QMFPOLICYSET.request ... 531
6.3.86 SCS request and response procedure ... 532
6.3.86.1 General ... 532
6.3.86.2 MLME-SCS.request ... 532
6.3.86.3 MLME-SCS.confirm ... 533
6.3.86.4 MLME-SCS.indication ... 534
6.3.86.5 MLME-SCS.response ... 535
6.3.86.6 MLME-SCS-TERM.request ... 535
6.3.86.7 MLME-SCS-TERM.indication ... 536
6.3.87 QLoad report management ... 537
6.3.87.1 General ... 537
6.3.87.2 MLME-QLOAD.request ... 537
6.3.87.3 MLME-QLOAD.confirm ... 538
6.3.87.4 MLME-QLOAD.indication ... 539
6.3.87.5 MLME-QLOAD.response ... 539
6.3.88 HCCA TXOP advertisement management ... 540
6.3.88.1 General ... 540
6.3.88.2 MLME-TXOPADVERTISEMENT.request ... 540
6.3.88.3 MLME-TXOPADVERTISEMENT.confirm ... 541
6.3.88.4 MLME-TXOPADVERTISEMENT.indication ... 542
6.3.88.5 MLME-TXOPADVERTISEMENT.response ... 543

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.89 GCR group membership management 544
6.3.89.1 General 544
6.3.89.2 MLME-GROUP-MEMBERSHIP.request 544
6.3.89.3 MLME-GROUP-MEMBERSHIP.confirm 545
6.3.89.4 MLME-GROUP-MEMBERSHIP.indication 546
6.3.89.5 MLME-GROUP-MEMBERSHIP.response 546
6.3.90 AP PeerKey management 547
6.3.90.1 General 547
6.3.90.2 MLME-APPEERKEY.request 547
6.3.90.3 MLME-APPEERKEY.indication 548
6.3.91 On-channel Tunneling operation 549
6.3.91.1 General 549
6.3.91.2 MLME-OCTunnel.request 550
6.3.91.3 MLME-OCTunnel.indication 550
6.3.92 Multi-band operation 551
6.3.92.1 General 551
6.3.92.2 MLME-FST-SETUP.request 551
6.3.92.3 MLME-FST-SETUP.indication 552
6.3.92.4 MLME-FST-SETUP.response 552
6.3.92.5 MLME-FST-SETUP.confirm 553
6.3.92.6 MLME-FST-ACK.request 554
6.3.92.7 MLME-FST-ACK.indication 554
6.3.92.8 MLME-FST-ACK.response 555
6.3.92.9 MLME-FST-ACK.confirm 555
6.3.92.10 MLME-FST-TEARDOWN.request 556
6.3.92.11 MLME-FST-TEARDOWN.indication 556
6.3.92.12 MLME-FST-INCOMING.request 557
6.3.93 DMG relay operation 558
6.3.93.1 General 558
6.3.93.2 MLME-RELAY-SEARCH.request 558
6.3.93.3 MLME-RELAY-SEARCH.confirm 559
6.3.93.4 MLME-RELAY-SEARCH.indication 559
6.3.93.5 MLME-RELAY-SEARCH.response 560
6.3.93.6 MLME-RLS.request 560
6.3.93.7 MLME-RLS.confirm 561
6.3.93.8 MLME-RLS.indication 562
6.3.93.9 MLME-RLS.response 563
6.3.93.10 MLME-RLS-TEARDOWN.request 563
6.3.93.11 MLME-RLS-TEARDOWN.indication 564
6.3.94 Quieting adjacent BSS operation 564
6.3.94.1 General 564
6.3.94.2 MLME-QAB.request 565
6.3.94.3 MLME-QAB.confirm 565
6.3.94.4 MLME-QAB.indication 566
6.3.94.5 MLME-QAB.response 567
6.3.95 DMG beamforming 568
6.3.95.1 General 568
6.3.95.2 MLME-BF-TRAINING.request 568
6.3.95.3 MLME-BF-TRAINING.confirm 569
6.3.95.4 MLME-BF-TRAINING.indication 569
6.3.96 PN event report 570
6.3.96.1 General 570
6.3.96.2 MLME-PN-EXHAUSTION.indication 570
6.3.96.3 MLME-PN-WARNING.indication 571

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.3.97 Channel Availability Query 571
6.3.97.1 Introduction 571
6.3.97.2 MLME-CHANNELAVAILABILITYQUERY.request 571
6.3.97.3 MLME-CHANNELAVAILABILITYQUERY.confirm 572
6.3.97.4 MLME-CHANNELAVAILABILITYQUERY.indication 573
6.3.97.5 MLME-CHANNELAVAILABILITYQUERY.response 574
6.3.98 Channel schedule management 575
6.3.98.1 Introduction 575
6.3.98.2 MLME-CHANNELSCHEDULEMANAGEMENT.request 575
6.3.98.3 MLME-CHANNELSCHEDULEMANAGEMENT.confirm 576
6.3.98.4 MLME-CHANNELSCHEDULEMANAGEMENT.indication 577
6.3.98.5 MLME-CHANNELSCHEDULEMANAGEMENT.response 578
6.3.99 Contact verification signal 579
6.3.99.1 Introduction 579
6.3.99.2 MLME-CVS.request 579
6.3.99.3 MLME-CVS.indication 580
6.3.100 GDD Enablement 581
6.3.100.1 Introduction 581
6.3.100.2 MLME-GDDENABLEMENT.request 581
6.3.100.3 MLME-GDDENABLEMENT.confirm 582
6.3.100.4 MLME-GDDENABLEMENT.indication 583
6.3.100.5 MLME-GDDENABLEMENT.response 583
6.3.101 Network channel control management 584
6.3.101.1 Introduction 584
6.3.101.2 MLME-NETWORKCHANNELCONTROL.request 584
6.3.101.3 MLME-NETWORKCHANNELCONTROL.confirm 585
6.3.101.4 MLME-NETWORKCHANNELCONTROL.indication 586
6.3.101.5 MLME-NETWORKCHANNELCONTROL.response 587
6.3.102 White space map (WSM) 588
6.3.102.1 Introduction 588
6.3.102.2 MLME-WSM.request 588
6.3.102.3 MLME-WSM.indication 589
6.3.103 Estimated Throughput (ESTT) 589
6.3.103.1 General 589
6.3.103.2 MLME-ESTIMATED-THROUGHPUT.request 589
6.3.103.3 MLME-ESTIMATED-THROUGHPUT.confirm 591
6.3.104 Get authentication/association state 591
6.3.104.1 General 591
6.3.104.2 MLME-GETAUTHASSOCSTATE.request 592
6.3.104.3 MLME-GETAUTHASSOCSTATE.confirm 592
6.4 MAC state generic convergence function (MSGCF) 593
6.4.1 Overview of the convergence function 593
6.4.2 Overview of convergence function state machine 593
6.4.3 Convergence function state list 594
6.4.3.1 ESS_CONNECTED 594
6.4.3.2 ESS_DISCONNECTED 594
6.4.3.3 ESS_DISENGAGING 594
6.4.3.4 STANDBY 594
6.4.4 Convergence function state transitions 594
6.4.4.1 Transitions to ESS_CONNECTED 594
6.4.4.2 Transitions to ESS_ DISCONNECTED 595
6.4.4.3 Transitions to ESS_DISENGAGING 595
6.4.4.4 Transitions to STANDBY 595
6.4.5 Convergence function informational events 595

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

6.4.6 MAC state generic convergence SAP 595
6.4.7 ESS status reporting 596
6.4.7.1 MSGCF-ESS-LINK-UP.indication 596
6.4.7.2 MSGCF-ESS-LINK-DOWN.indication 597
6.4.7.3 MSGCF-ESS-LINK-GOING-DOWN.indication 598
6.4.7.4 MSGCF-ESS-LINK-EVENT-ROLLBACK.indication 599
6.4.7.5 MSGCF-ESS-LINK-DETECTED.indication 600
6.4.7.6 MSGCF-ESS-LINK-SCAN.request 601
6.4.7.7 MSGCF-ESS-LINK-SCAN.confirm 602
6.4.8 Network configuration 602
6.4.8.1 MSGCF-ESS-LINK-CAPABILITY.request 602
6.4.8.2 MSGCF-ESS-LINK-CAPABILITY.confirm 603
6.4.8.3 MSGCF-ESS-LINK-PARAMETERS.request 604
6.4.8.4 MSGCF-ESS-LINK-PARAMETERS.confirm 606
6.4.8.5 MSGCF-GET-ESS-LINK-PARAMETERS.request 606
6.4.8.6 MSGCF-GET-ESS-LINK-PARAMETERS.confirm 607
6.4.9 Network events 607
6.4.9.1 MSGCF-ESS-LINK-THRESHOLD-REPORT.indication 607
6.4.10 Network command interface 608
6.4.10.1 MSGCF-ESS-LINK-COMMAND.request 608
6.4.11 MAC state SME SAP—mobility management 609
6.4.11.1 MSSME-ESS-LINK-GOING-DOWN.indication 609
6.5 PLME SAP interface 610
6.5.1 General 610
6.5.2 PLME-RESET.request 610
6.5.2.1 Function 610
6.5.2.2 Semantics of the service primitive 610
6.5.2.3 When generated 610
6.5.2.4 Effect of receipt 610
6.5.3 PLME-CHARACTERISTICS.request 611
6.5.3.1 Function 611
6.5.3.2 Semantics of the service primitive 611
6.5.3.3 When generated 611
6.5.3.4 Effect of receipt 611
6.5.4 PLME-CHARACTERISTICS.confirm 611
6.5.4.1 Function 611
6.5.4.2 Semantics of the service primitive 611
6.5.4.3 When generated 614
6.5.4.4 Effect of receipt 614
6.5.5 PLME-TXTIME.request 614
6.5.5.1 Function 614
6.5.5.2 Semantics of the service primitive 614
6.5.5.3 When generated 614
6.5.5.4 Effect of receipt 614
6.5.6 PLME-TXTIME.confirm 615
6.5.6.1 Function 615
6.5.6.2 Semantics of the service primitive 615
6.5.6.3 When generated 615
6.5.6.4 Effect of receipt 615

7. DS SAP specification 616

7.1 Introduction 616
7.2 SAP primitives 616

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

7.2.1 General ... 616
7.2.2 MSDU transfer ... 617
7.2.2.1 General ... 617
7.2.2.2 DS-UNITDATA.request ... 617
7.2.2.3 DS-UNITDATA.indication ... 617
7.2.3 Mapping updates ... 618
7.2.3.1 General ... 618
7.2.3.2 DS-STA-NOTIFY.request ... 618

8. PHY service specification ... 620

8.1 Scope ... 620
8.2 PHY functions ... 620
8.3 Detailed PHY service specifications ... 620
8.3.1 Scope and field of application ... 620
8.3.2 Overview of the service ... 620
8.3.3 Overview of interactions ... 620
8.3.4 Basic service and options ... 620
8.3.4.1 PHY SAP peer-to-peer service primitives ... 620
8.3.4.2 PHY SAP inter-(sub)layer service primitives ... 621
8.3.4.3 PHY SAP service primitives parameters ... 621
8.3.4.4 Vector descriptions ... 622
8.3.5 PHY SAP detailed service specification ... 623
8.3.5.1 Introduction ... 623
8.3.5.2 PHY-DATA.request ... 623
8.3.5.3 PHY-DATA.indication ... 623
8.3.5.4 PHY-DATA.confirm ... 624
8.3.5.5 PHY-TXSTART.request ... 624
8.3.5.6 PHY-TXSTART.confirm ... 625
8.3.5.7 PHY-TXEND.request ... 626
8.3.5.8 PHY-TXEND.confirm ... 626
8.3.5.9 PHY-TXHEADEREND.indication ... 627
8.3.5.10 PHY-CCARESET.request ... 627
8.3.5.11 PHY-CCARESET.confirm ... 628
8.3.5.12 PHY-CCA.indication ... 628
8.3.5.13 PHY-RXSTART.indication ... 632
8.3.5.14 PHY-RXEND.indication ... 632
8.3.5.15 PHY-CONFIG.request ... 633
8.3.5.16 PHY-CONFIG.confirm ... 634
8.3.5.17 PHY-TXBUSY.indication ... 634
8.4 PHY management ... 635

9. Frame formats ... 636

9.1 General requirements ... 636
9.2 MAC frame formats ... 636
9.2.1 Basic components ... 636
9.2.2 Conventions ... 636
9.2.3 General frame format ... 637
9.2.4 Frame fields ... 638
9.2.4.1 Frame Control field ... 638
9.2.4.2 Duration/ID field ... 644
9.2.4.3 Address fields ... 645
9.2.4.4 Sequence Control field ... 646

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.2.4.5 QoS Control field 647
9.2.4.6 HT Control field 654
9.2.4.7 Frame Body field 661
9.2.4.8 FCS field 665
9.2.5 Duration/ID field (QoS STA) 665
9.2.5.1 General 665
9.2.5.2 Setting for single and multiple protection under enhanced distributed channel access (EDCA) 665
9.2.5.3 Setting for QoS CF-Poll frames 667
9.2.5.4 Setting for frames sent by a TXOP holder under HCCA 668
9.2.5.5 Settings within a PSMP sequence 668
9.2.5.6 Settings within a dual CTS sequence 668
9.2.5.7 Setting for control response frames 669
9.2.5.8 Setting for other response frames 669
9.3 Format of individual frame types 669
9.3.1 Control frames 669
9.3.1.1 Format of Control frames 669
9.3.1.2 RTS frame format 670
9.3.1.3 CTS frame format 670
9.3.1.4 Ack frame format 671
9.3.1.5 PS-Poll frame format 671
9.3.1.6 CF-End frame format 672
9.3.1.7 CF-End +CF-Ack frame format 672
9.3.1.8 BlockAckReq frame format 672
9.3.1.9 BlockAck frame format 676
9.3.1.10 Control Wrapper frame 680
9.3.1.11 Poll frame format 681
9.3.1.12 Service period request (SPR) frame format 681
9.3.1.13 Grant frame format 682
9.3.1.14 DMG CTS frame format 683
9.3.1.15 DMG DTS frame format 683
9.3.1.16 Sector sweep (SSW) frame format 683
9.3.1.17 Sector sweep feedback (SSW-Feedback) frame format 684
9.3.1.18 Sector sweep Ack (SSW-Ack) frame format 684
9.3.1.19 Grant Ack frame format 685
9.3.1.20 VHT NDP Announcement frame format 685
9.3.1.21 Beamforming Report Poll frame format 687
9.3.2 Data frames 687
9.3.2.1 Format of Data frames 687
9.3.2.2 Aggregate MSDU (A-MSDU) format 690
9.3.3 Management frames 692
9.3.3.1 Terminology of Management frames and MMPDUs 692
9.3.3.2 Format of Management frames 692
9.3.3.3 Beacon frame format 694
9.3.3.4 ATIM frame format 698
9.3.3.5 Disassociation frame format 698
9.3.3.6 Association Request frame format 699
9.3.3.7 Association Response frame format 700
9.3.3.8 Reassociation Request frame format 702
9.3.3.9 Reassociation Response frame format 704
9.3.3.10 Probe Request frame format 706
9.3.3.11 Probe Response frame format 708
9.3.3.12 Authentication frame format 712
9.3.3.13 Deauthentication 715

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.3.3.14 Action frame format ... 715
9.3.3.15 Action No Ack frame format ... 716
9.3.3.16 Timing Advertisement frame format ... 716
9.3.4 Extension frames ... 716
9.3.4.1 Format of Extension frames ... 716
9.3.4.2 DMG Beacon ... 717
9.3.5 Frame addressing in an MBSS ... 721
9.4 Management and Extension frame body components ... 723
9.4.1 Fields that are not elements ... 723
9.4.1.1 Authentication Algorithm Number field ... 723
9.4.1.2 Authentication Transaction Sequence Number field ... 724
9.4.1.3 Beacon Interval field ... 724
9.4.1.4 Capability Information field ... 724
9.4.1.5 Current AP Address field ... 727
9.4.1.6 Listen Interval field ... 727
9.4.1.7 Reason Code field ... 728
9.4.1.8 AID field ... 731
9.4.1.9 Status Code field ... 731
9.4.1.10 Timestamp field ... 736
9.4.1.11 Action field ... 736
9.4.1.12 Dialog Token field ... 738
9.4.1.13 DLS Timeout Value field ... 738
9.4.1.14 Block Ack Parameter Set field ... 738
9.4.1.15 Block Ack Timeout Value field ... 739
9.4.1.16 DELBA Parameter Set field ... 739
9.4.1.17 QoS Info field ... 739
9.4.1.18 Measurement Pilot Interval field ... 741
9.4.1.19 Max Transmit Power field ... 741
9.4.1.20 Transmit Power Used field ... 741
9.4.1.21 Channel Width field ... 741
9.4.1.22 Operating Class and Channel field ... 742
9.4.1.23 SM Power Control field ... 742
9.4.1.24 PCO Phase Control field ... 743
9.4.1.25 PSMP Parameter Set field ... 743
9.4.1.26 PSMP STA Info field ... 744
9.4.1.27 MIMO Control field ... 745
9.4.1.28 CSI Report field ... 746
9.4.1.29 Noncompressed Beamforming Report field ... 748
9.4.1.30 Compressed Beamforming Report field ... 750
9.4.1.31 Antenna Selection Indices field ... 753
9.4.1.32 Organization Identifier field ... 753
9.4.1.33 Rate Identification field ... 754
9.4.1.34 GAS Query Response Fragment ID field ... 755
9.4.1.35 Venue Info field ... 756
9.4.1.36 Target Channel ... 759
9.4.1.37 Operating Class ... 759
9.4.1.38 Send-Confirm field ... 759
9.4.1.39 Anti-Clogging Token field ... 759
9.4.1.40 Scalar field ... 760
9.4.1.41 Finite field element (FFE) field ... 760
9.4.1.42 Confirm field ... 760
9.4.1.43 Finite Cyclic Group field ... 760
9.4.1.44 TXOP Reservation field ... 760
9.4.1.45 Relay Capable STA Info field ... 761

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.4.1.46 Band ID field 761
9.4.1.47 DMG Parameters field 761
9.4.1.48 VHT MIMO Control field 763
9.4.1.49 VHT Compressed Beamforming Report field 764
9.4.1.50 TVHT Compressed Beamforming Report field 773
9.4.1.51 MU Exclusive Beamforming Report field 774
9.4.1.52 TVHT MU Exclusive Beamforming Report field 778
9.4.1.53 Operating Mode field 778
9.4.1.54 Membership Status Array field 782
9.4.1.55 User Position Array field 782
9.4.1.56 Device Location Information Body field 782
9.4.1.57 WSM Type field and WSM Information field 783
9.4.2 Elements 784
9.4.2.1 General 784
9.4.2.2 SSID element 790
9.4.2.3 Supported Rates and BSS Membership Selectors element 790
9.4.2.4 DSSS Parameter Set element 792
9.4.2.5 CF Parameter Set element 792
9.4.2.6 TIM element 792
9.4.2.7 IBSS Parameter Set element 795
9.4.2.8 Challenge Text element 795
9.4.2.9 Country element 795
9.4.2.10 Request element 798
9.4.2.11 Extended Request element 798
9.4.2.12 ERP element 799
9.4.2.13 Extended Supported Rates and BSS Membership Selectors element 799
9.4.2.14 Power Constraint element 800
9.4.2.15 Power Capability element 800
9.4.2.16 TPC Request element 801
9.4.2.17 TPC Report element 801
9.4.2.18 Supported Channels element 802
9.4.2.19 Channel Switch Announcement element 802
9.4.2.20 Secondary Channel Offset element 803
9.4.2.21 Measurement Request element 804
9.4.2.22 Measurement Report element 835
9.4.2.23 Quiet element 881
9.4.2.24 IBSS DFS element 881
9.4.2.25 RSNE 882
9.4.2.26 Vendor Specific element 890
9.4.2.27 Extended Capabilities element 890
9.4.2.28 BSS Load element 896
9.4.2.29 EDCA Parameter Set element 897
9.4.2.30 TSPEC element 899
9.4.2.31 TCLAS element 906
9.4.2.32 TS Delay element 914
9.4.2.33 TCLAS Processing element 914
9.4.2.34 Schedule element 915
9.4.2.35 QoS Capability element 916
9.4.2.36 AP Channel Report element 916
9.4.2.37 Neighbor Report element 916
9.4.2.38 RCPI element 923
9.4.2.39 BSS Average Access Delay element 923
9.4.2.40 Antenna element 924
9.4.2.41 RSNI element 925

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

9.4.2.42 Measurement Pilot Transmission element 925
9.4.2.43 BSS Available Admission Capacity element 926
9.4.2.44 BSS AC Access Delay element 927
9.4.2.45 RM Enabled Capabilities element 929
9.4.2.46 Multiple BSSID element 931
9.4.2.47 Mobility Domain element (MDE) 933
9.4.2.48 Fast BSS Transition element (FTE) 933
9.4.2.49 Timeout Interval element (TIE) 936
9.4.2.50 RIC Data element (RDE) 936
9.4.2.51 RIC Descriptor element 937
9.4.2.52 DSE Registered Location element 937
9.4.2.53 Extended Channel Switch Announcement element 939
9.4.2.54 Supported Operating Classes element 939
9.4.2.55 Management MIC element 941
9.4.2.56 HT Capabilities element 941
9.4.2.57 HT Operation element 950
9.4.2.58 20/40 BSS Intolerant Channel Report element 954
9.4.2.59 Overlapping BSS Scan Parameters element 955
9.4.2.60 20/40 BSS Coexistence element 955
9.4.2.61 Time Advertisement element 956
9.4.2.62 Link Identifier element 958
9.4.2.63 Wakeup Schedule element 958
9.4.2.64 Channel Switch Timing element 959
9.4.2.65 PTI Control element 959
9.4.2.66 TPU Buffer Status element 960
9.4.2.67 Event Request element 961
9.4.2.68 Event Report element 967
9.4.2.69 Diagnostic Request element 973
9.4.2.70 Diagnostic Report element 984
9.4.2.71 Location Parameters element 986
9.4.2.72 Nontransmitted BSSID Capability element 994
9.4.2.73 SSID List element 994
9.4.2.74 Multiple BSSID-Index element 995
9.4.2.75 FMS Descriptor element 995
9.4.2.76 FMS Request element 996
9.4.2.77 FMS Response element 998
9.4.2.78 QoS Traffic Capability element 1000
9.4.2.79 BSS Max Idle Period element 1001
9.4.2.80 TFS Request element 1002
9.4.2.81 TFS Response element 1004
9.4.2.82 WNM Sleep Mode element 1005
9.4.2.83 TIM Broadcast Request element 1006
9.4.2.84 TIM Broadcast Response element 1007
9.4.2.85 Collocated Interference Report element 1008
9.4.2.86 Channel Usage element 1009
9.4.2.87 Time Zone element 1010
9.4.2.88 DMS Request element 1011
9.4.2.89 DMS Response element 1013
9.4.2.90 Destination URI element 1016
9.4.2.91 U-APSD Coexistence element 1017
9.4.2.92 Interworking element 1017
9.4.2.93 Advertisement Protocol element 1019
9.4.2.94 Expedited Bandwidth Request element 1021
9.4.2.95 QoS Map element 1022

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.4.2.96 Roaming Consortium element 1023
9.4.2.97 Emergency Alert Identifier element 1024
9.4.2.98 Mesh Configuration element 1024
9.4.2.99 Mesh ID element 1028
9.4.2.100 Mesh Link Metric Report element 1029
9.4.2.101 Congestion Notification element 1029
9.4.2.102 Mesh Peering Management element 1030
9.4.2.103 Mesh Channel Switch Parameters element 1031
9.4.2.104 Mesh Awake Window element 1032
9.4.2.105 Beacon Timing element 1032
9.4.2.106 MCCAOP Setup Request element 1033
9.4.2.107 MCCAOP Setup Reply element 1034
9.4.2.108 MCCAOP Advertisement Overview element 1035
9.4.2.109 MCCAOP Advertisement element 1036
9.4.2.110 MCCAOP Teardown element 1038
9.4.2.111 GANN element 1039
9.4.2.112 RANN element 1039
9.4.2.113 PREQ element 1040
9.4.2.114 PREP element 1042
9.4.2.115 PERR element 1044
9.4.2.116 PXU element 1045
9.4.2.117 PXUC element 1046
9.4.2.118 Authenticated Mesh Peering Exchange element 1047
9.4.2.119 MIC element 1047
9.4.2.120 Quality-of-Service Management Frame Policy element 1048
9.4.2.121 Intra-Access Category Priority element 1049
9.4.2.122 SCS Descriptor element 1050
9.4.2.123 QLoad Report element 1051
9.4.2.124 HCCA TXOP Update Count element 1053
9.4.2.125 Higher Layer Stream ID element 1054
9.4.2.126 GCR Group Address element 1054
9.4.2.127 DMG BSS Parameter Change element 1055
9.4.2.128 DMG Capabilities element 1055
9.4.2.129 DMG Operation element 1063
9.4.2.130 DMG Beam Refinement element 1064
9.4.2.131 DMG Wakeup Schedule element 1066
9.4.2.132 Extended Schedule element 1067
9.4.2.133 STA Availability element 1069
9.4.2.134 DMG TSPEC element 1070
9.4.2.135 Next DMG ATI element 1073
9.4.2.136 Channel Measurement Feedback element 1074
9.4.2.137 Awake Window element 1076
9.4.2.138 Multi-band element 1076
9.4.2.139 ADDBA Extension element 1079
9.4.2.140 Next PCP List element 1079
9.4.2.141 PCP Handover element 1080
9.4.2.142 DMG Link Margin element 1080
9.4.2.143 DMG Link Adaptation Acknowledgment element 1081
9.4.2.144 Switching Stream element 1082
9.4.2.145 Session Transition element 1083
9.4.2.146 Dynamic Tone Pairing (DTP) Report element 1084
9.4.2.147 Cluster Report element 1085
9.4.2.148 Relay Capabilities element 1086
9.4.2.149 Relay Transfer Parameter Set element 1087

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

9.4.2.150 Quiet Period Request element ... 1088
9.4.2.151 Quiet Period Response element ... 1089
9.4.2.152 BeamLink Maintenance element ... 1089
9.4.2.153 Multiple MAC Sublayers (MMS) element ... 1090
9.4.2.154 U-PID element ... 1091
9.4.2.155 ECAPC Policy element ... 1092
9.4.2.156 Cluster Time Offset element ... 1093
9.4.2.157 Antenna Sector ID Pattern element ... 1094
9.4.2.158 VHT Capabilities element ... 1095
9.4.2.159 VHT Operation element ... 1102
9.4.2.160 Extended BSS Load element ... 1104
9.4.2.161 Wide Bandwidth Channel Switch element ... 1105
9.4.2.162 Transmit Power Envelope element ... 1106
9.4.2.163 Channel Switch Wrapper element ... 1108
9.4.2.164 AID element ... 1109
9.4.2.165 Quiet Channel element ... 1109
9.4.2.166 Operating Mode Notification element ... 1110
9.4.2.167 UPSIM element ... 1110
9.4.2.168 Fine Timing Measurement Parameters element ... 1111
9.4.2.169 Device Location element ... 1115
9.4.2.170 White Space Map element ... 1115
9.4.2.171 Reduced Neighbor Report element ... 1115
9.4.2.172 TVHT Operation element ... 1117
9.4.2.173 FTM Synchronization Information element ... 1118
9.4.2.174 Estimated service parameters element ... 1118
9.4.2.175 Future Channel Guidance element ... 1120
9.4.3 Subelements ... 1121
9.4.4 TLV encodings ... 1122
9.4.4.1 General ... 1122
9.4.4.2 Common TLVs ... 1122
9.4.5 Access network query protocol (ANQP) elements ... 1127
9.4.5.1 General ... 1127
9.4.5.2 Query List ANQP-element ... 1128
9.4.5.3 Capability List ANQP-element ... 1128
9.4.5.4 Venue Name ANQP-element ... 1129
9.4.5.5 Emergency Call Number ANQP-element ... 1130
9.4.5.6 Network Authentication Type ANQP-element ... 1130
9.4.5.7 Roaming Consortium ANQP-element ... 1132
9.4.5.8 Vendor Specific ANQP-element ... 1132
9.4.5.9 IP Address Type Availability ANQP-element ... 1133
9.4.5.10 NAI Realm ANQP-element ... 1134
9.4.5.11 3GPP Cellular Network ANQP-element ... 1137
9.4.5.12 AP Geospatial Location ANQP-element ... 1138
9.4.5.13 AP Civic Location ANQP-element ... 1138
9.4.5.14 AP Location Public Identifier URI/FQDN ANQP-element ... 1139
9.4.5.15 Domain Name ANQP-element ... 1139
9.4.5.16 Emergency Alert URI ANQP-element ... 1140
9.4.5.17 Emergency NAI ANQP-element ... 1140
9.4.5.18 TDLS Capability ANQP-element ... 1140
9.4.5.19 Neighbor Report ANQP-element ... 1141
9.4.5.20 Venue URL ANQP-element ... 1141
9.4.5.21 Advice of Charge ANQP-element ... 1142
9.4.5.22 Local Content ANQP-element ... 1143
9.4.5.23 Network Authentication Type with Timestamp ANQP-element ... 1144

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.4.6 Registered location query protocol (RLQP) elements ... 1144
9.4.6.1 General ... 1144
9.4.6.2 Channel Availability Query RLQP-element ... 1145
9.4.6.3 Channel Schedule Management RLQP-element ... 1147
9.4.6.4 Network Channel Control RLQP-element ... 1147
9.4.6.5 Vendor Specific RLQP-element ... 1148
9.5 Fields used in Management and Extension frame bodies and Control frames ... 1149
9.5.1 Sector Sweep field ... 1149
9.5.2 Dynamic Allocation Info field ... 1149
9.5.3 Sector Sweep Feedback field ... 1150
9.5.4 BRP Request field ... 1151
9.5.5 Beamforming Control field ... 1152
9.5.6 Beamformed Link Maintenance field ... 1154
9.6 Action frame format details ... 1155
9.6.1 Introduction ... 1155
9.6.2 Spectrum management Action frames ... 1155
9.6.2.1 General ... 1155
9.6.2.2 Measurement Request frame format ... 1156
9.6.2.3 Measurement Report frame format ... 1156
9.6.2.4 TPC Request frame format ... 1156
9.6.2.5 TPC Report frame format ... 1157
9.6.2.6 Channel Switch Announcement frame format ... 1157
9.6.3 QoS Action frame details ... 1158
9.6.3.1 General ... 1158
9.6.3.2 Basic and DMG ADDTS Request frame format ... 1159
9.6.3.3 Basic and DMG ADDTS Response frame format ... 1161
9.6.3.4 DELTS frame format ... 1163
9.6.3.5 Schedule frame format ... 1164
9.6.3.6 QoS Map Configure frame format ... 1165
9.6.3.7 ADDTS Reserve Request frame format ... 1165
9.6.3.8 ADDTS Reserve Response frame format ... 1166
9.6.4 DLS Action frame details ... 1166
9.6.4.1 General ... 1166
9.6.4.2 DLS Request frame format ... 1167
9.6.4.3 DLS Response frame format ... 1167
9.6.4.4 DLS Teardown frame format ... 1168
9.6.5 Block Ack Action frame details ... 1169
9.6.5.1 General ... 1169
9.6.5.2 ADDBA Request frame format ... 1169
9.6.5.3 ADDBA Response frame format ... 1170
9.6.5.4 DELBA frame format ... 1171
9.6.6 Vendor-specific action details ... 1172
9.6.7 Radio Measurement action details ... 1173
9.6.7.1 General ... 1173
9.6.7.2 Radio Measurement Request frame format ... 1173
9.6.7.3 Radio Measurement Report frame format ... 1174
9.6.7.4 Link Measurement Request frame format ... 1174
9.6.7.5 Link Measurement Report frame format ... 1175
9.6.7.6 Neighbor Report Request frame format ... 1175
9.6.7.7 Neighbor Report Response frame format ... 1176
9.6.8 Public Action details ... 1177
9.6.8.1 Public Action frames ... 1177
9.6.8.2 20/40 BSS Coexistence Management frame format ... 1178
9.6.8.3 Measurement Pilot frame format ... 1179

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.6.8.4 DSE Enablement frame format ... 1180
9.6.8.5 DSE Deenablement frame format ... 1181
9.6.8.6 DSE Registered Location Announcement frame format ... 1182
9.6.8.7 Extended Channel Switch Announcement frame format ... 1182
9.6.8.8 DSE Measurement Request frame format ... 1183
9.6.8.9 DSE Measurement Report frame format ... 1183
9.6.8.10 DSE Power Constraint frame format ... 1185
9.6.8.11 Vendor Specific Public Action frame format ... 1186
9.6.8.12 GAS Initial Request frame format ... 1186
9.6.8.13 GAS Initial Response frame format ... 1187
9.6.8.14 GAS Comeback Request frame format ... 1188
9.6.8.15 GAS Comeback Response frame format ... 1189
9.6.8.16 TDLS Discovery Response frame format ... 1190
9.6.8.17 Location Track Notification frame format ... 1191
9.6.8.18 QMF Policy frame format ... 1192
9.6.8.19 QMF Policy Change frame format ... 1193
9.6.8.20 QLoad Request frame format ... 1193
9.6.8.21 QLoad Report frame format ... 1194
9.6.8.22 HCCA TXOP Advertisement frame ... 1194
9.6.8.23 HCCA TXOP Response frame ... 1195
9.6.8.24 Public Key frame ... 1196
9.6.8.25 Channel Availability Query frame format ... 1197
9.6.8.26 Channel Schedule Management frame format ... 1197
9.6.8.27 Contact Verification Signal frame format ... 1199
9.6.8.28 GDD Enablement Request frame format ... 1199
9.6.8.29 GDD Enablement Response frame format ... 1200
9.6.8.30 Network Channel Control frame format ... 1200
9.6.8.31 White Space Map Announcement frame format ... 1201
9.6.8.32 Fine Timing Measurement Request frame format ... 1201
9.6.8.33 Fine Timing Measurement frame format ... 1202
9.6.8.34 QAB Request frame format ... 1205
9.6.8.35 QAB Response frame format ... 1205
9.6.9 FT Action frame details ... 1206
9.6.9.1 General ... 1206
9.6.9.2 FT Request frame ... 1207
9.6.9.3 FT Response frame ... 1207
9.6.9.4 FT Confirm frame ... 1208
9.6.9.5 FT Ack frame ... 1209
9.6.10 SA Query Action frame details ... 1209
9.6.10.1 General ... 1209
9.6.10.2 SA Query Request frame ... 1210
9.6.10.3 SA Query Response frame ... 1210
9.6.11 Protected Dual of Public Action frames ... 1211
9.6.12 HT Action frame details ... 1212
9.6.12.1 HT Action field ... 1212
9.6.12.2 Notify Channel Width frame format ... 1212
9.6.12.3 SM Power Save frame format ... 1213
9.6.12.4 PSMP frame format ... 1213
9.6.12.5 Set PCO Phase frame format ... 1214
9.6.12.6 CSI frame format ... 1214
9.6.12.7 Noncompressed Beamforming frame format ... 1215
9.6.12.8 Compressed Beamforming frame format ... 1215
9.6.12.9 Antenna Selection Indices Feedback frame format ... 1216
9.6.13 TDLS Action field formats ... 1216

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.6.13.1 General ... 1216
9.6.13.2 TDLS Setup Request Action field format ... 1217
9.6.13.3 TDLS Setup Response Action field format ... 1218
9.6.13.4 TDLS Setup Confirm Action field format ... 1220
9.6.13.5 TDLS Teardown Action field format ... 1221
9.6.13.6 TDLS Peer Traffic Indication Action field format ... 1221
9.6.13.7 TDLS Channel Switch Request Action field format ... 1222
9.6.13.8 TDLS Channel Switch Response Action field format ... 1222
9.6.13.9 TDLS Peer PSM Request Action field format ... 1223
9.6.13.10 TDLS Peer PSM Response Action field format ... 1223
9.6.13.11 TDLS Peer Traffic Response Action field format ... 1224
9.6.13.12 TDLS Discovery Request Action field format ... 1224
9.6.14 WNM Action details ... 1225
9.6.14.1 WNM Action fields ... 1225
9.6.14.2 Event Request frame format ... 1226
9.6.14.3 Event Report frame format ... 1226
9.6.14.4 Diagnostic Request frame format ... 1227
9.6.14.5 Diagnostic Report frame format ... 1227
9.6.14.6 Location Configuration Request frame format ... 1228
9.6.14.7 Location Configuration Response frame format ... 1229
9.6.14.8 BSS Transition Management Query frame format ... 1230
9.6.14.9 BSS Transition Management Request frame format ... 1230
9.6.14.10 BSS Transition Management Response frame format ... 1232
9.6.14.11 FMS Request frame format ... 1233
9.6.14.12 FMS Response frame format ... 1234
9.6.14.13 Collocated Interference Request frame format ... 1234
9.6.14.14 Collocated Interference Report frame format ... 1235
9.6.14.15 TFS Request frame format ... 1236
9.6.14.16 TFS Response frame format ... 1236
9.6.14.17 TFS Notify frame format ... 1237
9.6.14.18 TFS Notify Response frame format ... 1237
9.6.14.19 WNM Sleep Mode Request frame format ... 1237
9.6.14.20 WNM Sleep Mode Response frame format ... 1238
9.6.14.21 TIM Broadcast Request frame format ... 1240
9.6.14.22 TIM Broadcast Response frame format ... 1240
9.6.14.23 QoS Traffic Capability Update frame format ... 1241
9.6.14.24 Channel Usage Request frame format ... 1241
9.6.14.25 Channel Usage Response frame format ... 1242
9.6.14.26 DMS Request frame format ... 1243
9.6.14.27 DMS Response frame format ... 1243
9.6.14.28 Timing Measurement Request frame format ... 1243
9.6.14.29 WNM Notification Request frame format ... 1244
9.6.14.30 WNM Notification Response frame format ... 1245
9.6.15 Unprotected WNM Action details ... 1245
9.6.15.1 Unprotected WNM Action fields ... 1245
9.6.15.2 TIM frame format ... 1246
9.6.15.3 Timing Measurement frame format ... 1246
9.6.16 Self-protected Action frame details ... 1247
9.6.16.1 Self-protected Action fields ... 1247
9.6.16.2 Mesh Peering Open frame format ... 1248
9.6.16.3 Mesh Peering Confirm frame format ... 1249
9.6.16.4 Mesh Peering Close frame format ... 1251
9.6.16.5 Mesh Group Key Inform frame format ... 1251
9.6.16.6 Mesh Group Key Acknowledge frame format ... 1252

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

9.6.17 Mesh Action frame details ... 1253
9.6.17.1 Mesh Action fields ... 1253
9.6.17.2 Mesh Link Metric Report frame format ... 1253
9.6.17.3 HWMP Mesh Path Selection frame format ... 1254
9.6.17.4 Gate Announcement frame format ... 1254
9.6.17.5 Congestion Control Notification frame format ... 1255
9.6.17.6 MCCA Setup Request frame format ... 1255
9.6.17.7 MCCA Setup Reply frame format ... 1256
9.6.17.8 MCCA Advertisement Request frame format ... 1256
9.6.17.9 MCCA Advertisement frame format ... 1257
9.6.17.10 MCCA Teardown frame format ... 1257
9.6.17.11 TBTT Adjustment Request frame format ... 1258
9.6.17.12 TBTT Adjustment Response frame format ... 1258
9.6.18 Multihop Action frame details ... 1259
9.6.18.1 Multihop Action fields ... 1259
9.6.18.2 Proxy Update frame format ... 1259
9.6.18.3 Proxy Update Confirmation frame format ... 1260
9.6.19 Robust AV Streaming Action frame details ... 1260
9.6.19.1 General ... 1260
9.6.19.2 SCS Request frame format ... 1261
9.6.19.3 SCS Response frame format ... 1261
9.6.19.4 Group Membership Request frame format ... 1262
9.6.19.5 Group Membership Response frame format ... 1262
9.6.20 DMG Action frame details ... 1263
9.6.20.1 DMG Action field ... 1263
9.6.20.2 Power Save Configuration Request frame format ... 1263
9.6.20.3 Power Save Configuration Response frame format ... 1264
9.6.20.4 Information Request frame format ... 1265
9.6.20.5 Information Response frame format ... 1265
9.6.20.6 Handover Request frame format ... 1266
9.6.20.7 Handover Response frame format ... 1267
9.6.20.8 DTP Request frame format ... 1267
9.6.20.9 DTP Report frame format ... 1268
9.6.20.10 Relay Search Request frame format ... 1268
9.6.20.11 Relay Search Response frame format ... 1269
9.6.20.12 Multi-relay Channel Measurement Request frame format ... 1269
9.6.20.13 Multi-relay Channel Measurement Report frame format ... 1270
9.6.20.14 RLS Request frame format ... 1271
9.6.20.15 RLS Response frame format ... 1272
9.6.20.16 RLS Announcement frame format ... 1272
9.6.20.17 RLS Teardown frame format ... 1273
9.6.20.18 Relay Ack Request frame format ... 1274
9.6.20.19 Relay Ack Response frame format ... 1274
9.6.20.20 TPA Request frame format ... 1275
9.6.20.21 TPA Response frame format ... 1275
9.6.20.22 TPA Report frame format ... 1276
9.6.20.23 ROC Request frame format ... 1276
9.6.20.24 ROC Response frame format ... 1277
9.6.21 FST Action frame details ... 1278
9.6.21.1 FST Action field ... 1278
9.6.21.2 FST Setup Request frame format ... 1278
9.6.21.3 FST Setup Response frame format ... 1279
9.6.21.4 FST Teardown frame format ... 1280
9.6.21.5 FST Ack Request frame format ... 1281

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

9.6.21.6 FST Ack Response frame format ... 1281
9.6.21.7 On-channel Tunnel Request frame format ... 1282
9.6.22 Unprotected DMG Action frame details ... 1283
9.6.22.1 Unprotected DMG Action field ... 1283
9.6.22.2 Announce frame format ... 1283
9.6.22.3 BRP frame format ... 1284
9.6.23 VHT Action frame details ... 1285
9.6.23.1 VHT Action field ... 1285
9.6.23.2 VHT Compressed Beamforming frame format ... 1286
9.6.23.3 Group ID Management frame format ... 1286
9.6.23.4 Operating Mode Notification frame format ... 1287
9.7 Aggregate MPDU (A-MPDU) ... 1287
9.7.1 A-MPDU format ... 1287
9.7.2 MPDU delimiter CRC field ... 1290
9.7.3 A-MPDU contents ... 1290

10. MAC sublayer functional description ... 1295

10.1 Introduction ... 1295
10.2 MAC architecture ... 1295
10.2.1 General ... 1295
10.2.2 DCF ... 1296
10.2.3 PCF ... 1297
10.2.4 Hybrid coordination function (HCF) ... 1297
10.2.4.1 General ... 1297
10.2.4.2 HCF contention based channel access (EDCA) ... 1297
10.2.4.3 HCF controlled channel access (HCCA) ... 1300
10.2.5 Mesh coordination function (MCF) ... 1301
10.2.6 Combined use of DCF, PCF, and HCF ... 1301
10.2.7 Fragmentation/defragmentation overview ... 1301
10.2.8 MAC data service ... 1302
10.3 DCF ... 1303
10.3.1 General ... 1303
10.3.2 Procedures common to the DCF and EDCAF ... 1305
10.3.2.1 CS mechanism ... 1305
10.3.2.2 MAC-level acknowledgments ... 1305
10.3.2.3 IFS ... 1306
10.3.2.4 Setting and resetting the NAV ... 1310
10.3.2.5 RTS/CTS with fragmentation ... 1311
10.3.2.6 VHT RTS procedure ... 1313
10.3.2.7 CTS and DMG CTS procedure ... 1313
10.3.2.8 Dual CTS protection ... 1314
10.3.2.9 Acknowledgment procedure ... 1316
10.3.2.10 MU acknowledgment procedure ... 1317
10.3.2.11 Duplicate detection and recovery ... 1319
10.3.2.12 NAV distribution ... 1322
10.3.2.13 Operation of aSlotTime ... 1323
10.3.3 Random backoff time ... 1323
10.3.4 DCF access procedure ... 1324
10.3.4.1 Introduction ... 1324
10.3.4.2 Basic access ... 1324
10.3.4.3 Backoff procedure for DCF ... 1325
10.3.4.4 Recovery procedures and retransmit limits ... 1328
10.3.4.5 Control of the channel ... 1329

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

10.3.5 Individually addressed MPDU transfer procedure 1330
10.3.6 Group addressed MPDU transfer procedure 1330
10.3.7 DCF timing relations 1331
10.3.8 Signal extension 1334
10.3.9 Determination of PLME aCWmin characteristics 1334
10.4 PCF 1334
10.4.1 General 1334
10.4.2 CFP structure and timing 1335
10.4.3 PCF access procedure 1337
10.4.3.1 General 1337
10.4.3.2 Fundamental access 1337
10.4.3.3 NAV operation during the CFP 1337
10.4.4 PCF transfer procedure 1338
10.4.4.1 General 1338
10.4.4.2 PCF transfers when the PC STA is transmitter or recipient 1338
10.4.4.3 Operation with overlapping point-coordinated BSSs 1340
10.4.4.4 CFPMaxDuration limit 1340
10.4.4.5 CF usage rules 1340
10.4.5 CF polling list 1341
10.4.5.1 General 1341
10.4.5.2 Polling list processing 1341
10.4.5.3 Polling list update procedure 1341
10.5 Fragmentation 1342
10.6 Defragmentation 1342
10.7 Multirate support 1343
10.7.1 Overview 1343
10.7.2 Basic HT-MCS Set field 1344
10.7.3 Basic STBC MCS 1344
10.7.4 Basic rate set, basic HT-MCS set, and basic VHT-MCS and NSS set for mesh STA 1345
10.7.5 Rate selection for Data and Management frames 1345
10.7.5.1 Rate selection for non-STBC Beacon and non-STBC PSMP frames 1345
10.7.5.2 Rate selection for STBC group addressed Data and Management frames 1345
10.7.5.3 Rate selection for other group addressed Data and Management frames 1345
10.7.5.4 Rate selection for polling frames 1346
10.7.5.5 Rate selection for +CF-Ack frames 1346
10.7.5.6 Rate selection for Data frames sent within an FMS stream 1346
10.7.5.7 Rate selection for other individually addressed Data and Management frames 1346
10.7.6 Rate selection for Control frames 1348
10.7.6.1 General rules for rate selection for Control frames 1348
10.7.6.2 Rate selection for Control frames that initiate a TXOP 1349
10.7.6.3 Rate selection for CF-End frames 1349
10.7.6.4 Rate selection for Control frames that are not control response frames 1350
10.7.6.5 Rate selection for control response frames 1351
10.7.6.6 Channel Width selection for Control frames 1355
10.7.6.7 Control frame TXVECTOR parameter restrictions 1356
10.7.7 Multirate support for DMG STAs 1356
10.7.7.1 Usage of DMG Control modulation class 1356

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

10.7.7.2 Rate selection rules for Control frames transmitted by DMG STAs 1356
10.7.7.3 Rate selection for group addressed Data and Management frames transmitted by DMG STAs 1357
10.7.7.4 Rate selection for individually addressed Data and Management frames transmitted by DMG STAs 1358
10.7.7.5 Rate selection for BRP packets 1358
10.7.8 Multiple BSSID Rate Selection 1358
10.7.9 Modulation classes 1358
10.7.10 Non-HT basic rate calculation 1359
10.7.11 Channel Width in non-HT and non-HT duplicate PPDUs 1360
10.7.12 Rate selection constraints for VHT STAs 1361
10.7.12.1 Rx Supported VHT-MCS and NSS Set 1361
10.7.12.2 Tx Supported VHT-MCS and NSS Set 1361
10.7.12.3 Additional rate selection constraints for VHT PPDUs 1362
10.8 MSDU transmission restrictions 1363
10.9 HT Control field operation 1364
10.10 Control Wrapper operation 1364
10.11 MSDU processing 1364
10.12 A-MSDU operation 1365
10.13 A-MPDU operation 1367
10.13.1 A-MPDU contents 1367
10.13.2 A-MPDU length limit rules 1367
10.13.3 Minimum MPDU Start Spacing field 1367
10.13.4 A-MPDU aggregation of group addressed Data frames 1368
10.13.5 Transport of A-MPDU by the PHY data service 1369
10.13.6 A-MPDU padding for VHT PPDU 1369
10.13.7 Setting the EOF field of the MPDU delimiter 1370
10.13.8 Transport of VHT single MPDUs 1370
10.14 PPDU duration constraint 1371
10.15 DMG A-PPDU operation 1371
10.16 LDPC operation 1371
10.17 STBC operation 1372
10.18 Short GI operation 1372
10.19 Greenfield operation 1373
10.20 Group ID and partial AID in VHT PPDUs 1373
10.21 Operation across regulatory domains 1375
10.21.1 General 1375
10.21.2 Operation upon entering a regulatory domain 1375
10.21.3 Operation with operating classes 1375
10.21.4 Operation with the Transmit Power Envelope element 1376
10.21.5 Operation with coverage classes 1376
10.22 HCF 1377
10.22.1 General 1377
10.22.2 HCF contention based channel access (EDCA) 1377
10.22.2.1 Reference model 1377
10.22.2.2 EDCA backoff procedure 1379
10.22.2.3 EDCA TXOPs 1380
10.22.2.4 Obtaining an EDCA TXOP 1380
10.22.2.5 EDCA channel access in a VHT or TVHT BSS 1383
10.22.2.6 Sharing an EDCA TXOP 1384
10.22.2.7 Multiple frame transmission in an EDCA TXOP 1384
10.22.2.8 TXOP limits 1387
10.22.2.9 Truncation of TXOP 1388

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

10.22.2.10 Termination of TXOP 1389
10.22.2.11 Retransmit procedures 1390
10.22.3 HCF controlled channel access (HCCA) 1392
10.22.3.1 General 1392
10.22.3.2 HCCA procedure 1393
10.22.3.3 HCCA TXOP structure and timing 1396
10.22.3.4 NAV operation of a TXOP under HCCA 1397
10.22.3.5 HCCA transfer rules 1397
10.22.4 Admission control at the HC 1400
10.22.4.1 General 1400
10.22.4.2 Contention based admission control procedures 1400
10.22.4.3 Controlled-access admission control 1402
10.23 Mesh coordination function (MCF) 1404
10.23.1 General 1404
10.23.2 MCF contention based channel access 1404
10.23.3 MCF controlled channel access (MCCA) 1404
10.23.3.1 General 1404
10.23.3.2 MCCA activation 1405
10.23.3.3 MCCAOP reservations 1405
10.23.3.4 Neighborhood MCCAOP periods at a mesh STA 1406
10.23.3.5 MCCA access fraction (MAF) 1407
10.23.3.6 MCCAOP setup procedure 1407
10.23.3.7 MCCAOP advertisement 1408
10.23.3.8 MCCAOP teardown 1413
10.23.3.9 Access during MCCAOPs 1414
10.23.3.10 Interaction with time synchronization 1415
10.24 Block acknowledgment (block ack) 1415
10.24.1 Introduction 1415
10.24.2 Setup and modification of the block ack parameters 1416
10.24.3 Data and acknowledgment transfer using immediate block ack policy and delayed block ack policy 1418
10.24.4 Receive buffer operation 1420
10.24.5 Teardown of the block ack mechanism 1421
10.24.6 Selection of BlockAck and BlockAckReq variants 1421
10.24.7 HT-immediate block ack extensions 1422
10.24.7.1 Introduction to HT-immediate block ack extensions 1422
10.24.7.2 HT-immediate block ack architecture 1422
10.24.7.3 Scoreboard context control during full-state operation 1423
10.24.7.4 Scoreboard context control during partial-state operation 1424
10.24.7.5 Generation and transmission of BlockAck frames by an HT STA or DMG STA 1425
10.24.7.6 Receive reordering buffer control operation 1426
10.24.7.7 Originator's behavior 1428
10.24.7.8 Maintaining block ack state at the originator 1429
10.24.7.9 Originator's support of recipient's partial state 1429
10.24.8 HT-delayed block ack extensions 1430
10.24.8.1 Introduction 1430
10.24.8.2 HT-delayed block ack negotiation 1430
10.24.8.3 Operation of HT-delayed block ack 1430
10.24.9 Protected block ack agreement 1430
10.24.10 GCR block ack 1431
10.24.10.1 Introduction 1431
10.24.10.2 Scoreboard context control during GCR block ack 1431
10.24.10.3 GCR block ack BlockAckReq and BlockAck frame exchanges 1432

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

10.24.11 DMG block ack with flow control 1434
10.24.11.1 General 1434
10.24.11.2 DMG block ack architecture with flow control 1434
10.24.11.3 Scoreboard context control with flow control 1435
10.24.11.4 Receive Reordering Buffer with flow control operation 1435
10.24.11.5 Generation and transmission of BlockAck frame by a STA with flow control 1437
10.24.11.6 Originator's behavior with flow control support 1438
10.25 No Acknowledgment (No Ack) 1438
10.26 Protection mechanisms 1438
10.26.1 Introduction 1438
10.26.2 Protection mechanism for non-ERP receivers 1438
10.26.3 Protection mechanisms for transmissions of HT PPDUs 1440
10.26.3.1 General 1440
10.26.3.2 Protection rules for HT STA operating a direct link 1443
10.26.3.3 RIFS protection 1443
10.26.3.4 Use of OBSS Non-HT STAs Present field 1443
10.26.3.5 Protection rules for an HT mesh STA 1444
10.26.4 L_LENGTH and L_DATARATE parameter values for HT-mixed format PPDUs 1445
10.26.5 L-SIG TXOP protection 1446
10.26.5.1 General rules 1446
10.26.5.2 L-SIG TXOP protection rules at the TXOP holder 1447
10.26.5.3 L-SIG TXOP protection rules at the TXOP responder 1449
10.26.5.4 L-SIG TXOP protection NAV update rule 1449
10.26.6 Protection rules for VHT STAs 1449
10.27 MAC frame processing 1449
10.27.1 Introduction 1449
10.27.2 Revision level field processing 1449
10.27.3 Duration/ID field processing 1449
10.27.4 Response to an invalid Action frame 1450
10.27.5 Operation of the Dialog Token field 1450
10.27.6 Element parsing 1450
10.27.7 Vendor specific element parsing 1450
10.27.8 Extensible element parsing 1450
10.27.9 Extensible subelement parsing 1450
10.27.10 Extensible TLV parsing 1451
10.28 Reverse direction protocol 1451
10.28.1 General 1451
10.28.2 Reverse direction (RD) exchange sequence 1451
10.28.3 Rules for RD initiator 1452
10.28.4 Rules for RD responder 1453
10.29 PSMP operation 1454
10.29.1 General 1454
10.29.2 Frame transmission mechanism during PSMP 1454
10.29.2.1 PSMP frame transmission (PSMP-DTT and PSMP-UTT) 1454
10.29.2.2 PSMP downlink transmission (PSMP-DTT) 1455
10.29.2.3 PSMP uplink transmission (PSMP-UTT) 1455
10.29.2.4 PSMP burst 1456
10.29.2.5 Resource allocation within a PSMP burst 1458
10.29.2.6 PSMP-UTT retransmission 1459
10.29.2.7 PSMP acknowledgment rules 1460
10.29.2.8 PSMP group addressed transmission rules 1461
10.29.3 Scheduled PSMP 1462

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

10.29.4 Unscheduled PSMP 1462
10.30 Sounding PPDUs 1462
10.31 Link adaptation 1463
10.31.1 Introduction 1463
10.31.2 Link adaptation using the HT variant HT Control field 1464
10.31.3 Link adaptation using the VHT variant HT Control field 1466
10.32 Transmit beamforming 1468
10.32.1 HT steering matrix calculations 1468
10.32.2 HT transmit beamforming with implicit feedback 1469
10.32.2.1 General 1469
10.32.2.2 Unidirectional implicit transmit beamforming 1470
10.32.2.3 Bidirectional implicit transmit beamforming 1471
10.32.2.4 Calibration 1472
10.32.3 Explicit feedback beamforming 1477
10.32.4 VHT MU beamforming 1481
10.33 Antenna selection (ASEL) 1481
10.33.1 Introduction 1481
10.33.2 Procedure 1482
10.34 Null data packet (NDP) sounding 1485
10.34.1 HT NDP sounding protocol 1485
10.34.2 Transmission of an HT NDP 1487
10.34.3 Determination of HT NDP destination 1487
10.34.4 Determination of HT NDP source 1487
10.34.5 VHT sounding protocol 1488
10.34.5.1 General 1488
10.34.5.2 Rules for VHT sounding protocol sequences 1488
10.34.5.3 Rules for fragmented feedback in VHT sounding protocol sequences 1492
10.34.6 Transmission of a VHT NDP 1493
10.35 Mesh forwarding framework 1493
10.35.1 General 1493
10.35.2 Forwarding information 1494
10.35.3 Addressing and forwarding of individually addressed mesh Data frames 1494
10.35.3.1 At source mesh STAs (individually addressed) 1494
10.35.3.2 At intermediate and destination mesh STAs (individually addressed) 1495
10.35.4 Addressing and forwarding of group addressed mesh Data frames 1496
10.35.4.1 At source mesh STAs (group addressed) 1496
10.35.4.2 At recipient mesh STAs (group addressed) 1497
10.35.5 Addressing of Management frames and MMPDU forwarding 1497
10.35.5.1 General 1497
10.35.5.2 MMPDU forwarding using individually addressed Multihop Action frames 1498
10.35.5.3 MMPDU forwarding using group addressed Multihop Action frames 1498
10.35.6 Detection of duplicate MSDUs/MMPDUs 1499
10.35.7 Mesh STAs that do not forward 1499
10.35.8 MSDU forwarding and unknown destination 1499
10.36 DMG channel access 1500
10.36.1 General 1500
10.36.2 Access periods within a beacon interval 1500
10.36.3 ATI transmission rules 1501
10.36.4 DTI transmission rules 1503
10.36.5 Contention based access period (CBAP) transmission rules 1504

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018

10.36.6 Channel access in scheduled DTI 1505
10.36.6.1 General 1505
10.36.6.2 Service period (SP) allocation 1506
10.36.6.3 Contention based access period (CBAP) allocation 1507
10.36.6.4 Pseudo-static allocations 1508
10.36.6.5 Guard time 1508
10.36.6.6 DMG protected period 1509
10.36.6.7 Service period recovery 1513
10.36.7 Dynamic allocation of service period 1513
10.36.7.1 General 1513
10.36.7.2 Polling period (PP) 1515
10.36.7.3 Grant period (GP) 1516
10.36.8 Dynamic truncation of service period 1517
10.36.9 Dynamic extension of service period 1518
10.36.10 Updating multiple NAVs 1519
10.37 DMG AP or PCP clustering 1521
10.37.1 General 1521
10.37.2 Cluster formation 1522
10.37.2.1 Decentralized AP or PCP cluster formation 1522
10.37.2.2 Centralized AP or PCP cluster formation 1524
10.37.3 Cluster maintenance 1527
10.37.3.1 General cluster maintenance 1527
10.37.3.2 Decentralized AP or PCP cluster maintenance 1527
10.37.3.3 Centralized AP or PCP cluster maintenance 1528
10.37.3.4 Centralized AP or PCP cluster MAC requirements 1529
10.37.4 Cluster report and re-scheduling 1530
10.37.5 Decentralized AP or PCP cluster request 1532
10.38 DMG beamforming 1532
10.38.1 General 1532
10.38.2 Sector-level sweep (SLS) phase 1535
10.38.2.1 General 1535
10.38.2.2 Initiator sector sweep (ISS) 1537
10.38.2.3 Responder sector sweep (RSS) 1539
10.38.2.4 Sector sweep (SSW) feedback 1541
10.38.2.5 SSW ack 1542
10.38.3 Beam Refinement Protocol (BRP) phase 1543
10.38.3.1 General 1543
10.38.3.2 BRP setup subphase 1545
10.38.4 Beamforming in BTI 1547
10.38.5 Beamforming in A-BFT 1548
10.38.5.1 Allocation of A-BFT 1548
10.38.5.2 Operation during the A-BFT 1548
10.38.5.3 STA Beamforming after A-BFT 1552
10.38.5.4 Beamforming in A-BFT with multiple DMG antennas 1553
10.38.6 Beamforming in DTI 1553
10.38.6.1 General 1553
10.38.6.2 SLS phase execution 1554
10.38.6.3 Multiple sector ID capture (MIDC) subphase 1555
10.38.6.4 BRP phase execution 1563
10.38.7 Beam tracking 1566
10.38.8 State machines 1568
10.39 DMG link adaptation 1570
10.39.1 General 1570
10.39.2 DMG TPC 1570

Copyright © 2016 IEEE. All rights reserved.

© IEEE 2016 – All rights reserved

Documents
Document Sharing Hub

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.

Full document details: ISO/IEC/IEEE 8802-11-2018

10.39.3 Fast link adaptation 1571
10.40 DMG dynamic tone pairing (DTP) 1572
10.41 DMG relay operation 1573
10.41.1 General 1573
10.41.2 Link switching 1573
10.41.2.1 General 1573
10.41.2.2 SP request and allocation 1573
10.41.2.3 Usage of RDS 1574
10.41.2.4 Relay frame exchange rules 1574
10.41.2.5 Link monitoring 1577
10.41.3 Link cooperation 1577
10.41.3.1 TPA procedure 1577
10.41.3.2 Frame exchange operation 1579
10.41.4 Relay link adaptation 1580

11. MLME 1581

11.1 Synchronization 1581
11.1.1 General 1581
11.1.2 Basic approach 1581
11.1.2.1 TSF for an infrastructure BSS or a PBSS 1581
11.1.2.2 TSF for an IBSS 1582
11.1.2.3 TSF for an MBSS 1582
11.1.3 Maintaining synchronization 1582
11.1.3.1 General 1582
11.1.3.2 Beacon generation in non-DMG infrastructure networks 1582
11.1.3.3 Beacon generation in a DMG infrastructure BSS and in a PBSS 1583
11.1.3.4 DMG beacon generation before establishment of a BSS 1585
11.1.3.5 Beacon generation in an IBSS 1586
11.1.3.6 Beacon generation in an MBSS 1586
11.1.3.7 Beacon reception 1587
11.1.3.8 Multiple BSSID procedure 1588
11.1.3.9 TSF timer accuracy 1589
11.1.4 Acquiring synchronization, scanning 1589
11.1.4.1 General 1589
11.1.4.2 Passive scanning 1591
11.1.4.3 Active scanning 1591
11.1.4.4 Initializing a BSS 1596
11.1.4.5 Synchronizing with a BSS 1597
11.1.4.6 Operation of Supported Rates and BSS Membership Selectors element and Extended Supported Rates and BSS Membership Selectors element 1597
11.1.5 Adjusting STA timers 1598
11.1.6 Terminating a BSS 1599
11.1.7 Supported rates and extended supported rates advertisement 1599
11.2 Power management 1599
11.2.1 General 1599
11.2.2 Bufferable MMPDUs 1600
11.2.3 Power management in a non-DMG infrastructure network 1600
11.2.3.1 General 1600
11.2.3.2 STA power management modes 1601
11.2.3.3 AP TIM transmissions 1602
11.2.3.4 TIM types 1602
11.2.3.5 Power management with APSD 1603

Copyright © 2016 IEEE. All rights reserved.
© IEEE 2016 – All rights reserved
Documents
Document Sharing Hub
Authorized licensed use limited to: Tsinghua University. Downloaded on February 26,2026 at 07:28:43 UTC from IEEE Xplore. Restrictions apply.
Full document details: ISO/IEC/IEEE 8802-11-2018