

INTERNATIONAL
STANDARD

ISO/IEC/
IEEE
8802-1AE

First edition
2013-12-01

AMENDMENT 2
2015-05-01

**Information technology —
Telecommunications and information
exchange between systems — Local and
metropolitan area networks —**

Part 1AE:
Media access control (MAC) security

**AMENDMENT 2: Extended Packet
Numbering**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseaux locaux et métropolitains —*

Partie 1AE: Sécurité du contrôle d'accès aux supports (MAC)

AMENDEMENT 2



Reference number
ISO/IEC/IEEE 8802-1AE:2013/Amd.2:2015(E)



Documents

Document Sharing Hub

© IEEE 2015

Authorized licensed use limited to: Tsinghua University. Downloaded on February 26, 2026 at 07:55:57 UTC from IEEE Xplore. Restrictions apply.



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from ISO, IEC or IEEE at the respective address below.

ISO copyright office
Case postale 56
CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
E-mail inmail@iec.ch
Web www.iec.ch

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York
NY 10016-5997, USA
E-mail stds.ipr@ieee.org
Web www.ieee.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

Amendment 1 to ISO/IEC/IEEE 8802-11 was prepared by the LAN/MAN Standards Committee of the IEEE Computer Society (as IEEE Std 802.11ae-2012). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in parallel with its approval by the ISO/IEC national bodies, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

(blank page)

IEEE Standard for
Local and metropolitan area networks—

Media Access Control (MAC) Security

Amendment 2: Extended Packet Numbering

IEEE Computer Society

Sponsored by the
LAN/MAN Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 802.1AEbw™-2013
(Amendment to
IEEE Std 802.1AE™-2006)

12 February 2013

IEEE Std 802.1AEbw™-2013

(Amendment to
IEEE Std 802.1AE™-2006)

IEEE Standard for Local and metropolitan area networks—

Media Access Control (MAC) Security

Amendment 2: Extended Packet Numbering

Sponsor

**LAN/MAN Standards Committee
of the
IEEE Computer Society**

Approved 7 February 2013

IEEE-SA Standards Board

Abstract: The optional use of Cipher Suites that make use of a 64-bit (PN) to allow more than 2^{32} MACsec protected frames to be sent with a single Secure Association Key are specified by this amendment.

Keywords: authorized port, confidentiality, data origin authenticity, IEEE 802.1AE, IEEE 802.1AEbw, integrity, LANs, local area networks, MAC Bridges, MAC security, MAC Service, MANs, metropolitan area networks, port based network access control, secure association, security, transparent bridging

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 12 February 2013. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-8148-6 STD98100
Print: ISBN 978-0-7381-8149-3 STDPD98100

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the [IEEE-SA Website](http://standards.ieee.org) or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit the [IEEE-SA Website](http://standards.ieee.org).

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Introduction

This introduction is not part of IEEE Std 802.1AEbw-2013, IEEE Standard for Local and metropolitan area networks—Media Access Control (MAC) Security—Amendment 2: Extended Packet Numbering.

The first edition of IEEE Std 802.1AE™ was published in 2006. A first amendment, IEEE Std 802.1AEbn™-2011, added the option of using the GCM-AES-256 Cipher Suite. This second amendment adds optional Cipher Suites, GCM-AES-XPB-128 and GCM-AES-XPB-256, that allow more than 2^{32} frames to be protected with a single Secure Association Key (SAK) and so ease the timeliness requirements on key agreement protocols for very high speed (100 Gb/s plus) operation.

Relationship between IEEE Std 802.1AE and other IEEE Std 802 standards

IEEE Std 802.1X™-2010 specifies Port-based Network Access Control, and provides a means of authenticating and authorizing devices attached to a LAN, and includes the MACsec Key Agreement protocol (MKA) necessary to make use of IEEE 802.1AE.

This standard is not intended for use with IEEE Std 802.11™ Wireless LAN Medium Access Control. An amendment to that standard, IEEE Std 802.11i™-2004, also makes use of IEEE Std 802.1X™, thus facilitating the use of a common authentication and authorization framework for LAN media to which this standard applies and for Wireless LANs.

Participants

At the time this standard was submitted to the IEEE-SA Standard Board for approval, the IEEE P802.1 Working Group had the following membership:

Tony Jeffree, *Chair*

Glenn Parsons, *Vice-Chair*

Mick Seaman, *Editor and Task Group Chair*

Zehavit Alon	Anoop Ghanwani	John Morris
Yafan An	Franz Goetz	Eric Multanen
Ting Ao	Mark Gravel	David Olsen
Peter Ashwood-Smith	Eric Gray	Donald Pannell
Christian Boiger	Yingjie Gu	Mark Pearson
Brad Booth	Craig Gunther	Joseph Pelissier
Paul Bottorff	Stephen Haddock	Rene Raeber
Rudolf Brandner	Hitoshi Hayakawa	Karen T. Randall
Craig Carlson	Markus Jochim	Josef Roesse
Xin Chang	Michael Johas Teener	Dan Romascanu
Weiyang Cheng	Girault Jones	Jessy Rouyer
Paul Congdon	Daya Kamath	Ali Sajassi
Diego Crupnicoff	Hal Keen	Panagiotis Saltsidis
Rodney Cummings	Srikanth Keesara	Koichiro Seto
Claudio Desanti	Yongbum Kim	Rakesh Sharma
Donald Eastlake, III	Philippe Klein	Takeshi Shimizu
Janos Farkas	Oliver Kleineberg	Kevin Stanton
Donald Fedyk	Jeff Lynch	Patricia Thaler
Norman Finn	Ben Mack-Crane	Jeremy Touve
Andre Fredette	David Martin	Maarten Vissers
Geoffrey Garner	John Messenger	Yuehua Wei
		Min Xiao

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Thomas Alexander	Atsushi Ito	Benjamin Rolfe
Arthur Astrin	Tony Jeffree	Randall Safier
Nancy Bravin	Michael Johas Teener	Bartien Sayogo
William Byrd	Shinkyō Kaku	Mick Seaman
Radhakrishna Canchi	Piotr Karocki	Gil Shultz
Juan Carreon	Stuart Kerry	Dorothy Stanley
Keith Chow	Yongbum Kim	Thomas Starai
Charles Cook	Bruce Kraemer	Walter Struppler
Rodney Cummings	Geoff Ladwig	Joseph Tardo
Ray Davis	Shen Loh	William Taylor
Sourav Dutta	William Lumpkins	Patricia Thaler
Donald Fedyk	Greg Luri	Solomon Trainin
Yukihiro Fujimoto	Elvis Maculuba	Dmitri Varsanofiev
Devon Gayle	Jonathon McLendon	Prabodh Varshney
Eric Gray	Michael S. Newman	John Vergis
Randall Groves	Charles Ngethe	Hung-Yu Wei
Michael Gundlach	Satoshi Obara	Brian Weis
Chris Guy	Yoshihiro Ohba	Oren Yuen
Russell Housley	Karen Randall	Daidi Zhong
Noriyuki Ikeuchi	Maximilian Riegel	

When the IEEE-SA Standards Board approved this standard on 7 February 2013, it had the following membership:

John Kulick, *Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi	Mark Halpin	Ron Peterson
Peter Balma	Gary Hoffman	Gary Robinson
Farooq Bari	Paul Houzé	Jon Walter Rosdahl
Ted Burse	Jim Hughes	Adrian Stephens
Wael William Diab	Michael Janezic	Peter Sutherland
Stephen Dukes	Joseph L. Koepfinger*	Yatin Trivedi
Jean-Philippe Faure	David J. Law	Phil Winston
Alexander Gelman	Oleg Logvinov	Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Catherine Berger
IEEE Senior Standards Program Manager, Document Development

Kathryn Bennett
IEEE Standards Program Manager, Technical Program Development

Contents

3. Definitions	2
4. Abbreviations and acronyms	3
7. Principles of secure network operation.....	4
8. MAC Security Protocol (MACsec).....	5
8.3 MACsec operation	5
9. Encoding of MACsec protocol data units.....	7
9.8 Packet Number (PN).....	7
9.9 Secure Channel Identifier (SCI)	7
10. Principles of MAC Security Entity (SecY) operation	8
10.5 Secure frame generation	8
10.6 Secure frame verification.....	9
10.7 SecY management	12
13. Management protocol	16
13.7 Use of the MIB with extended packet numbering	16
14. Cipher Suites.....	17
14.1 Cipher Suite use	17
14.2 Cipher Suite capabilities	18
14.4 Cipher Suite conformance	18
14.6 GCM–AES–256.....	18
14.7 GCM–AES–XPN-128	19
14.8 GCM–AES–XPN-256	20
Annex A (normative) PICS Proforma.....	22
A.13 Additional variant Cipher Suite capabilities.....	22
Annex B (informative) Bibliography	23
Annex C (informative) MACsec Test Vectors	25
C.1 Integrity protection (54-octet frame)	26
C.2 Integrity protection (60-octet frame)	31
C.3 Integrity protection (65-octet frame)	34
C.4 Integrity protection (79-octet frame)	37
C.5 Confidentiality protection (54-octet frame).....	40
C.6 Confidentiality protection (60-octet frame).....	45
C.7 Confidentiality protection (61-octet frame).....	48
C.8 Confidentiality protection (75-octet frame).....	51

Figures

Figure 8-2	MACsec operation	6
Figure 9-2	SecTAG format	7
Figure 10-5	Management controls and counters for secure frame verification	9
Figure 14-1	Cipher Suite Protect and Validate operations	17

Tables

Table 10-1	Extended packet number recovery (examples).....	11
Table 14-1	MACsec Cipher Suites.....	18
Table C-1	Unprotected frame (example)	26
Table C-2	Integrity protected frame (example)	26
Table C-3	GCM-AES-128 Key and calculated ICV (example)	27
Table C-4	GCM-AES-256 Key and calculated ICV (example)	28
Table C-5	GCM-AES-XPB-128 Key and calculated ICV (example)	29
Table C-6	GCM-AES-XPB-256 Key and calculated ICV (example)	30
Table C-7	Unprotected frame (example)	31
Table C-8	Integrity protected frame (example)	31
Table C-11	GCM-AES-XPB-128 Key and calculated ICV (example)	32
Table C-12	GCM-AES-XPB-256 Key and calculated ICV (example)	33
Table C-13	Unprotected frame (example)	34
Table C-14	Integrity protected frame (example)	34
Table C-17	GCM-AES-XPB-128 Key and calculated ICV (example)	35
Table C-18	GCM-AES-XPB-256 Key and calculated ICV (example)	36
Table C-19	Unprotected frame (example)	37
Table C-20	Integrity protected frame (example)	37
Table C-23	GCM-AES-XPB-128 Key and calculated ICV (example)	38
Table C-24	GCM-AES-XPB-256 Key and calculated ICV (example)	39
Table C-25	Unprotected frame (example)	40
Table C-26	Confidentiality protected frame (example)	40
Table C-27	GCM-AES-128 Key, Secure Data, and ICV (example)	41
Table C-28	GCM-AES-256 Key, Secure Data, and ICV (example)	42
Table C-29	GCM-AES-XPB-128 Key, Secure Data, and ICV (example)	43
Table C-30	GCM-AES-XPB-256 Key, Secure Data, and ICV (example)	44
Table C-31	Unprotected frame (example)	45
Table C-32	Confidentiality protected frame (example)	45
Table C-35	GCM-AES-XPB-128 Key, Secure Data, and ICV (example)	46
Table C-36	GCM-AES-XPB-256 Key, Secure Data, and ICV (example)	47
Table C-37	Unprotected frame (example)	48
Table C-38	Confidentiality protected frame (example)	48
Table C-41	GCM-AES-XPB-128 Key, Secure Data, and ICV (example)	49
Table C-42	GCM-AES-XPB-256 Key, Secure Data, and ICV (example)	50
Table C-43	Unprotected frame (example)	51
Table C-44	Confidentiality protected frame (example)	51
Table C-47	GCM-AES-XPB-128 Key, Secure Data, and ICV (example)	52
Table C-48	GCM-AES-XPB-256 Key, Secure Data, and ICV (example)	53

IEEE Standard for Local and metropolitan area networks— Media Access Control (MAC) Security

Amendment 2: Extended Packet Numbering

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

NOTE—The editing instructions contained in this amendment define how to merge the material contained therein into the existing base standard and its amendments to form the comprehensive standard.

The editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using ~~strike~~through (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Deletions and insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.

3. Definitions

Change the definition of packet number as follows:

3.27 packet number (PN): A monotonically increasing value ~~used to uniquely identify a MACsec frame in the sequence of frames transmitted using an SA~~ that is guaranteed unique for each MACsec frame transmitted using a given SAK.

Insert the following definition, in the appropriate collating order:

3.xx Short Secure Channel Identifier (SSCI): A 32-bit value, managed by the key agreement protocol, that is unique for each SCI within the context of all SecYs using a given SAK.

4. Abbreviations and acronyms

Insert the following abbreviation(s), in the appropriate collating sequence:

MKA MACsec Key Agreement protocol

SSCI Short SCI

7. Principles of secure network operation

Change the note that appears in 7.1 as follows:

NOTE—An SC can be required to last for many years without interruption, since interrupting the MAC Service can cause client protocols to re-initialize and recalculate aggregations, spanning trees, and routes (for example). An SC lasts through a succession of SAs, each using a new SAK, to defend against a successful attack on a key while it is still in use. In contrast it is desirable to use a new SAK at periodic intervals to defend against a successful attack on a key while it is still in use. In addition, the MACsec protocol (Clause 8 and Clause 9) only allows ~~a limited number of $2^{32}-1$~~ frames to be protected with a single key unless a Cipher Suite that supports extended packet numbering is used. Since 2^{32} minimum-sized IEEE 802.3 frames can be sent in approximately 5 min at 10 Gb/s, this can force the use of a new SA.

7.1.2 Secure Channel (SC)

Change the first paragraph of 7.1.2 as follows:

Each SecY transmits frames conveying secure MAC Service requests on a single SC. Each SC provides unidirectional point-to-multipoint communication, and it can be long lived, persisting through SAK changes. Each SC is identified by a Secure Channel Identifier (SCI) comprising a uniquely allocated 48-bit MAC address concatenated with a 16-bit port number.