
**Information technology —
Telecommunications and information
exchange between systems — Local
and metropolitan area networks —
Specific requirements —**

**Part 3:
Standard for Ethernet**

**AMENDMENT 8: Physical layer and
management parameters for power over
data lines (PoDL) of single balanced
twisted-pair ethernet**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseaux locaux et métropolitains —
Prescriptions spécifiques —*

Partie 3: Norme pour Ethernet

AMENDEMENT 8: Titre manque



Reference number
ISO/IEC/IEEE 8802-3:2017/Amd.8:2018(E)

Documents
© IEEE 2017
Document Sharing Hub



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2017

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO or IEEE at the respective address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org



Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted (see www.iso.org/directives).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see: www.iso.org/iso/foreword.html.

ISO/IEC/IEEE 8802-3:2017/Amd.8 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE Std 802.3bu-2016) and drafted in accordance with its editorial rules. It was adopted, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

A list of all parts in the ISO/IEC/IEEE 8802 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IEEE Std 802.3bu™-2016

(Amendment to
IEEE Std 802.3™-2015
as amended by
IEEE Std 802.3bw™-2015,
IEEE Std 802.3by™-2016,
IEEE Std 802.3bq™-2016,
IEEE Std 802.3bp™-2016,
IEEE Std 802.3br™-2016,
IEEE Std 802.3bn™-2016,
and IEEE Std 802.3bz™-2016)

IEEE Standard for Ethernet

Amendment 8: Physical Layer and Management Parameters for Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet

LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 7 December 2016
IEEE-SA Standards Board

Abstract: Specifications and management parameters for the provision of power via a single twisted pair to connected Data Terminal Equipment (DTE) with IEEE 802.3 single balanced twisted-pair interfaces are added by this amendment to IEEE Std 802.3-2015.

Keywords: 100BASE-T1, 1000BASE-T1, Ethernet, IEEE 802.3™, IEEE 802.3bu™, Power over Data Lines, PoDL, PoDL PD, PoDL PSE

Acknowledgments: Portions of the material contained herein are reprinted with permission from Maxim Integrated Products, Inc., DS18B20 “Programmable Resolution 1-Wire Digital Thermometer” Data Sheet, Rev. 042208, (C) 2008.

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 7 February 2017. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 978-1-5044-3727-1 STD22416
PDF: ISBN 978-1-5044-3728-8 STDPD22416

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

The following individuals were officers and members of the IEEE 802.3 Working Group at the beginning of the IEEE P802.3bu Working Group ballot. Individuals may have not voted, voted for approval, disapproval, or abstained on this amendment.

David J. Law, *IEEE 802.3 Working Group Chair*
Adam Healey, *IEEE 802.3 Working Group Vice-Chair*

Pete Anslow, *IEEE 802.3 Working Group Secretary*
Steven B. Carlson, *IEEE 802.3 Working Group Executive Secretary*
Valerie Maguire, *IEEE 802.3 Working Group Treasurer*

Dave Dwelley, *IEEE P802.3bu Power over Data Lines Task Force Chair, Phase 1*

Dan Dove, *IEEE P802.3bu Power over Data Lines Task Force Chair, Phase 2*

Andy Gardner, *IEEE P802.3bu Power over Data Lines Task Force Editor-in-Chief*

Craig Chabot, *IEEE P802.3bu Power over Data Lines Task Force PICS Editor*

David Abramson	Curtis Donahue	Scott Kipp
Shadi Abughazaleh	Mike Dudek	Michael Klempa
Dale Amason	Nick Duer	Shigeru Kobayashi
J. Michael Andrewartha	Frank Effenberger	Keisuke Kojima
Eric Baden	Hesham Elbakoury	Paul Kolesar
Amrik Bains	David Estes	Tom Kolze
Thananya Baldwin	John Ewen	Glen Kramer
Denis Beaudoin	Ramin Farjad	Hans Lackner
Christian Beia	Shahar Feldman	Jeffrey Lapak
Michael Bennett	German Feyh	Mark Laubach
Vipul Bhatt	Alan Flatman	David Lewis
William Bliss	Matthias Fritsche	Jon Lewis
Brad Booth	Richard Frosch	William Lo
Martin Bouda	Ali Ghiasi	Miklos Lukacs
Ralf-Peter Braun	Joel Goergen	Kent Lusted
Theodore Brillhart	Steven Gorshe	Jeffery Maki
Paul Brooks	James Graba	David Malicoat
Matthew Brown	Robert Grow	James Malkemus
Jairo Bustos Heredia	Mark Gustlin	Yonatan Malkiman
Adrian Butter	Marek Hajduczenia	Arthur Marris
Juan-Carlos Calderon	Bernie Hammond	Takeo Masuda
J. Martin Carroll	Takehiro Hayashi	Kirsten Matheus
Clark Carty	Yasuo Hidaka	Erdem Matoglu
Geoffrey Chacon Simon	Brian Holden	Laurence Matola
Mandeep Chadha	Rita Horner	Brett McClellan
David Chalupsky	Bernd Hormmeyer	Thomas McDermott
Jacky Chang	Victor Hou	John McDonough
Xin Chang	Yasuhiro Hyakutake	Richard Mei
Ahmad Chini	Hideki Isono	Richard Mellitz
Keng Hua Chuang	Tom Issenhuth	Bryan Moffitt
Peter Cibula	Kenneth Jackson	Ardeshir Mohammadian
Christopher R. Cole	Andrew Jimenez	Leo Montreuil
Shaoan Dai	Chad Jones	Paul Mooney
John D'Ambrosia	Peter Jones	Dale Murray
Yair Darshan	Manabu Kagami	Henry Muyschondt
Piers Dawe	Upen Kareti	Edward Nakamoto
Wael Diab	Keisuke Kawahara	Gary Nicholl
Eric DiBiasi	Yasuaki Kawatsu	Paul Nikolich
Daniel Dillow	Michael Kelsen	Kevin Noll
Chris Diminico	Yong Kim	Mark Nowell
Thuyen Dinh	Jonathan King	David Ofelt
		Tom Palkert

Hui Pan	Naoshi Serizawa	Albert Tretter
Sesha Panguluri	Megha Shanbhag	Stephen Trowbridge
Carlos Pardo	Stephen Shellhammer	Yoshihiro Tsukamoto
Petar Pepeljugoski	Ramin Shirani	Mike Tu
Gerald Pepper	Tom Skaar	Sterling A. Vaden
Ruben Perez-Aranda	Jeff Slavick	Stefano Valle
Michael Peters	Scott Sommers	Paul Vanderlaan
Rick Pimpinella	Tom Souvignier	Robert Wagner
William Powell	Edward Sprague	Roy Wang
Richard Prodan	Peter Stassar	Xinyuan Wang
Rick Rabinovich	Robert Stone	Matthias Wendt
Adee Ran	Junqing Sun	Oded Wertheim
Alon Regev	Steve Swanson	Martin White
Duane Remein	Andre Szczepanek	Natalie Wienckowski
Victor Renteria	William Szeto	Ludwig Winkel
Martin Rossbach	Bharat Tailor	Peter Wu
Christopher Roth	Akio Tajima	Yu Xu
Salvatore Rotolo	Takayuki Tajima	Jun Yi
Vineet Salunke	Satoshi Takahashi	Lennart Yseboodt
Sam Sambasivan	Kohichi Tamura	Ting-Fa Yu
Edward Sayre	Alexander Tan	Hayato Yuki
Dieter Schicketanz	Mehmet Tazebay	Andrew Zambell
Fred Schindler	Brian Teipen	Yan Zhuang
Peter Scruton	Geoffrey Thompson	George Zimmerman
Hossein Sedarat	Pirooz Tooyserkani	Helge Zinner

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

David Abramson	Craig Gunther	Satoshi Obara
Shadi Abughazaleh	Marco Hernandez	Bansi Patel
Iwan Adhicandra	Guido Hiertz	Arumugam Paventhan
Thomas Alexander	Werner Hoelzl	Ruben Perez-Aranda
Dale Amason	Rita Horner	Michael Peters
Pete Anslow	Noriyuki Ikeuchi	Rick Pimpinella
Stefan Aust	Osamu Ishida	Alon Regev
Amrik Bains	Atsushi Ito	Maximilian Riegel
Charles Barest	Raj Jain	Robert Robinson
Christian Boiger	Piotr Karocki	Benjamin Rolfe
Ralf-Peter Braun	Stuart Kerry	Dan Romascanu
Nancy Bravin	Yongbum Kim	Frank Schewe
Jairo Bustos Heredia	Bruce Kraemer	Dieter Schicketanz
William Byrd	David J. Law	Stefan Schneelee
Steven B. Carlson	Jon Lewis	Thomas Starai
Juan Carreon	Arthur H. Light	David Stover
Mandeep Chadha	William Lumpkins	Walter Struppler
Keith Chow	Elvis Maculuba	Mitsutoshi Sugawara
Keng Hua Chuang	Jeffery Maki	Junqing Sun
Charles Cook	Arthur Marris	Geoffrey Thompson
Rodney Cummings	Michael Maytum	Mark-Rene Uchida
Daniel Dove	Edward McCall	Sterling Vaden
Sourav Dutta	Mick McCarthy	Paul Vanderlaan
Richard Edgar	Brett McClellan	George Vlantis
German Feyh	Thomas McDermott	Stephen Webb
Norman Finn	Richard Mellitz	Ludwig Winkel
Matthias Fritsche	Tremont Miao	Dayin Xu
Yukihiro Fujimoto	Jeffrey Moore	Oren Yuen
Andy Gardner	Charles Moorwood	Zhen Zhou
Devon Gayle	Rick Murphy	George Zimmerman
James Gilb	Michael Newman	
Joel Goergen	Nick S. A. Nikjoo	
Randall Groves	Paul Nikolich	

When the IEEE-SA Standards Board approved this standard on 7 December 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802.3bu-2016, IEEE Standard for Ethernet—Amendment 8: Physical Layer and Management Parameters for Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet.

IEEE Std 802.3™ was first published in 1985. Since the initial publication, many projects have added functionality or provided maintenance updates to the specifications and text included in the standard. Each IEEE 802.3 project/amendment is identified with a suffix (e.g., IEEE Std 802.3ba™-2010).

The half duplex Media Access Control (MAC) protocol specified in IEEE Std 802.3-1985 is Carrier Sense Multiple Access with Collision Detection (CSMA/CD). This MAC protocol was key to the experimental Ethernet developed at Xerox Palo Alto Research Center, which had a 2.94 Mb/s data rate. Ethernet at 10 Mb/s was jointly released as a public specification by Digital Equipment Corporation (DEC), Intel and Xerox in 1980. Ethernet at 10 Mb/s was approved as an IEEE standard by the IEEE Standards Board in 1983 and subsequently published in 1985 as IEEE Std 802.3-1985. Since 1985, new media options, new speeds of operation, and new capabilities have been added to IEEE Std 802.3. A full duplex MAC protocol was added in 1997.

Some of the major additions to IEEE Std 802.3 are identified in the marketplace with their project number. This is most common for projects adding higher speeds of operation or new protocols. For example, IEEE Std 802.3u™ added 100 Mb/s operation (also called Fast Ethernet), IEEE Std 802.3z added 1000 Mb/s operation (also called Gigabit Ethernet), IEEE Std 802.3ae added 10 Gb/s operation (also called 10 Gigabit Ethernet), IEEE Std 802.3ah™ specified access network Ethernet (also called Ethernet in the First Mile) and IEEE Std 802.3ba added 40 Gb/s operation (also called 40 Gigabit Ethernet) and 100 Gb/s operation (also called 100 Gigabit Ethernet). These major additions are all now included in and are superseded by IEEE Std 802.3-2015 and are not maintained as separate documents.

At the date of IEEE Std 802.3bu-2016 publication, IEEE Std 802.3 is composed of the following documents:

IEEE Std 802.3-2015

Section One—Includes Clause 1 through Clause 20 and Annex A through Annex H and Annex 4A. Section One includes the specifications for 10 Mb/s operation and the MAC, frame formats and service interfaces used for all speeds of operation.

Section Two—Includes Clause 21 through Clause 33 and Annex 22A through Annex 33E. Section Two includes management attributes for multiple protocols and speed of operation as well as specifications for providing power over twisted pair cabling for multiple operational speeds. It also includes general information on 100 Mb/s operation as well as most of the 100 Mb/s Physical Layer specifications.

Section Three—Includes Clause 34 through Clause 43 and Annex 36A through Annex 43C. Section Three includes general information on 1000 Mb/s operation as well as most of the 1000 Mb/s Physical Layer specifications.

Section Four—Includes Clause 44 through Clause 55 and Annex 44A through Annex 55B. Section Four includes general information on 10 Gb/s operation as well as most of the 10 Gb/s Physical Layer specifications.

Section Five—Includes Clause 56 through Clause 77 and Annex 57A through Annex 76A. Clause 56 through Clause 67 and Clause 75 through Clause 77, as well as associated annexes, specify subscriber

access and other Physical Layers and sublayers for operation from 512 kb/s to 10 Gb/s, and defines services and protocol elements that enable the exchange of IEEE Std 802.3 format frames between stations in a subscriber access network. Clause 68 specifies a 10 Gb/s Physical Layer specification. Clause 69 through Clause 74 and associated annexes specify Ethernet operation over electrical backplanes at speeds of 1000 Mb/s and 10 Gb/s.

Section Six—Includes Clause 78 through Clause 95 and Annex 83A through Annex 93C. Clause 78 specifies Energy-Efficient Ethernet. Clause 79 specifies IEEE 802.3 Organizationally Specific Link Layer Discovery Protocol (LLDP) type, length, and value (TLV) information elements. Clause 80 through Clause 95 and associated annexes includes general information on 40 Gb/s and 100 Gb/s operation as well the 40 Gb/s and 100 Gb/s Physical Layer specifications. Clause 90 specifies Ethernet support for time synchronization protocols.

IEEE Std 802.3bw-2015

Amendment 1—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 96. This amendment adds 100 Mb/s Physical Layer (PHY) specifications and management parameters for operation on a single balanced twisted-pair copper cable.

IEEE Std 802.3by-2016

Amendment 2—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 105 through Clause 112, Annex 109A, Annex 109B, Annex 110A, Annex 110B, and Annex 110C. This amendment adds MAC parameters, Physical Layers, and management parameters for the transfer of IEEE 802.3 format frames at 25 Gb/s.

IEEE Std 802.3bq-2016

Amendment 3—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 113 and Annex 113A. This amendment adds new Physical Layers for 25 Gb/s and 40 Gb/s operation over balanced twisted-pair structured cabling systems.

IEEE Std 802.3bp-2016

Amendment 4—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 97 and Clause 98. This amendment adds point-to-point 1 Gb/s Physical Layer (PHY) specifications and management parameters for operation on a single balanced twisted-pair copper cable in automotive and other applications not utilizing the structured wiring plant.

IEEE Std 802.3br-2016

Amendment 5—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 99. This amendment adds a MAC Merge sublayer and a MAC Merge Service Interface to support for Interspersing Express Traffic over a single link.

IEEE Std 802.3bn-2016

Amendment 6—This amendment adds the Physical Layer specifications and management parameters for symmetric and/or asymmetric operation of up to 10 Gb/s on point-to-multipoint Radio Frequency (RF) distribution plants comprising either amplified or passive coaxial media. It also extends the operation of Ethernet Passive Optical Networks (EPON) protocols, such as Multipoint Control Protocol (MPCP) and Operation Administration and Management (OAM).

IEEE Std 802.3bz-2016

Amendment 7—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 125 and Clause 126. This amendment adds new rates of 2.5 Gb/s and 5 Gb/s and new Physical Layers for operation at 2.5 Gb/s and 5 Gb/s over balanced twisted-pair structured cabling systems.

IEEE Std 802.3bu-2016

Amendment 8—This amendment includes changes to IEEE Std 802.3-2015 to define a methodology for the provision of power via a single twisted pair to connected Data Terminal Equipment (DTE) with IEEE 802.3 single twisted-pair interfaces.

A companion document IEEE Std 802.3.1 describes Ethernet management information base (MIB) modules for use with the Simple Network Management Protocol (SNMP). IEEE Std 802.3.1 is updated to add management capability for enhancements to IEEE Std 802.3 after approval of the enhancements.

IEEE Std 802.3 will continue to evolve. New Ethernet capabilities are anticipated to be added within the next few years as amendments to this standard.

Contents

1.	Introduction.....	16
1.4	Definitions	16
1.5	Abbreviations.....	17
30.	Management.....	18
30.2	Managed objects	18
30.2.2	Overview of managed objects	18
30.2.2.1	Text description of managed objects	18
30.2.3	Containment	18
30.2.5	Capabilities.....	20
30.15	Layer management for Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet	21
30.15.1	PoDL PSE managed object class	21
30.15.1.1	PoDL PSE attributes	22
30.15.1.1.1	aPoDLPSEID	22
30.15.1.1.2	aPoDLPSEAdminState	22
30.15.1.1.3	aPoDLPSEPowerDetectionStatus	22
30.15.1.1.4	aPoDLPSEType	23
30.15.1.1.5	aPoDLPSEDetectedPDType.....	23
30.15.1.1.6	aPoDLPSEDetectedPDPowerClass	23
30.15.1.1.7	aPoDLPSEInvalidSignatureCounter.....	24
30.15.1.1.8	aPoDLPSEInvalidClassCounter	24
30.15.1.1.9	aPoDLPSEPowerDeniedCounter.....	24
30.15.1.1.10	aPoDLPSEOverLoadCounter	25
30.15.1.1.11	aPoDLPSEMaintainFullVoltageSignatureAbsentCounter	25
30.15.1.1.12	aPoDLPSEActualPower	25
30.15.1.1.13	aPoDLPSEPowerAccuracy	25
30.15.1.1.14	aPoDLPSECumulativeEnergy	26
30.15.1.2	PoDL PSE actions.....	26
30.15.1.2.1	acPoDLPSEAdminControl	26
45.	Management Data Input/Output (MDIO) Interface.....	27
45.2	MDIO Interface Registers.....	27
45.2.7b	Power Unit Registers	28
45.2.7b.1	PoDL PSE Control register (Register 13.0).....	28
45.2.7b.1.1	Enable power classification (13.0.1)	28
45.2.7b.1.2	PSE Enable (13.0.0).....	28
45.2.7b.2	PoDL PSE Status 1 register (Register 13.1).....	28
45.2.7b.2.1	Power Denied (13.1.15).....	29
45.2.7b.2.2	Valid Signature (13.1.14)	30
45.2.7b.2.3	Invalid Signature (13.1.13).....	30
45.2.7b.2.4	Class Timeout (13.1.12)	30
45.2.7b.2.5	Overload (13.1.11).....	30
45.2.7b.2.6	MFVS Absent (13.1.10)	30
45.2.7b.2.7	PSE Type (13.1.9:7)	30
45.2.7b.2.8	PD Class (13.1.6:3).....	30
45.2.7b.2.9	PSE Status (13.1.2:0).....	30
45.2.7b.3	PoDL PSE Status 2 register (Register 13.2)	31
45.2.7b.3.1	Invalid Class (13.2.15)	31
45.2.7b.3.2	PD Type (13.2.2:0).....	31

45.5	Protocol implementation conformance statement (PICS) proforma for Clause 45, MDIO interface	31
45.5.3	Major capabilities/options	31
45.5.3.13b	Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet management functions	32
96.	Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer and baseband medium, type 100BASE-T1	33
96.5.4.1	Transmitter output droop	33
96.8.2.1	MDI return loss	33
104.	Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet	34
104.1	Overview	34
104.1.1	Compatibility considerations	34
104.1.2	Relationship of PoDL to the IEEE 802.3 architecture	34
104.1.3	PoDL system types	35
104.2	Link segment	36
104.3	Class power requirements	37
104.4	Power Sourcing Equipment (PSE)	37
104.4.1	PSE types	37
104.4.2	PSE classes	38
104.4.3	PSE state diagram	38
104.4.3.1	Overview	38
104.4.3.2	Conventions	38
104.4.3.3	Variables	38
104.4.3.4	Timers	40
104.4.3.5	Functions	41
104.4.3.6	State diagram	43
104.4.4	PSE detection of a PD	45
104.4.4.1	Detection probe requirements	45
104.4.4.2	Detection criteria	45
104.4.4.3	Rejection criteria	45
104.4.5	PSE classification of a PD	46
104.4.6	PSE output requirements	46
104.4.6.1	Output voltage	48
104.4.6.2	Output current	48
104.4.6.2.1	Output current—at overload condition	48
104.4.6.2.2	Wakeup current signature detection	48
104.4.6.2.3	Output current requirement during idle	48
104.4.6.3	Power feeding ripple and transients	49
104.4.6.4	Inrush time	50
104.4.6.5	Turn off time	50
104.4.6.6	Disable time	50
104.4.6.7	Continuous output power in POWER_ON state	50
104.4.7	PSE power removal	50
104.4.7.1	PSE MFVS requirements	50
104.5	Powered Device (PD)	51
104.5.1	PD types	51
104.5.2	PD classes	51
104.5.3	PD state diagram	51
104.5.3.1	Overview	51
104.5.3.2	Conventions	51

104.5.3.3	Variables	51
104.5.3.4	Timers	53
104.5.3.5	Functions	53
104.5.3.6	State diagram	54
104.5.4	PD signature	54
104.5.5	PD classification and mutual identification between the PSE and PD	55
104.5.6	PD power	55
104.5.6.1	PD discharge	57
104.5.6.2	PD input voltage	57
104.5.6.3	Input current	57
104.5.6.4	PD ripple and transients	58
104.5.6.5	Input average power	58
104.5.6.6	PD stability	59
104.5.7	PD Maintain full voltage	59
104.6	Additional electrical specifications	59
104.6.1	Isolation	59
104.6.2	Fault tolerance	59
104.7	Serial communication classification protocol (SCCP)	60
104.7.1	SCCP signaling	60
104.7.1.1	Initialization procedure—reset and presence pulses	60
104.7.1.2	Write time slots	60
104.7.1.3	Read time slots	61
104.7.2	Serial communication classification protocols	63
104.7.2.1	SCCP transaction sequence	63
104.7.2.2	Initialization	63
104.7.2.3	Address commands	63
104.7.2.3.1	Broadcast address [0xCC]	63
104.7.2.4	Read_Scratchpad function command [0xAA]	63
104.7.2.5	CRC8 field	63
104.8	Environmental	65
104.8.1	General safety	65
104.8.2	Network safety	65
104.8.3	Installation and maintenance guidelines	65
104.8.4	Patch panel considerations	66
104.8.5	Telephony voltages	66
104.8.6	Electromagnetic emissions	66
104.8.7	Temperature and humidity	66
104.9	Protocol implementation conformance statement (PICS) proforma for Clause 104, Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet	67
104.9.1	Introduction	67
104.9.2	Identification	67
104.9.2.1	Implementation identification	67
104.9.2.2	Protocol summary	67
104.9.3	Major capabilities/options	68
104.9.4	PICS proforma tables for Clause 104, Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet	68
104.9.4.1	Link Segment	68
104.9.4.2	Power Sourcing Equipment (PSE)	68
104.9.4.3	Powered Device (PD)	72
104.9.4.4	Common Electrical	74
104.9.4.5	PSE Electrical	74
104.9.4.6	PD Electrical	74
104.9.4.7	SCCP	74
104.9.4.8	Environmental	76

IEEE Standard for Ethernet

Amendment 8: Physical Layer and Management Parameters for Power over Data Lines (PoDL) of Single Balanced Twisted-Pair Ethernet

NOTE—The editing instructions contained in this amendment define how to merge the material contained therein into the existing base standard and its amendments to form the comprehensive standard.¹

The editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using ~~strike through~~ (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Deletions and insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.

Cross references that refer to clauses, tables, equations, or figures not covered by this amendment are highlighted in **green**.

¹Notes in text, tables, and figures are given for information only and do not contain requirements needed to implement the standard.

1. Introduction

1.4 Definitions

Insert the following definitions after 1.4.330 “Physical Signaling Sublayer (PLS)” as follows:

1.4.330a PoDL PD: A Powered Device that is intended to receive power from a link section consisting of a single twisted pair. (See IEEE Std 802.3, Clause 104.)

1.4.330b PoDL PSE: A device that provides power to a PoDL PD, connected via a link section consisting of a single twisted pair. DTE powering is intended to provide a single 100BASE-T1 or 1000BASE-T1 device with a unified interface for both the reception and transmission of data as well as the power to operate. (See IEEE Std 802.3, Clause 104.)

1.4.330c PoDL Regulated PSE: A PoDL PSE that is required to regulate the dc voltage at the PSE MDI/PI over the required range of PD load current.

1.4.330d PoDL Unregulated PSE: A PoDL PSE that is not required to regulate the voltage at the PSE MDI/PI over the required range of PD load current.

Change 1.4.338 as follows:

1.4.338 Power Sourcing Equipment (PSE): A DTE or midspan device that provides the power to a single link section. PSEs are defined for use with two different types of balanced twisted-pair PHYs. When used with 2 or 4 pair balanced twisted-pair (BASE-T) PHYs, (see IEEE Std 802.3, Clause 33), DTE powering is intended to provide a single 10BASE-T, 100BASE-TX, or 1000BASE-T device with a unified interface for both the data it requires and the power to process these data. When used with single balanced twisted-pair (BASE-T1) PHYs (see IEEE Std 802.3, Clause 104), DTE powering is intended to provide a single 100BASE-T1 or 1000BASE-T1 device with a unified interface for both the data it requires and the power to process these data. A PSE used with balanced single twisted-pair PHYs is also referred to as a PoDL PSE.

Change 1.4.415 as follows:

1.4.415 Type 1 PD: A PD that ~~does not provide a Class 4~~ provides a Class 0, 1, 2, or 3 signature during Physical Layer classification, and that is not a PoDL PD. (See IEEE Std 802.3, Clause 33.)

Insert the following definitions after 1.4.418 “Type 2 PSE” as follows:

1.4.418a Type A PoDL System: A system comprising a PoDL PSE, link section, and PD that are compatible with 100BASE-T1 PHYs.

1.4.418b Type B PoDL System: A system comprising a PoDL PSE, link section, and PD that are compatible with 1000BASE-T1 PHYs.

1.4.418c Type C PoDL System: A PoDL PSE, link section, and PD that are compatible with both 100BASE-T1 and 1000BASE-T1 PHYs.

1.4.418d Type D PoDL System: A PoDL PSE, link section, and PD that lack a data entity or are incompatible with IEEE 802.3 PHYs.

1.5 Abbreviations

Insert the following new abbreviations into the list, in alphabetical order:

MFVS	Maintain Full Voltage Signature
PoDL	Power over Data Lines
SCCP	Serial Communication Classification Protocol

30. Management

Change the first paragraph of Clause 30 as follows:

This clause provides the Layer Management specification for DTEs, repeaters, MAUs, and Midspans based on the CSMA/CD access method. The clause is produced from the ISO framework additions to [Clause 5](#), Layer Management; [Clause 19](#), Repeater Management; and [Clause 20](#), MAU Management. It incorporates additions to the objects, attributes, and behaviours to support 100 Mb/s, 1000 Mb/s and 10 Gb/s, full duplex operation, MAC Control, Link Aggregation, DTE Power via MDI, Power over Data Lines, subscriber access networks, and the Link Layer Discovery Protocol (LLDP) IEEE 802.3 Organizationally Specific TLVs. The objects, attributes, and behaviours to support Link Aggregation are deprecated by IEEE Std 802.1AX-2008.

30.2 Managed objects

30.2.2 Overview of managed objects

30.2.2.1 Text description of managed objects

Change the entry for oPHYEntity as follows:

oPHYEntity	If oOMPEmulation is implemented, oPHYEntity is contained within oOMPEmulation. Otherwise oPHYEntity is contained within oMACEntity. Many instances of oPHYEntity may coexist within one instance of oMACEntity; however, only one PHY may be active for data transfer to and from the MAC at any one time. oPHYEntity is the managed object that contains the MAU, PAF, and PSE , and <u>PoDLPSE</u> managed objects in a DTE.
-------------------	---

Insert the following new entry for oPoDLPSE into the list, in alphabetical order:


oPoDLPSE	The managed object of that portion of the containment trees shown in Figure 30–3. The attributes, notifications, and actions defined in 30.15 are contained within the PoDLPSE managed object.
-----------------	--

30.2.3 Containment

Change the first paragraph of 30.2.3 as follows:

A containment relationship is a structuring relationship for managed objects in which the existence of a managed object is dependent on the existence of a containing managed object. The contained managed object is said to be the subordinate managed object, and the containing managed object the superior managed object. The containment relationship is used for naming managed objects. The local containment relationships among object classes are depicted in the entity relationship diagrams, Figure 30–3 through [Figure 30–6](#). These figures show the names of the object classes and whether a particular containment relationship is one-to-one, one-to-many or many-to-one. For further requirements on this topic, see IEEE Std 802.1F-1993. PSE and PoDL PSE management are ~~is~~ only valid in a system that provides management at the next higher containment level, that is, either a DTE, or in the case of PSE management only, a repeater or Midspan with management.

Replace Figure 30-3 (as modified by IEEE Std 802.3br-2016) with the following:



Note—The objects oAggregator, oAggregationPort, oAggPortStats and oAggPortDebugInformation are deprecated by IEEE Std 802.1AX-2008.

Figure 30-3— DTE System entity relationship diagram

30.2.5 Capabilities

Change the first paragraph in 30.2.5 as follows:

This standard makes use of the concept of packages as defined in ISO/IEC 10165-4:1992 as a means of grouping behaviour, attributes, actions, and notifications within a managed object class definition. Packages may either be mandatory, or be conditional, that is to say, present if a given condition is true. Within this standard capabilities are defined, each of which corresponds to a set of packages, which are components of a number of managed object class definitions and which share the same condition for presence. Implementation of the appropriate Basic and Mandatory packages is the minimum requirement for claiming conformance to IEEE 802.3 Management. Implementation of an entire optional capability is required in order to claim conformance to that capability. The capabilities and packages for IEEE 802.3 Management are specified in [Table 30–1a](#) through [Table 30–9](#) ~~Table 30–9~~ [Table 30–10](#).

Change the ninth paragraph as follows:

For managed PSEs, the PSE Basic Package is mandatory and the PSE Recommended Package is optional. For managed PoDL PSEs, the PoDLPSE Basic Package is mandatory and the PoDLPSE Recommended Package is optional. For managed PDs, the PD Basic Package is mandatory. For a managed PSE to be conformant to this standard, it shall fully implement the PSE Basic Package. For a managed PoDL PSE to be conformant to this standard, it shall fully implement the PoDLPSE Basic Package. For a managed PD to be conformant to this standard, it shall fully implement the PD Basic Package. For a managed PSE to be conformant to the optional Recommended Package it shall implement that entire package. For a managed PoDL PSE to be conformant to the optional PoDL PSE Recommended Package it shall implement that entire package. PSE, ~~and~~ PD, PoDL PSE, and PoDL PD management is optional with respect to all other CSMA/CD management.