

INTERNATIONAL
STANDARD

ISO/IEC/
IEEE
8802-3

Third edition
2021-02

AMENDMENT 7
2021-10

**Telecommunications and exchange
between information technology
systems — Requirements for local and
metropolitan area networks —**

**Part 3:
Standard for Ethernet**

**AMENDMENT 7: Physical layer and
management parameters for 400 Gb/s
over multimode fiber**

*Télécommunications et échange entre systèmes informatiques —
Exigences pour les réseaux locaux et métropolitains —*

Partie 3: Norme pour Ethernet

*AMENDEMENT 7: Couche physique et paramètres de gestion pour
400 Gb/s sur fibres multimodales*



Reference number
ISO/IEC/IEEE 8802-3:2021/Amd.7:2021(E)

Documents
Document Sharing Hub
© IEEE 2020



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from IEEE at the address below.

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO/IEC documents should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

ISO/IEC/IEEE 8802-3:2021/Amd 7 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE Std 802.3cm-2020) and drafted in accordance with its editorial rules. It was adopted, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

A list of all parts in the ISO/IEC/IEEE 8802 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

IEEE Std 802.3cm™-2020

(Amendment to IEEE Std 802.3™-2018
as amended by IEEE Std 802.3cb™-2018,
IEEE Std 802.3bt™-2018,
IEEE Std 802.3cd™-2018,
IEEE Std 802.3cn™-2019,
IEEE Std 802.3cg™-2019,
and IEEE Std 802.3cq™-2020)

IEEE Standard for Ethernet

Amendment 7: Physical Layer and Management Parameters for 400 Gb/s over Multimode Fiber

Developed by the

LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 30 January 2020

IEEE SA Standards Board

Abstract: This amendment to IEEE Std 802.3-2018 adds Clause 150. This amendment adds Physical Layer (PHY) specifications and management parameters for 400 Gb/s operation on four pairs (400GBASE-SR4.2) and eight pairs (400GBASE-SR8) of multimode fiber, over reaches of at least 100 m.

Keywords: 400 Gb/s Ethernet, 400 Gigabit Ethernet, 400GBASE-SR8, 400GBASE-SR4.2, amendment, Energy Efficient Ethernet (EEE), Ethernet, Forward Error Correction (FEC), IEEE 802.3™, IEEE 802.3cd, IEEE 802.3cm, Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer, Physical Medium Dependent (PMD) sublayer, Reconciliation Sublayer (RS), multimode fiber (MMF)

*This standard is dedicated to the memory of
our friend and colleague Jonathan P. King.*

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 30 March 2020. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-6436-9 STD24050
Print: ISBN 978-1-5044-6437-6 STDPD24050

IEEE prohibits discrimination, harassment and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <https://standards.ieee.org/ipr/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. A current IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <https://ieeexplore.ieee.org> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE-SA Website at <https://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <https://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

The following individuals were officers and members of the IEEE 802.3 Working Group at the beginning of the IEEE P802.3cm Working Group ballot.

David J. Law, *IEEE 802.3 Working Group Chair*
Adam Healey, *IEEE 802.3 Working Group Vice-Chair*
Pete Anslow, *IEEE 802.3 Working Group Secretary*
Steven B. Carlson, *IEEE 802.3 Working Group Executive Secretary*
Valerie Maguire, *IEEE 802.3 Working Group Treasurer*

Robert Lingle, Jr., *IEEE P802.3cm 400 Gb/s over Multimode Fiber Task Force Chair*
Jonathan P. King, *IEEE P802.3cm 400 Gb/s over Multimode Fiber Task Force Editor-in-Chief (Phase 1)*
Jonathan D. Ingham, *IEEE P802.3cm 400 Gb/s over Multimode Fiber Task Force Editor (Phase 1)*
Jonathan D. Ingham, *IEEE P802.3cm 400 Gb/s over Multimode Fiber Task Force Editor-in-Chief (Phase 2)*

John Abbott
David Abramson
Andrea Agnes
Dale Amason
Hongming An
Jes Asmussen
Richard Baca
Tim Baggett
Amrik Bains
Thananya Baldwin
Steven Baumgartner
Denis Beaudoin
Liav Ben-Artzi
Piergiorgio Beruto
Vipul Bhatt
Gao Bo
Brad Booth
Martin Bouda
David Brandt
Ralf-Peter Braun
Paul Brooks
Alan Brown
Matthew Brown
Michal Brychta
Gary Burrell
Jairo Bustos Heredia
Adrian Butter
John Calvin
Clark Carty
Craig Chabot
David Chalupsky
Frank Chang
Xin Chang
Golam Choudhury
Keng Hua Chuang
Kamal Dalmia
John D'Ambrosia
Piers Dawe
Fred Dawson
John Deandrea
Gerrit den Besten
Claudio DeSanti
Chris Diminico
Hormoz Djahanshahi

Curtis Donahue
Liang Du
Kathryn Dube
Mike Dudek
Marc Dupuis
Frank Effenberger
David Estes
John Ewen
Borhan Fathi Moghadam
Vincent Ferretti
Brian Franchuk
Matthias Fritsche
Richard Frosch
Shiyong Fu
Mike Gardner
Claude Gauthier
Ali Ghiasi
Joel Goergen
Zhigang Gong
Steven Gorshe
Jens Gottron
Steffen Graber
Olaf Grau
Robert Grow
Mark Gustlin
Marek Hajduczenia
Hayden Haynes
Xiang He
Howard Heck
Brian Holden
Rita Horner
Bernd Horrmeyer
Gergely Huszak
Yasuhiro Hyakutake
Kazuhiko Ishibe
Hideki Isono
Tom Issenhuth
Kenneth Jackson
Andrew Jimenez
John Johnson
Chad Jones
Peter Jones
Lokesh Kabra
Manabu Kagami

Upen Kareti
Yasuaki Kawatsu
Yong Kim
Mark Kimber
Michael Klempa
Curtis Knittle
Elizabeth Kochuparambil
Wojciech Koczwar
Paul Kolesar
Taiji Kondo
Glen Kramer
Olaf Krieger
Hans Lackner
Jeffrey Lapak
Mark Laubach
Han Hyub Lee
June Hee Lee
Alex Levin
Jon Lewis
David Li
Mike-Peng Li
Jane Lim
Alex Lin
Dekun Liu
Hai-Feng Liu
Karen Liu
Zhenyu Liu
William Lo
Yuchun Lu
Miklos Lukacs
Kent Lusted
Ilya Lyubomirsky
Jeffery Maki
David Malicoat
Flavio Marques
Arthur Marris
Chris Mash
Takeo Masuda
Kirsten Matheus
Erdem Matoglu
Marco Mazzini
Mick McCarthy

Brett McClellan	Alexander Rysin	Ed Ulrichs
Larry McMillan	Toshiaki Sakai	Alexander Umnov
Greg McSorley	Hamid Salehi	Ricky Vernickel
Richard Mellitz	Sam Sambasivan	Marco Vitali
Martin Miller	Edward Sayre	Robert Voss
Toshiyuki Moritake	James Schuessler	Dylan Walker
Thomas Mueller	Steve Sekel	Haifei Wang
Edward Nakamoto	Masood Shariff	Roy Wang
Paul Neveux	Mizuki Shirao	Tongtong Wang
Gary Nicholl	Jialong Shuai	Xinyuan Wang
Shawn Nicholl	Jeff Slavick	Xuehuan Wang
John Nolan	Daniel Smith	Christoph Wechsler
Kevin Noll	Scott Sommers	Brian Welch
Mark Nowell	Tom Souvignier	Matthias Wendt
David Ofelt	Bryan Sparrowhawk	Natalie Wienckowski
Josef Ohni	Edward Sprague	James Withey
Tom Palkert	Peter Stassar	Mau-Lin Wu
Sujan Pandey	Heath Stewart	Peter Wu
Carlos Pardo	David Stover	Markus Wucher
Earl Parsons	Junqing Sun	Dayin Xu
Gerald Pepper	Liyang Sun	Yu Xu
Phong Pham	Steve Swanson	Shuto Yamamoto
David Piehler	Bharat Tailor	Adrian Young
Rick Pimpinella	Tomoo Takahara	James Young
Christopher Pohl	Kohichi Tamura	Lennart Yseboodt
William Powell	Mehmet Tazebay	Andrew Zambell
Dino Pozzebon	Ronald Tellas	Conrad Zerna
Rick Rabinovich	Geoffrey Thompson	Richard (Yujia) Zhou
Zvi Rechtman	Pirooz Tooyserkani	Yan Zhuang
Alon Regev	Nathan Tracy	Martin Zielinski
Duane Remein	David Tremblay	George Zimmerman
Victor Renteria	Stephen Trowbridge	Pavel Zivny
Salvatore Rotolo	Ta Chin Tseng	Harald Zweck

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

John Abbott	Marek Hajduczenia	Michael Lynch
Thomas Alexander	Adam Healey	Valerie Maguire
Peter Anslow	Marco Hernandez	Jeffery Maki
Butch Anton	David Hess	David Malicoat
Ralf-Peter Braun	Werner Hoelzl	Arthur Marris
Nancy Bravin	Oliver Holland	Brett McClellan
Demetrio Bucaneg, Jr.	Rita Horner	Richard Mellitz
Jairo Bustos Heredia	Yasuhiro Hyakutake	Tremont Miao
William Byrd	Atsushi Ito	Jose Morales
Steven B. Carlson	Raj Jain	Paul Neveux
Clark Carty	SangKwon Jeong	Gary Nicholl
Chan Chen	Lokesh Kabra	NickS .A. Nikjoo
Piers Dawe	Manabu Kagami	Paul Nikolich
John Deandrea	Piotr Karocki	Satoshi Obara
Stephen Didde	Stuart Kerry	Thomas Palkert
Christopher Diminico	Yongbum Kim	Carlos Pardo
Michael Dudek	Paul Kolesar	Earl Parsons
Avraham Freedman	Mark Laubach	Bansi Patel
Matthias Fritsche	David Law	Dev Paul
Devon Gayle	Hyeong Ho Lee	David Piehler
Ali Ghiasi	David Lewis	Rick Pimpinella
Zhigang Gong	Jon Lewis	Adee Ran
Randall Groves	Robert Lingle	R. .K Rannow

Alon Regev
Maximilian Riegel
Robert Robinson
Benjamin Rolfe
Toshiaki Sakai
Dieter Schicketanz
James Schuessler
Thomas Starai
Peter Stassar

Walter Struppler
Mitsutoshi Sugawara
Satoshi Takahashi
David Tepen
James Theodoras
David Thompson
Nathan Tracy
David Tremblay
Mark-Rene Uchida

Alexander Umnov
Dmitri Varsanofiev
George Vlantis
Lisa Ward
Keith Waters
Andreas Wolf
Peter Wu
James Young
Oren Yuen

When the IEEE-SA Standards Board approved this standard on 30 January 2020, it had the following membership:

Gary Hoffman, *Chair*
Vacant Position, *Vice Chair*
Jean-Philippe Faure, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
J. Travis Griffith
Grace Gu
Guido R. Hiertz
Joseph L. Koepfinger*
John D. Kulick
David J. Law

Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel
Jon Walter Rosdahl

Dorothy Stanley
Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802.3cm-2020, IEEE Standard for Ethernet. Amendment 7: Physical Layer and Management Parameters for 400 Gb/s over Multimode Fiber.

IEEE Std 802.3™ was first published in 1985. Since the initial publication, many projects have added functionality or provided maintenance updates to the specifications and text included in the standard. Each IEEE 802.3 project/amendment is identified with a suffix (e.g., IEEE Std 802.3ba™-2010).

The half duplex Media Access Control (MAC) protocol specified in IEEE Std 802.3-1985 is Carrier Sense Multiple Access with Collision Detection (CSMA/CD). This MAC protocol was key to the experimental Ethernet developed at Xerox Palo Alto Research Center, which had a 2.94 Mb/s data rate. Ethernet at 10 Mb/s was jointly released as a public specification by Digital Equipment Corporation (DEC), Intel and Xerox in 1980. Ethernet at 10 Mb/s was approved as an IEEE standard by the IEEE Standards Board in 1983 and subsequently published in 1985 as IEEE Std 802.3-1985. Since 1985, new media options, new speeds of operation, and new capabilities have been added to IEEE Std 802.3. A full duplex MAC protocol was added in 1997.

Some of the major additions to IEEE Std 802.3 are identified in the marketplace with their project number. This is most common for projects adding higher speeds of operation or new protocols. For example, IEEE Std 802.3u™ added 100 Mb/s operation (also called Fast Ethernet), IEEE Std 802.3z added 1000 Mb/s operation (also called Gigabit Ethernet), IEEE Std 802.3ae added 10 Gb/s operation (also called 10 Gigabit Ethernet), IEEE Std 802.3ah™ specified access network Ethernet (also called Ethernet in the First Mile) and IEEE Std 802.3ba added 40 Gb/s operation (also called 40 Gigabit Ethernet) and 100 Gb/s operation (also called 100 Gigabit Ethernet). These major additions are all now included in and are superseded by IEEE Std 802.3-2018 and are not maintained as separate documents.

At the date of IEEE Std 802.3cm-2020 publication, IEEE Std 802.3 was composed of the following documents:

IEEE Std 802.3-2018

Section One—Includes Clause 1 through Clause 20 and Annex A through Annex H and Annex 4A. Section One includes the specifications for 10 Mb/s operation and the MAC, frame formats and service interfaces used for all speeds of operation.

Section Two—Includes Clause 21 through Clause 33 and Annex 22A through Annex 33E. Section Two includes management attributes for multiple protocols and speed of operation as well as specifications for providing power over twisted pair cabling for multiple operational speeds. It also includes general information on 100 Mb/s operation as well as most of the 100 Mb/s Physical Layer specifications.

Section Three—Includes Clause 34 through Clause 43 and Annex 36A through Annex 43C. Section Three includes general information on 1000 Mb/s operation as well as most of the 1000 Mb/s Physical Layer specifications.

Section Four—Includes Clause 44 through Clause 55 and Annex 44A through Annex 55B. Section Four includes general information on 10 Gb/s operation as well as most of the 10 Gb/s Physical Layer specifications.

Section Five—Includes Clause 56 through Clause 77 and Annex 57A through Annex 76A. Clause 56 through Clause 67 and Clause 75 through Clause 77, as well as associated annexes, specify subscriber access and other Physical Layers and sublayers for operation from 512 kb/s to 10 Gb/s, and defines ser-

vices and protocol elements that enable the exchange of IEEE Std 802.3 format frames between stations in a subscriber access network. Clause 68 specifies a 10 Gb/s Physical Layer specification. Clause 69 through Clause 74 and associated annexes specify Ethernet operation over electrical backplanes at speeds of 1000 Mb/s and 10 Gb/s.

Section Six—Includes Clause 78 through Clause 95 and Annex 83A through Annex 93C. Clause 78 specifies Energy-Efficient Ethernet. Clause 79 specifies IEEE 802.3 Organizationally Specific Link Layer Discovery Protocol (LLDP) type, length, and value (TLV) information elements. Clause 80 through Clause 95 and associated annexes include general information on 40 Gb/s and 100 Gb/s operation as well the 40 Gb/s and 100 Gb/s Physical Layer specifications. Clause 90 specifies Ethernet support for time synchronization protocols.

Section Seven—Includes Clause 96 through Clause 115 and Annex 97A through Annex 115A. Clause 96 through Clause 98, Clause 104, and associated annexes, specify Physical Layers and optional features for 100 Mb/s and 1000 Mb/s operation over a single twisted pair. Clause 100 through Clause 103, as well as associated annexes, specify Physical Layers for the operation of the EPON protocol over coaxial distribution networks. Clause 105 through Clause 114 and associated annexes include general information on 25 Gb/s operation as well as 25 Gb/s Physical Layer specifications. Clause 99 specifies a MAC merge sublayer for the interspersing of express traffic. Clause 115 and its associated annex specify a Physical Layer for 1000 Mb/s operation over plastic optical fiber.

Section Eight—Includes Clause 116 through Clause 126 and Annex 119A through Annex 120E. Clause 116 through Clause 124 and associated annexes include general information on 200 Gb/s and 400 Gb/s operation as well the 200 Gb/s and 400 Gb/s Physical Layer specifications. Clause 125 and Clause 126 include general information on 2.5 Gb/s and 5 Gb/s operation as well as 2.5 Gb/s and 5 Gb/s Physical Layer specifications.

IEEE Std 802.3cb™-2018

Amendment 1—This amendment includes changes to IEEE Std 802.3-2018 and its amendments, and adds Clause 127 through Clause 130, Annex 127A, Annex 128A, Annex 128B, and Annex 130A. This amendment adds new Physical Layers for operation at 2.5 Gb/s and 5 Gb/s over electrical backplanes.

IEEE Std 802.3bt™-2018

Amendment 2—This amendment includes changes to IEEE Std 802.3-2018 and adds Clause 145, Annex 145A, Annex 145B, and Annex 145C. This amendment adds power delivery using all four pairs in the structured wiring plant, resulting in greater power being available to end devices. This amendment also allows for lower standby power consumption in end devices and adds a mechanism to better manage the available power budget.

IEEE Std 802.3cd™-2018

Amendment 3—This amendment includes changes to IEEE Std 802.3-2018 and adds Clause 131 through Clause 140 and Annex 135A through Annex 136D. This amendment adds MAC parameters, Physical Layers, and management parameters for the transfer of IEEE 802.3 format frames at 50 Gb/s, 100 Gb/s, and 200 Gb/s.

IEEE Std 802.3cn™-2019

Amendment 4—This amendment includes changes to IEEE Std 802.3-2018 and adds 50 Gb/s, 200 Gb/s, and 400 Gb/s Physical Layer specifications and management parameters for operation over single-mode fiber with reaches of at least 40 km.

IEEE Std 802.3cg™-2019

Amendment 5—This amendment includes changes to IEEE Std 802.3-2018 and its amendments, and adds Clause 146 through Clause 148 and Annex 146A and Annex 146B. This amendment adds 10 Mb/s Physical Layer specifications and management parameters for operation on a single balanced pair of conductors.

IEEE Std 802.3cq™-2020

Amendment 6—This amendment includes editorial and technical corrections, refinements, and clarifications to Clause 33 and related portions of the standard.

IEEE Std 802.3cm™-2020

Amendment 7—This amendment includes changes to IEEE Std 802.3-2018 and adds Clause 150. This amendment adds Physical Layer (PHY) specifications and management parameters for 400 Gb/s operation on four pairs (400GBASE-SR4.2) and eight pairs (400GBASE-SR8) of multimode fiber, over reaches of at least 100 m.

Two companion documents exist, IEEE Std 802.3.1 and IEEE Std 802.3.2. IEEE Std 802.3.1 describes Ethernet management information base (MIB) modules for use with the Simple Network Management Protocol (SNMP). IEEE Std 802.3.2 describes YANG data models for Ethernet. IEEE Std 802.3.1 and IEEE Std 802.3.2 are updated to add management capability for enhancements to IEEE Std 802.3 after approval of those enhancements.

IEEE Std 802.3 will continue to evolve. New Ethernet capabilities are anticipated to be added within the next few years as amendments to this standard.

Contents

1. Introduction.....	17
1.3 Normative references.....	17
1.4 Definitions	17
30. Management.....	18
30.5 Layer management for medium attachment units (MAUs)	18
30.5.1 MAU managed object class	18
30.5.1.1 MAU attributes	18
30.5.1.1.2 aMAUType	18
45. Management Data Input/Output (MDIO) Interface	19
45.2 MDIO Interface Registers.....	19
45.2.1 PMA/PMD registers	19
45.2.1.6 PMA/PMD control 2 register (Register 1.7).....	19
45.2.1.7 PMA/PMD status 2 register (Register 1.8)	19
45.2.1.7.4 Transmit fault (1.8.11)	19
45.2.1.7.5 Receive fault (1.8.10).....	20
45.2.1.8 PMD transmit disable register (Register 1.9)	20
45.2.1.21 400G PMA/PMD extended ability register (Register 1.24)	21
45.2.1.21.1b 400GBASE-SR4.2 ability (1.24.7)	21
45.2.1.21.1c 400GBASE-SR8 ability (1.24.6)	21
78. Energy-Efficient Ethernet (EEE)	22
78.1 Overview.....	22
78.1.4 PHY types optionally supporting EEE	22
116. Introduction to 200 Gb/s and 400 Gb/s networks	23
116.1 Overview.....	23
116.1.2 Relationship of 200 Gigabit and 400 Gigabit Ethernet to the ISO OSI reference model	23
116.1.3 Nomenclature.....	23
116.1.4 Physical Layer signaling systems	24
116.2 Summary of 200 Gigabit and 400 Gigabit Ethernet sublayers	24
116.2.5 Physical Medium Dependent (PMD) sublayer	24
116.4 Delay constraints.....	24
116.5 Skew constraints	25
138. Physical Medium Dependent (PMD) sublayer and medium, type 50GBASE-SR, 100GBASE-SR2, 200GBASE-SR4, 400GBASE-SR8	27
138.1 Overview.....	27
138.1.1 Bit error ratio	29
138.2 Physical Medium Dependent (PMD) service interface	30
138.3 Delay and Skew	31
138.3.1 Delay constraints.....	31
138.3.2 Skew Constraints	31

138.3.2.2	Skew Constraints for 100GBASE-SR2, and 200GBASE-SR4, and 400GBASE-SR8	31
138.4	PMD MDIO function mapping.....	31
138.5	PMD functional specifications.....	32
138.5.1	PMD block diagram.....	32
138.5.2	PMD transmit function	33
138.5.3	PMD receive function.....	34
138.5.4	PMD global signal detect function	34
138.5.5	PMD lane-by-lane signal detect function	34
138.5.8	PMD lane-by-lane transmit disable function (optional)	35
138.6	Lane assignments	35
138.7	PMD to MDI optical specifications for 50GBASE-SR, 100GBASE-SR2, and 200GBASE-SR4, and 400GBASE-SR8	35
138.7.1	Transmitter optical specifications	35
138.7.2	Receiver optical specifications	36
138.7.3	Illustrative link power budget	36
138.8	Definition of optical parameters and measurement methods.....	37
138.8.1	Test patterns for optical parameters.....	37
138.8.5	Transmitter and dispersion eye closure for PAM4 (TDECQ).....	37
138.8.5.1	TDECQ reference equalizer.....	37
138.8.10	Stressed receiver sensitivity.....	37
138.9	Safety, installation, environment, and labeling.....	38
138.9.2	Laser safety	38
138.9.4	Environment.....	38
138.9.5	Electromagnetic emission	38
138.9.7	PMD labeling requirements	38
138.10	Fiber optic cabling model	38
138.10.1	Fiber optic cabling model	38
138.10.3	Medium Dependent Interface (MDI).....	38
138.10.3.1	Optical lane assignments for 100GBASE-SR2, and 200GBASE-SR4, and 400GBASE-SR8	39
138.10.3.4	MDI requirements for 400GBASE-SR8.....	40
138.11	Protocol implementation conformance statement (PICS) proforma for Clause 138, Physical Medium Dependent (PMD) sublayer and medium, type 50GBASE-SR, 100GBASE-SR2, 200GBASE-SR4, 400GBASE-SR8	41
138.11.1	Introduction.....	41
138.11.2	Identification.....	41
138.11.2.2	Protocol summary	41
138.11.3	Major capabilities/options.....	42
138.11.4	PICS proforma tables for Physical Medium Dependent (PMD) sublayer and medium, type 50GBASE-SR, 100GBASE-SR2, 200GBASE-SR4, 400GBASE-SR8	42
138.11.4.1	PMD functional specifications.....	43
138.11.4.6	Characteristics of the fiber optic cabling and MDI.....	43
150.	Physical Medium Dependent (PMD) sublayer and medium, type 400GBASE-SR4.2	46
150.1	Overview.....	46
150.1.1	Bit error ratio	47
150.2	Physical Medium Dependent (PMD) service interface	47
150.3	Delay and Skew	48
150.3.1	Delay constraints.....	48
150.3.2	Skew constraints	48
150.4	PMD MDIO function mapping.....	49
150.5	PMD functional specifications.....	49

150.5.1	PMD block diagram.....	50
150.5.2	PMD transmit function	50
150.5.3	PMD receive function.....	50
150.5.4	PMD global signal detect function	51
150.5.5	PMD lane-by-lane signal detect function	52
150.5.6	PMD reset function.....	52
150.5.7	PMD global transmit disable function (optional)	52
150.5.8	PMD lane-by-lane transmit disable function (optional)	52
150.5.9	PMD fault function (optional)	52
150.5.10	PMD transmit fault function (optional)	52
150.5.11	PMD receive fault function (optional).....	53
150.6	Wavelength ranges.....	53
150.7	PMD to MDI optical specifications for 400GBASE-SR4.2	53
150.7.1	Transmitter optical specifications.....	54
150.7.2	Receiver optical specifications	54
150.7.3	Illustrative link power budget.....	56
150.8	Definition of optical parameters and measurement methods.....	56
150.8.1	Test patterns for optical parameters.....	56
150.8.1.1	Multi-lane testing considerations.....	57
150.8.2	Center wavelength and spectral width	57
150.8.3	Average optical power	57
150.8.4	Outer Optical Modulation Amplitude (OMA _{outer}).....	57
150.8.5	Transmitter and dispersion eye closure for PAM4 (TDECQ).....	58
150.8.5.1	TDECQ reference equalizer.....	58
150.8.6	Extinction ratio	58
150.8.7	Transmitter transition time.....	58
150.8.8	Relative intensity noise (RIN _{12OMA})	59
150.8.9	Receiver sensitivity.....	59
150.8.10	Stressed receiver sensitivity.....	60
150.8.10.1	Sinusoidal jitter for receiver conformance test	61
150.9	Safety, installation, environment, and labeling.....	61
150.9.1	General safety	61
150.9.2	Laser safety	61
150.9.3	Installation	61
150.9.4	Environment.....	62
150.9.5	Electromagnetic emission	62
150.9.6	Temperature, humidity, and handling.....	62
150.9.7	PMD labeling requirements.....	62
150.10	Fiber optic cabling model	62
150.10.1	Fiber optic cabling model	63
150.10.2	Characteristics of the fiber optic cabling (channel).....	63
150.10.2.1	Optical fiber cable.....	63
150.10.2.2	Optical fiber connection.....	64
150.10.2.2.1	Connection insertion loss	64
150.10.2.2.2	Maximum discrete reflectance.....	64
150.10.3	Medium Dependent Interface (MDI).....	64
150.10.3.1	Optical lane assignments	65
150.10.3.2	MDI requirements.....	65
150.11	Protocol implementation conformance statement (PICS) proforma for Clause 150, Physical Medium Dependent (PMD) sublayer and medium, type 400GBASE-SR4.2.....	66
150.11.1	Introduction.....	66
150.11.2	Identification.....	66
150.11.2.1	Implementation identification.....	66
150.11.2.2	Protocol summary	66

150.11.3	Major capabilities/options.....	67
150.11.4	PICS proforma tables for Physical Medium Dependent (PMD) sublayer and medium, type 40GBASE-SR4.2	67
150.11.4.1	PMD functional specifications.....	67
150.11.4.2	Management functions.....	68
150.11.4.3	PMD to MDI optical specifications	69
150.11.4.4	Optical measurement methods.....	69
150.11.4.5	Environmental specifications.....	69
150.11.4.6	Characteristics of the fiber optic cabling and MDI.....	70

IEEE Standard for Ethernet

Amendment 7: Physical Layer and Management Parameters for 400 Gb/s over Multimode Fiber

(This amendment is based on IEEE Std 802.3™-2018 as amended by IEEE Std 802.3cb™-2018, IEEE Std 802.3bt™-2018, IEEE Std 802.3cd™-2018, IEEE Std 802.3cn™-2019, IEEE Std 802.3cg™-2019 and IEEE Std 802.3cq-2020.)

NOTE—The editing instructions contained in this amendment define how to merge the material contained therein into the existing base standard and its amendments to form the comprehensive standard.

The editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using ~~strike through~~ (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Deletions and insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.

Cross references that refer to clauses, tables, equations, or figures not covered by this amendment are highlighted in green.¹

¹ Notes in text, tables, and figures are given for information only and do not contain requirements needed to implement the standard.

1. Introduction

1.3 Normative references

Insert the following two references in alphanumeric order:

ANSI/TIA-604-18-A:2018, FOCIS 18—Fiber Optic Connector Intermateability Standard—Type MPO-16.²

IEC 61754-7-2:2017, Fibre optic interconnecting devices and passive components—Fibre optic connector interfaces—Part 7-2: Type MPO connector family—Two fibre rows.³

1.4 Definitions

Insert two new definitions after 1.4.110 “400GBASE-SR16” as follows:

1.4.110a 400GBASE-SR4.2: IEEE 802.3 Physical Layer specification for 400 Gb/s using 400GBASE-R encoding over eight lanes on multimode fiber in a bidirectional WDM format, with reach up to at least 150 m. (See IEEE Std 802.3, Clause 150.)

1.4.110b 400GBASE-SR8: IEEE 802.3 Physical Layer specification for 400 Gb/s using 400GBASE-R encoding over eight lanes of multimode fiber, with reach up to at least 100 m. (See IEEE Std 802.3, Clause 138.)

²ANSI/TIA publications are available from the IHS Standards Store (<https://global.ihs.com/>) or from the Telecommunications Industry Association (<https://www.tiaonline.org>).

³IEC publications are available from the International Electrotechnical Commission (<https://www.iec.ch/>) and the American National Standards Institute (<https://www.ansi.org>).

30. Management

30.5 Layer management for medium attachment units (MAUs)

30.5.1 MAU managed object class

30.5.1.1 MAU attributes

30.5.1.1.2 aMAUType

Insert 400GBASE-SR8 and 400GBASE-SR4.2 PHY types into the “APPROPRIATE SYNTAX” section of 30.5.1.1.2 after 400GBASE-SR16, as follows:

...	
400GBASE-SR8	400GBASE-R PCS/PMA over 8-lane multimode fiber PMD as specified in Clause 138
400GBASE-SR4.2	400GBASE-R PCS/PMA over 8-lane multimode fiber PMD as specified in Clause 150
...	

45. Management Data Input/Output (MDIO) Interface

45.2 MDIO Interface Registers

45.2.1 PMA/PMD registers

45.2.1.6 PMA/PMD control 2 register (Register 1.7)

Change the indicated reserved rows of Table 45–7 (as modified by IEEE Std 802.3cn-2019) as follows (unchanged rows not shown):

Table 45–7—PMA/PMD control 2 register bit definitions

Bit(s)	Name	Description	R/W ^a
...			
1.7.6:0	PMA/PMD type selection	6 5 4 3 2 1 0 ... 1 1 0 0 0 0 x = reserved 1 1 0 0 0 0 1 = reserved 1 1 0 0 0 0 0 = 400GBASE-SR4.2 PMA/PMD 1 0 1 1 1 1 x = reserved 1 0 1 1 1 1 1 = 400GBASE-SR8 PMA/PMD 1 0 1 1 1 1 0 = reserved ...	R/W

^a R/W = Read/Write, RO = Read only

45.2.1.7 PMA/PMD status 2 register (Register 1.8)

45.2.1.7.4 Transmit fault (1.8.11)

Change the row for 50GBASE-SR, 100GBASE-SR2, 200GBASE-SR4 in Table 45–9 (as inserted by IEEE Std 802.3cd-2018) and insert a new row for 400GBASE-SR4.2 after the row for 400GBASE-SR16 as follows (unchanged rows not shown):

Table 45–9—Transmit fault description location

PMA/PMD	Description location
...	
50GBASE-SR, 100GBASE-SR2, 200GBASE-SR4, <u>400GBASE-SR8</u>	138.5.10
...	
400GBASE-SR4.2	150.5.10
...	