INTERNATIONAL STANDARD

ISO/IEC/IEEE 9945

First edition
2009-09-15

Information technology — Portable Operating System Interface (POSIX®) Base Specifications, Issue 7

Technologies de l'information — Spécifications de base de l'interface pour la portabilité des systèmes (POSIX®), Issue 7

Reference number
ISO/IEC/IEEE 9945:2009(E)

Documents
Document Sharing Hub

Copyright © 2001-2008, IEEE and The Open Group
All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. Neither the ISO Central Secretariat nor IEEE accepts any liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies and IEEE members. In the unlikely event that a problem relating to it is found, please inform the ISO Central Secretariat or IEEE at the address given below.

COPYRIGHT PROTECTED DOCUMENT

© IEEE 2001-2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO or IEEE at the respective address below.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York • NY 10016-5997, USA
E-mail stds.ipr@ieee.org
Web www.ieee.org

Published in Switzerland

Documents
Document Sharing Hub

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 9945 was prepared by The Open Group (as The Open Group Technical Standard Base Specifications, Issue 7) and the Portable Applications Standards Committee of the Computer Society of the IEEE (as IEEE Std 1003.1™-2008). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages*, *their environments and system software interfaces*, in parallel with its approval by the ISO/IEC national bodies, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

This first edition of ISO/IEC/IEEE 9945 cancels and replaces ISO/IEC 9945-1:2003, ISO/IEC 9945-2:2003, ISO/IEC 9945-3:2003 and ISO/IEC 9945-4:2003, which have been technically revised. It also incorporates the Technical Corrigenda ISO/IEC 9945-1:2003/Cor.1:2004, ISO/IEC 9945-2:2003/Cor.1:2004, ISO/IEC 9945-3:2003/Cor.1:2004 and ISO/IEC 9945-4:2003/Cor.1:2004.

Documents
Document Sharing Hub

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

(blank page)

Documents
Document Sharing Hub

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

Standard for Information Technology– Portable Operating System Interface (POSIX®)

Base Specifications, Issue 7

1003.1™

IEEE Computer Society

Sponsored by the
Portable Applications Standards Committee

and

The Open Group

IEEE
3 Park Avenue
New York, NY 10016-5997, USA

1 December 2008

IEEE Std 1003.1™-2008
(Revision of
IEEE Std 1003.1-2004)

Documents
Document Sharing Hub

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

(blank page)

Documents
Document Sharing Hub

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

IEEE Std 1003.1™-2008
(Revision of
IEEE Std 1003.1-2004)

The Open Group Technical Standard
Base Specifications, Issue 7

Standard for Information Technology— Portable Operating System Interface (POSIX®)

Base Specifications, Issue 7

Sponsor

Portable Applications Standards Committee

of the

IEEE Computer Society

and

The Open Group

Approved 26 September 2008

IEEE-SA Standards Board

Approved 24 July 2008

The Open Group

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved

Full document details: ISO_IEC_IEEE 9945_2009

Abstract

POSIX.1-2008 is simultaneously IEEE Std 1003.1™-2008 and The Open Group Technical Standard Base Specifications, Issue 7.

POSIX.1-2008 defines a standard operating system interface and environment, including a command interpreter (or "shell"), and common utility programs to support applications portability at the source code level. POSIX.1-2008 is intended to be used by both application developers and system implementors and comprises four major components (each in an associated volume):

- General terms, concepts, and interfaces common to all volumes of this standard, including utility conventions and C-language header definitions, are included in the Base Definitions volume.
- Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume.
- Definitions for a standard source code-level interface to command interpretation services (a "shell") and common utility programs for application programs are included in the Shell and Utilities volume.
- Extended rationale that did not fit well into the rest of the document structure, which contains historical information concerning the contents of POSIX.1-2008 and why features were included or discarded by the standard developers, is included in the Rationale (Informative) volume.

The following areas are outside the scope of POSIX.1-2008:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

POSIX.1-2008 describes the external characteristics and facilities that are of importance to application developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

Keywords

application program interface (API), argument, asynchronous, basic regular expression (BRE), batch job, batch system, built-in utility, byte, child, command language interpreter, CPU, extended regular expression (ERE), FIFO, file access control mechanism, input/output (I/O), job control, network, portable operating system interface (POSIX®), parent, shell, stream, string, synchronous, system, thread, X/Open System Interface (XSI)

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

The Open Group
Thames Tower, Station Road, Reading, Berkshire, RG1 1LX, U.K.

Copyright © 2008 by the Institute of Electrical and Electronics Engineers, Inc. and The Open Group
All rights reserved.

Published 1 December 2008 by the IEEE. Printed in the United States of America by the IEEE.

PDF: ISBN 978-0-7381-5798-6 STD95820
CDROM: ISBN 978-0-7381-5799-3 STDCD95820

Published 1 December 2008 by The Open Group. Printed in the United Kingdom by The Open Group.

Doc. Number: C082
ISBN: 1-931624-79-8

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. Permission to reproduce all or any part of this standard must be with the consent of both copyright holders and may be subject to a license fee. Both copyright holders will need to be satisfied that the other has granted permission. Requests should be sent by email to austin-group-permissions@opengroup.org.

This standard has been prepared by the Austin Group. Feedback relating to the material contained within this standard may be submitted by using the Austin Group web site at www.opengroup.org/austin/defectform.html.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

IEEE

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property, or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS".

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE Standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE.[A] Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

[A] For this standard please send comments via the Austin Group, as indicated on page ii.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

The Open Group

The Open Group is a vendor-neutral and technology-neutral consortium, whose vision of Boundaryless Information Flow™ will enable access to integrated information within and between enterprises based on open standards and global interoperability. The Open Group works with customers, suppliers, consortia, and other standards bodies. Its role is to capture, understand, and address current and emerging requirements, establish policies, and share best practices; to facilitate interoperability, develop consensus, and evolve and integrate specifications and Open Source technologies; to offer a comprehensive set of services to enhance the operational efficiency of consortia; and to operate the industry's premier certification service, including UNIX® certification.

Further information on The Open Group is available at www.opengroup.org.

The Open Group has over 20 years' experience in developing and operating certification programs and has extensive experience developing and facilitating industry adoption of test suites used to validate conformance to an open standard or specification.

The Open Group publishes a wide range of technical documentation, the main part of which is focused on development of Technical and Product Standards and Guides, but which also includes white papers, technical studies, branding and testing documentation, and business titles. Full details and a catalog are available at www.opengroup.org/bookstore.

As with all *live* documents, Technical Standards and Specifications require revision to align with new developments and associated international standards. To distinguish between revised specifications which are fully backwards compatible and those which are not:

- A new *Version* indicates there is no change to the definitive information contained in the previous publication of that title, but additions/extensions are included. As such, it *replaces* the previous publication.
- A new *Issue* indicates there is substantive change to the definitive information contained in the previous publication of that title, and there may also be additions/extensions. As such, both previous and new documents are maintained as current publications.

Readers should note that Corrigenda may apply to any publication. Corrigenda information is published at www.opengroup.org/corrigenda.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Introduction

This introduction is not part of POSIX.1-2008, Standard for Information Technology – Portable Operating System Interface (POSIX).

This standard was developed, and is maintained, by a joint working group of members of the IEEE Portable Applications Standards Committee, members of The Open Group, and members of ISO/IEC Joint Technical Committee 1. This joint working group is known as the Austin Group.[B]

The Austin Group arose out of discussions amongst the parties which started in early 1998, leading to an initial meeting and formation of the group in September 1998. The purpose of the Austin Group is to develop and maintain the core open systems interfaces that are the POSIX® 1003.1 (and former 1003.2) standards, ISO/IEC 9945, and the core of the Single UNIX Specification.

The approach to specification development has been one of "write once, adopt everywhere", with the deliverables being a set of specifications that carry the IEEE POSIX designation, The Open Group's Technical Standard designation, and an ISO/IEC designation.

This unique development has combined both the industry-led efforts and the formal standardization activities into a single initiative, and included a wide spectrum of participants. The Austin Group continues as the maintenance body for this document.

Anyone wishing to participate in the Austin Group should contact the chair with their request. There are no fees for participation or membership. You may participate as an observer or as a contributor. You do not have to attend face-to-face meetings to participate; electronic participation is most welcome. For more information on the Austin Group and how to participate, see www.opengroup.org/austin.

Background

The developers of POSIX.1-2008 represent a cross-section of hardware manufacturers, vendors of operating systems and other software development tools, software designers, consultants, academics, authors, applications programmers, and others.

Conceptually, POSIX.1-2008 describes a set of fundamental services needed for the efficient construction of application programs. Access to these services has been provided by defining an interface, using the C programming language, a command interpreter, and common utility programs that establish standard semantics and syntax. Since this interface enables application developers to write portable applications – it was developed with that goal in mind – it has been designated POSIX[C], an acronym for Portable Operating System Interface.

Although originated to refer to the original IEEE Std 1003.1-1988, the name POSIX more correctly refers to a *family* of related standards: IEEE Std 1003.*n* and the parts of ISO/IEC 9945. In earlier editions of the IEEE standard, the term POSIX was used as a synonym for IEEE Std 1003.1-1988. A preferred term, POSIX.1, emerged. This maintained the advantages of readability of the symbol "POSIX" without being ambiguous with the POSIX family of standards.

Audience

The intended audience for POSIX.1-2008 is all persons concerned with an industry-wide standard operating system based on the UNIX system. This includes at least four groups of people:

- Persons buying hardware and software systems
- Persons managing companies that are deciding on future corporate computing directions
- Persons implementing operating systems, and especially
- Persons developing applications where portability is an objective

[B] The Austin Group is named after the location of the inaugural meeting held at the IBM facility in Austin, Texas in September 1998.
[C] The Name POSIX was suggested by Richard Stallman. It is expected to be pronounced *pahz-icks*, as in *positive*, not *poh-six*, or other variations. The pronunciation has been published in an attempt to promulgate a standardized way of referring to a standard operating system interface.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub
Full document details: ISO_IEC_IEEE 9945_2009

Purpose

Several principles guided the development of POSIX.1-2008:

- Application-Oriented – The basic goal was to promote portability of application programs across UNIX system environments by developing a clear, consistent, and unambiguous standard for the interface specification of a portable operating system based on the UNIX system documentation. POSIX.1-2008 codifies the common, existing definition of the UNIX system.
- Interface, Not Implementation – POSIX.1-2008 defines an interface, not an implementation. No distinction is made between library functions and system calls; both are referred to as functions. No details of the implementation of any function are given (although historical practice is sometimes indicated in the RATIONALE section). Symbolic names are given for constants (such as signals and error numbers) rather than numbers.
- Source, Not Object, Portability – POSIX.1-2008 has been written so that a program written and translated for execution on one conforming implementation may also be translated for execution on another conforming implementation. POSIX.1-2008 does not guarantee that executable (object or binary) code will execute under a different conforming implementation than that for which it was translated, even if the underlying hardware is identical.
- The C Language – The system interfaces and header definitions are written in terms of the standard C language as specified in the ISO C standard.
- No Superuser, No System Administration – There was no intention to specify all aspects of an operating system. System administration facilities and functions are excluded from this standard, and functions usable only by the superuser have not been included. Still, an implementation of the standard interface may also implement features not in POSIX.1-2008. POSIX.1-2008 is also not concerned with hardware constraints or system maintenance.
- Minimal Interface, Minimally Defined – In keeping with the historical design principles of the UNIX system, the mandatory core facilities of POSIX.1-2008 have been kept as minimal as possible. Additional capabilities have been added as optional extensions.
- Broadly Implementable – The developers of POSIX.1-2008 endeavored to make all specified functions implementable across a wide range of existing and potential systems, including:
  - — All of the current major systems that are ultimately derived from the original UNIX system code (Version 7 or later)
  - — Compatible systems that are not derived from the original UNIX system code
  - — Emulations hosted on entirely different operating systems
  - — Networked systems
  - — Distributed systems
  - — Systems running on a broad range of hardware

  No direct references to this goal appear in POSIX.1-2008, but some results of it are mentioned in the Rationale (Informative) volume.
- Minimal Changes to Historical Implementations – When the original version – IEEE Std 1003.1-1988 – was published, there were no known historical implementations that did not have to change. However, there was a broad consensus on a set of functions, types, definitions, and concepts that formed an interface that was common to most historical implementations.

  The adoption of the 1988 and 1990 IEEE system interface standards, the 1992 IEEE shell and utilities standard, the various Open Group (formerly X/Open) specifications, and IEEE Std 1003.1-2001 and its technical corrigenda have consolidated this consensus, and this version reflects the significantly increased level of consensus arrived at since the original versions. The authors of the original versions tried, as much as possible, to follow the principles below when creating new specifications:
  - — By standardizing an interface like one in an historical implementation; for example, directories
  - — By specifying an interface that is readily implementable in terms of, and backwards-compatible with, historical implementations, such as the extended *tar* format defined in the *pax* utility
  - — By specifying an interface that, when added to an historical implementation, will not conflict with it; for example, the *sigaction*() function

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

POSIX.1-2008 is specifically not a codification of a particular vendor's product.

It should be noted that implementations will have different kinds of extensions. Some will reflect "historical usage" and will be preserved for execution of pre-existing applications. These functions should be considered "obsolescent" and the standard functions used for new applications. Some extensions will represent functions beyond the scope of POSIX.1-2008. These need to be used with careful management to be able to adapt to future extensions of POSIX.1-2008 and/or port to implementations that provide these services in a different manner.

- Minimal Changes to Existing Application Code – A goal of POSIX.1-2008 was to minimize additional work for application developers. However, because every known historical implementation will have to change at least slightly to conform, some applications will have to change.

POSIX.1-2008

POSIX.1-2008 defines the Portable Operating System Interface (POSIX) requirements and consists of the following topics arranged as a series of volumes within the standard:

- Base Definitions
- System Interfaces
- Shell and Utilities
- Rationale (Informative)

Base Definitions

The Base Definitions volume provides common definitions for this standard, therefore readers should be familiar with it before using the other volumes.

This volume is structured as follows:

- Chapter 1 is an introduction.
- Chapter 2 defines the conformance requirements.
- Chapter 3 defines general terms used.
- Chapter 4 describes general concepts used.
- Chapter 5 describes the notation used to specify file input and output formats in this volume and the Shell and Utilities volume.
- Chapter 6 describes the portable character set and the process of character set definition.
- Chapter 7 describes the syntax for defining internationalization locales as well as the POSIX locale provided on all systems.
- Chapter 8 describes the use of environment variables for internationalization and other purposes.
- Chapter 9 describes the syntax of pattern matching using regular expressions employed by many utilities and matched by the *regcomp*() and *regexec*() functions.
- Chapter 10 describes files and devices found on all systems.
- Chapter 11 describes the asynchronous terminal interface for many of the functions in the System Interfaces volume and the *stty* utility in the Shell and Utilities volume.
- Chapter 12 describes the policies for command line argument construction and parsing.
- Chapter 13 defines the contents of headers which declare the functions and global variables, and define types, constants, macros, and data structures that are needed by programs using the services provided by the System Interfaces volume.

Comprehensive references are available in the index.

System Interfaces

The System Interfaces volume describes the interfaces offered to application programs by POSIX-conformant systems. Readers are expected to be experienced C language programmers, and to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards.
- Chapter 2 contains important concepts, terms, and caveats relating to the rest of this volume.
- Chapter 3 defines the functional interfaces to the POSIX-conformant system.

Comprehensive references are available in the index.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Shell and Utilities

The Shell and Utilities volume describes the commands and utilities offered to application programs on POSIX-conformant systems. Readers are expected to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards. It also describes the defaults used by the utility descriptions.
- Chapter 2 describes the command language used in POSIX-conformant systems, and special built-in utilities.
- Chapter 3 describes a set of services and utilities that are implemented on systems supporting the Batch Environment Services and Utilities option.
- Chapter 4 consists of reference pages for all utilities, other than the special built-in utilities described in Chapter 2, available on POSIX-conformant systems.

Comprehensive references are available in the index.

Rationale (Informative)

The Rationale volume is published to assist in the process of review. It contains historical information concerning the contents of this standard and why features were included or discarded by the standard developers. It also contains notes of interest to application programmers on recommended programming practices, emphasizing the consequences of some aspects of POSIX.1-2008 that may not be immediately apparent.

This volume is organized in parallel to the normative volumes of this standard, with a separate part for each of the three normative volumes.

Within this volume, the following terms are used:

- Base standard – The portions of POSIX.1-2008 that are not optional, equivalent to the definitions of *classic* POSIX.1 and POSIX.2.
- POSIX.0 – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to IEEE Std 1003.0™-1995.
- POSIX.1b – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the elements of the POSIX Realtime Extension amendment. (This was earlier referred to as POSIX.4 during the standard development process.)
- POSIX.1c – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the POSIX Threads Extension amendment. (This was earlier referred to as POSIX.4a during the standard development process.)
- Standard developers – The individuals and companies in the development organizations responsible for POSIX.1-2008: the IEEE P1003.1 working groups, The Open Group Base working group, advised by the hundreds of individual technical experts who balloted the draft standards within the Austin Group, and the member bodies and technical experts of ISO/IEC JTC 1/SC 22.
- XSI option – The portions of POSIX.1-2008 addressing the extension added for support of the Single UNIX Specification.

Typographical Conventions

The following typographical conventions are used throughout this standard. In the text, this standard is referred to as POSIX.1-2008, which is technically identical to The Open Group Base Specifications, Issue 7.

The typographical conventions listed here are for ease of reading only. Editorial inconsistencies in the use of typography are unintentional and have no normative meaning in POSIX.1-2008.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Reference	Example	Notes
C-Language Data Structure	**aiocb**	
C-Language Data Structure Member	*aio_lio_opcode*	
C-Language Data Type	**long**	
C-Language External Variable	*errno*	
C-Language Function	*system*()	
C-Language Function Argument	*arg*	
C-Language Function Family	*exec*	
C-Language Header	**<sys/stat.h>**	
C-Language Keyword	**return**	
C-Language Macro with Argument	*assert*()	
C-Language Macro with No Argument	NET_ADDRSTRLEN	
C-Language Preprocessing Directive	**#define**	
Commands within a Utility	**a**, **c**	
Conversion Specifier, Specifier/Modifier Character	`%A, g, E`	1
Environment Variable	*PATH*	
Error Number	[EINTR]	
Example Output	**`Hello, World`**	
Filename	**/tmp**	
Literal Character	`'c', '\r'`	2
Literal String	`"abcde"`	2
Optional Items in Utility Syntax	**[ ]**	
Parameter	*<directory pathname>*	
Special Character	<newline>	3
Symbolic Constant	_POSIX_VDISABLE	
Symbolic Limit, Configuration Value	{LINE_MAX}	4
Syntax	`#include <sys/stat.h>`	
User Input and Example Code	`echo Hello, World`	5
Utility Name	*awk*	
Utility Operand	*file_name*	
Utility Option	**-c**	
Utility Option with Option-Argument	**-w** *width*	

Note that:

1. Conversion specifications, specifier characters, and modifier characters are used primarily in date-related functions and utilities and the *fprintf*() and *fscanf*() formatting functions.
2. Unless otherwise noted, the quotes shall not be used as input or output. When used in a list item, the quotes are omitted. The literal characters <apostrophe> (also known as single-quote) and <backslash> are either shown as the C constants `'\'` and `'\\'`, respectively, or as the special characters <apostrophe>, single-quote, and <backslash> depending on context.
3. The style selected for some of the special characters, such as <newline>, matches the form of the input given to the *localedef* utility. Generally, the characters selected for this special treatment are those that are not visually distinct, such as the control characters <tab> or <newline>.
4. Names surrounded by braces represent symbolic limits or configuration values which may be declared in appropriate headers by means of the C **#define** construct.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

5. Brackets shown in this font, "`[ ]`", are part of the syntax and do not indicate optional items. In syntax the '`|`' symbol is used to separate alternatives, and ellipses ("`...`") are used to show that additional arguments are optional.

Shading is used to identify extensions and options.

Footnotes and notes within the body of the normative text are for information only (informative).

Informative sections (such as Rationale, Change History, Application Usage, and so on) are denoted by continuous shading bars in the margins.

Ranges of values are indicated with parentheses or brackets as follows:

1. (*a*,*b*) means the range of all values from *a* to *b*, including neither *a* nor *b*.
2. [*a*,*b*] means the range of all values from *a* to *b*, including *a* and *b*.
3. [*a*,*b*) means the range of all values from *a* to *b*, including *a*, but not *b*.
4. (*a*,*b*] means the range of all values from *a* to *b*, including *b*, but not *a*.

Note: A symbolic limit beginning with POSIX is treated differently, depending on context. In a C-language header, the symbol POSIX*string* (where *string* may contain underscores) is represented by the C identifier _POSIX*string*, with a leading underscore required to prevent ISO C standard name space pollution. However, in other contexts, such as languages other than C, the leading underscore is not used because this requirement does not exist.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Notice to Users

Laws and Regulations

Users of this document should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE and The Open Group do not, by the publication of standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE and The Open Group. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE and The Open Group do not waive any rights in copyright to this document.

Updating of IEEE Documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at ieeexplore.ieee.org/xpl/standards.jsp, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at standards.ieee.org.

Errata

Errata, if any, for this and all other standards can be accessed at the following web site: standards.ieee.org/reading/ieee/updates/errata. Users are encouraged to check this URL for errata periodically.

Feedback

POSIX.1-2008 has been prepared by the Austin Group. Feedback relating to the material contained in POSIX.1-2008 may be submitted using the Austin Group web site at www.opengroup.org/austin/defectform.html.

Interpretations

Current interpretations can be accessed at the following web site: standards.ieee.org/reading/ieee/interp.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses. Other Essential Patent Claims may exist for which a statement of assurance has not been received. The IEEE and The Open Group are not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions are reasonable or non-discriminatory. Further information may be obtained from the IEEE Standards Association and The Open Group.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

Volume 1 Base Definitions, Issue 7 1

Chapter 1 Introduction 3
1.1 Scope 3
1.2 Conformance 4
1.3 Normative References 4
1.4 Change History 5
1.5 Terminology 5
1.6 Definitions and Concepts 6
1.7 Portability 6
1.7.1 Codes 7
1.7.2 Margin Code Notation 13

Chapter 2 Conformance 15
2.1 Implementation Conformance 15
2.1.1 Requirements 15
2.1.2 Documentation 16
2.1.3 POSIX Conformance 16
2.1.4 XSI Conformance 19
2.1.5 Option Groups 20
2.1.6 Options 26
2.2 Application Conformance 29
2.2.1 Strictly Conforming POSIX Application 29
2.2.2 Conforming POSIX Application 30
2.2.3 Conforming POSIX Application Using Extensions 30
2.2.4 Strictly Conforming XSI Application 30
2.2.5 Conforming XSI Application Using Extensions 31
2.3 Language-Dependent Services for the C Programming Language 31
2.4 Other Language-Related Specifications 31

Chapter 3 Definitions 33
3.1 Abortive Release 33
3.2 Absolute Pathname 33
3.3 Access Mode 33
3.4 Additional File Access Control Mechanism 33
3.5 Address Space 33
3.6 Advisory Information 34
3.7 Affirmative Response 34
3.8 Alert 34
3.9 Alert Character (<alert>) 34
3.10 Alias Name 34
3.11 Alignment 35
3.12 Alternate File Access Control Mechanism 35

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

3.13 Alternate Signal Stack ... 35
3.14 Ancillary Data ... 35
3.15 Angle Brackets ... 35
3.16 Apostrophe Character (<apostrophe>) ... 35
3.17 Application ... 35
3.18 Application Address ... 36
3.19 Application Program Interface (API) ... 36
3.20 Appropriate Privileges ... 36
3.21 Argument ... 36
3.22 Arm (a Timer) ... 36
3.23 Asterisk Character (<asterisk>) ... 36
3.24 Async-Cancel-Safe Function ... 36
3.25 Asynchronous Events ... 37
3.26 Asynchronous Input and Output ... 37
3.27 Async-Signal-Safe Function ... 37
3.28 Asynchronously-Generated Signal ... 37
3.29 Asynchronous I/O Completion ... 37
3.30 Asynchronous I/O Operation ... 37
3.31 Authentication ... 37
3.32 Authorization ... 38
3.33 Background Job ... 38
3.34 Background Process ... 38
3.35 Background Process Group (or Background Job) ... 38
3.36 Backquote Character ... 38
3.37 Backslash Character (<backslash>) ... 38
3.38 Backspace Character (<backspace>) ... 38
3.39 Barrier ... 39
3.40 Basename ... 39
3.41 Basic Regular Expression (BRE) ... 39
3.42 Batch Access List ... 39
3.43 Batch Administrator ... 39
3.44 Batch Client ... 39
3.45 Batch Destination ... 40
3.46 Batch Destination Identifier ... 40
3.47 Batch Directive ... 40
3.48 Batch Job ... 40
3.49 Batch Job Attribute ... 40
3.50 Batch Job Identifier ... 40
3.51 Batch Job Name ... 41
3.52 Batch Job Owner ... 41
3.53 Batch Job Priority ... 41
3.54 Batch Job State ... 41
3.55 Batch Name Service ... 41
3.56 Batch Name Space ... 41
3.57 Batch Node ... 42
3.58 Batch Operator ... 42
3.59 Batch Queue ... 42
3.60 Batch Queue Attribute ... 42
3.61 Batch Queue Position ... 42
3.62 Batch Queue Priority ... 42
3.63 Batch Rerunability ... 43
3.64 Batch Restart ... 43

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

3.65 Batch Server 43
3.66 Batch Server Name 43
3.67 Batch Service 43
3.68 Batch Service Request 43
3.69 Batch Submission 43
3.70 Batch System 44
3.71 Batch Target User 44
3.72 Batch User 44
3.73 Bind 44
3.74 Blank Character (<blank>) 44
3.75 Blank Line 44
3.76 Blocked Process (or Thread) 44
3.77 Blocking 44
3.78 Block-Mode Terminal 45
3.79 Block Special File 45
3.80 Braces 45
3.81 Brackets 45
3.82 Broadcast 45
3.83 Built-In Utility (or Built-In) 46
3.84 Byte 46
3.85 Byte Input/Output Functions 46
3.86 Carriage-Return Character (<carriage-return>) 46
3.87 Character 47
3.88 Character Array 47
3.89 Character Class 47
3.90 Character Set 47
3.91 Character Special File 47
3.92 Character String 47
3.93 Child Process 48
3.94 Circumflex Character (<circumflex>) 48
3.95 Clock 48
3.96 Clock Jump 48
3.97 Clock Tick 48
3.98 Coded Character Set 48
3.99 Codeset 49
3.100 Collating Element 49
3.101 Collation 49
3.102 Collation Sequence 49
3.103 Column Position 50
3.104 Command 50
3.105 Command Language Interpreter 50
3.106 Composite Graphic Symbol 50
3.107 Condition Variable 50
3.108 Connected Socket 51
3.109 Connection 51
3.110 Connection Mode 51
3.111 Connectionless Mode 51
3.112 Control Character 51
3.113 Control Operator 51
3.114 Controlling Process 51
3.115 Controlling Terminal 52
3.116 Conversion Descriptor 52

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub
Full document details: ISO_IEC_IEEE 9945_2009

3.117 Core File ... 52
3.118 CPU Time (Execution Time) ... 52
3.119 CPU-Time Clock ... 52
3.120 CPU-Time Timer ... 52
3.121 Current Job ... 52
3.122 Current Working Directory ... 53
3.123 Cursor Position ... 53
3.124 Datagram ... 53
3.125 Data Segment ... 53
3.126 Deferred Batch Service ... 53
3.127 Device ... 53
3.128 Device ID ... 53
3.129 Directory ... 53
3.130 Directory Entry (or Link) ... 53
3.131 Directory Stream ... 54
3.132 Disarm (a Timer) ... 54
3.133 Display ... 54
3.134 Display Line ... 54
3.135 Dollar-Sign Character (<dollar-sign>) ... 54
3.136 Dot ... 54
3.137 Dot-Dot ... 55
3.138 Double-Quote Character ... 55
3.139 Downshifting ... 55
3.140 Driver ... 55
3.141 Effective Group ID ... 55
3.142 Effective User ID ... 55
3.143 Eight-Bit Transparency ... 55
3.144 Empty Directory ... 56
3.145 Empty Line ... 56
3.146 Empty String (or Null String) ... 56
3.147 Empty Wide-Character String ... 56
3.148 Encoding Rule ... 56
3.149 Entire Regular Expression ... 56
3.150 Epoch ... 57
3.151 Equivalence Class ... 57
3.152 Era ... 57
3.153 Event Management ... 57
3.154 Executable File ... 57
3.155 Execute ... 58
3.156 Execution Time ... 58
3.157 Execution Time Monitoring ... 58
3.158 Expand ... 58
3.159 Extended Regular Expression (ERE) ... 58
3.160 Extended Security Controls ... 58
3.161 Feature Test Macro ... 59
3.162 Field ... 59
3.163 FIFO Special File (or FIFO) ... 59
3.164 File ... 59
3.165 File Description ... 59
3.166 File Descriptor ... 60
3.167 File Group Class ... 60
3.168 File Mode ... 60

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

3.169 File Mode Bits 60
3.170 Filename 60
3.171 File Offset 60
3.172 File Other Class 61
3.173 File Owner Class 61
3.174 File Permission Bits 61
3.175 File Serial Number 61
3.176 File System 61
3.177 File Type 61
3.178 Filter 62
3.179 First Open (of a File) 62
3.180 Flow Control 62
3.181 Foreground Job 62
3.182 Foreground Process 62
3.183 Foreground Process Group (or Foreground Job) 62
3.184 Foreground Process Group ID 62
3.185 Form-Feed Character (<form-feed>) 63
3.186 Graphic Character 63
3.187 Group Database 63
3.188 Group ID 63
3.189 Group Name 63
3.190 Hard Limit 63
3.191 Hard Link 64
3.192 Home Directory 64
3.193 Host Byte Order 64
3.194 Incomplete Line 64
3.195 Inf 64
3.196 Instrumented Application 64
3.197 Interactive Shell 64
3.198 Internationalization 65
3.199 Interprocess Communication 65
3.200 Invoke 65
3.201 Job 65
3.202 Job Control 65
3.203 Job Control Job ID 65
3.204 Last Close (of a File) 66
3.205 Line 66
3.206 Linger 66
3.207 Link 66
3.208 Link Count 66
3.209 Local Customs 66
3.210 Local Interprocess Communication (Local IPC) 66
3.211 Locale 67
3.212 Localization 67
3.213 Login 67
3.214 Login Name 67
3.215 Map 67
3.216 Marked Message 67
3.217 Matched 68
3.218 Memory Mapped Files 68
3.219 Memory Object 68
3.220 Memory-Resident 68

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub
Full document details: ISO_IEC_IEEE 9945_2009

3.221 Message ... 68
3.222 Message Catalog ... 68
3.223 Message Catalog Descriptor ... 69
3.224 Message Queue ... 69
3.225 Mode ... 69
3.226 Monotonic Clock ... 69
3.227 Mount Point ... 69
3.228 Multi-Character Collating Element ... 69
3.229 Mutex ... 69
3.230 Name ... 70
3.231 Named STREAM ... 70
3.232 NaN (Not a Number) ... 70
3.233 Native Language ... 70
3.234 Negative Response ... 70
3.235 Network ... 70
3.236 Network Address ... 70
3.237 Network Byte Order ... 71
3.238 Newline Character (<newline>) ... 71
3.239 Nice Value ... 71
3.240 Non-Blocking ... 71
3.241 Non-Spacing Characters ... 71
3.242 NUL ... 72
3.243 Null Byte ... 72
3.244 Null Pointer ... 72
3.245 Null String ... 72
3.246 Null Wide-Character Code ... 72
3.247 Number-Sign Character (<number-sign>) ... 72
3.248 Object File ... 72
3.249 Octet ... 72
3.250 Offset Maximum ... 73
3.251 Opaque Address ... 73
3.252 Open File ... 73
3.253 Open File Description ... 73
3.254 Operand ... 73
3.255 Operator ... 73
3.256 Option ... 74
3.257 Option-Argument ... 74
3.258 Orientation ... 74
3.259 Orphaned Process Group ... 74
3.260 Page ... 74
3.261 Page Size ... 74
3.262 Parameter ... 75
3.263 Parent Directory ... 75
3.264 Parent Process ... 75
3.265 Parent Process ID ... 75
3.266 Pathname ... 75
3.267 Pathname Component ... 76
3.268 Path Prefix ... 76
3.269 Pattern ... 76
3.270 Period Character (<period>) ... 76
3.271 Permissions ... 76
3.272 Persistence ... 76

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

3.273 Pipe ... 77
3.274 Polling ... 77
3.275 Portable Character Set ... 77
3.276 Portable Filename Character Set ... 77
3.277 Positional Parameter ... 78
3.278 Preallocation ... 78
3.279 Preempted Process (or Thread) ... 78
3.280 Previous Job ... 78
3.281 Printable Character ... 78
3.282 Printable File ... 78
3.283 Priority ... 79
3.284 Priority Band ... 79
3.285 Priority Inversion ... 79
3.286 Priority Scheduling ... 79
3.287 Priority-Based Scheduling ... 79
3.288 Privilege ... 79
3.289 Process ... 80
3.290 Process Group ... 80
3.291 Process Group ID ... 80
3.292 Process Group Leader ... 80
3.293 Process Group Lifetime ... 80
3.294 Process ID ... 81
3.295 Process Lifetime ... 81
3.296 Process Memory Locking ... 81
3.297 Process Termination ... 81
3.298 Process-To-Process Communication ... 81
3.299 Process Virtual Time ... 82
3.300 Program ... 82
3.301 Protocol ... 82
3.302 Pseudo-Terminal ... 82
3.303 Radix Character ... 82
3.304 Read-Only File System ... 82
3.305 Read-Write Lock ... 82
3.306 Real Group ID ... 83
3.307 Real Time ... 83
3.308 Realtime Signal Extension ... 83
3.309 Real User ID ... 83
3.310 Record ... 83
3.311 Redirection ... 83
3.312 Redirection Operator ... 84
3.313 Referenced Shared Memory Object ... 84
3.314 Refresh ... 84
3.315 Regular Expression ... 84
3.316 Region ... 84
3.317 Regular File ... 84
3.318 Relative Pathname ... 85
3.319 Relocatable File ... 85
3.320 Relocation ... 85
3.321 Requested Batch Service ... 85
3.322 (Time) Resolution ... 85
3.323 Robust Mutex ... 85
3.324 Root Directory ... 85

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

3.325 Runnable Process (or Thread) ... 85
3.326 Running Process (or Thread) ... 86
3.327 Saved Resource Limits ... 86
3.328 Saved Set-Group-ID ... 86
3.329 Saved Set-User-ID ... 86
3.330 Scheduling ... 86
3.331 Scheduling Allocation Domain ... 86
3.332 Scheduling Contention Scope ... 86
3.333 Scheduling Policy ... 87
3.334 Screen ... 87
3.335 Scroll ... 87
3.336 Semaphore ... 87
3.337 Session ... 88
3.338 Session Leader ... 88
3.339 Session Lifetime ... 88
3.340 Shared Memory Object ... 88
3.341 Shell ... 88
3.342 Shell, the ... 88
3.343 Shell Script ... 89
3.344 Signal ... 89
3.345 Signal Stack ... 89
3.346 Single-Quote Character ... 89
3.347 Slash Character (<slash>) ... 89
3.348 Socket ... 89
3.349 Socket Address ... 89
3.350 Soft Limit ... 90
3.351 Source Code ... 90
3.352 Space Character (<space>) ... 90
3.353 Spawn ... 90
3.354 Special Built-In ... 90
3.355 Special Parameter ... 91
3.356 Spin Lock ... 91
3.357 Sporadic Server ... 91
3.358 Standard Error ... 91
3.359 Standard Input ... 91
3.360 Standard Output ... 91
3.361 Standard Utilities ... 91
3.362 Stream ... 92
3.363 STREAM ... 92
3.364 STREAM End ... 92
3.365 STREAM Head ... 92
3.366 STREAMS Multiplexor ... 92
3.367 String ... 92
3.368 Subshell ... 93
3.369 Successfully Transferred ... 93
3.370 Supplementary Group ID ... 93
3.371 Suspended Job ... 93
3.372 Symbolic Constant ... 93
3.373 Symbolic Link ... 94
3.374 Synchronized Input and Output ... 94
3.375 Synchronized I/O Completion ... 94
3.376 Synchronized I/O Data Integrity Completion ... 94

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

3.377 Synchronized I/O File Integrity Completion 94
3.378 Synchronized I/O Operation 94
3.379 Synchronous I/O Operation 95
3.380 Synchronously-Generated Signal 95
3.381 System 95
3.382 System Boot 95
3.383 System Clock 95
3.384 System Console 95
3.385 System Crash 95
3.386 System Databases 96
3.387 System Documentation 96
3.388 System Process 96
3.389 System Reboot 96
3.390 System Trace Event 96
3.391 System-Wide 96
3.392 Tab Character (<tab>) 97
3.393 Terminal (or Terminal Device) 97
3.394 Text Column 97
3.395 Text File 97
3.396 Thread 97
3.397 Thread ID 97
3.398 Thread List 98
3.399 Thread-Safe 98
3.400 Thread-Specific Data Key 98
3.401 Tilde Character (<tilde>) 98
3.402 Timeouts 98
3.403 Timer 98
3.404 Timer Overrun 98
3.405 Token 99
3.406 Trace Analyzer Process 99
3.407 Trace Controller Process 99
3.408 Trace Event 99
3.409 Trace Event Type 99
3.410 Trace Event Type Mapping 99
3.411 Trace Filter 99
3.412 Trace Generation Version 99
3.413 Trace Log 100
3.414 Trace Point 100
3.415 Trace Stream 100
3.416 Trace Stream Identifier 100
3.417 Trace System 100
3.418 Traced Process 100
3.419 Tracing Status of a Trace Stream 100
3.420 Typed Memory Name Space 100
3.421 Typed Memory Object 101
3.422 Typed Memory Pool 101
3.423 Typed Memory Port 101
3.424 Unbind 101
3.425 Unit Data 101
3.426 Upshifting 101
3.427 User Database 101
3.428 User ID 102

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

3.429 User Name ... 102
3.430 User Trace Event ... 102
3.431 Utility ... 102
3.432 Variable ... 103
3.433 Vertical-Tab Character (<vertical-tab>) ... 103
3.434 White Space ... 103
3.435 Wide-Character Code (C Language) ... 103
3.436 Wide-Character Input/Output Functions ... 103
3.437 Wide-Character String ... 103
3.438 Word ... 104
3.439 Working Directory (or Current Working Directory) ... 104
3.440 Worldwide Portability Interface ... 104
3.441 Write ... 104
3.442 XSI ... 104
3.443 XSI-Conformant ... 105
3.444 Zombie Process ... 105
3.445 ±0 ... 105

Chapter 4 General Concepts ... 107
4.1 Concurrent Execution ... 107
4.2 Directory Protection ... 107
4.3 Extended Security Controls ... 107
4.4 File Access Permissions ... 108
4.5 File Hierarchy ... 108
4.6 Filenames ... 109
4.7 Filename Portability ... 109
4.8 File Times Update ... 109
4.9 Host and Network Byte Orders ... 110
4.10 Measurement of Execution Time ... 110
4.11 Memory Synchronization ... 110
4.12 Pathname Resolution ... 111
4.13 Process ID Reuse ... 112
4.14 Scheduling Policy ... 112
4.15 Seconds Since the Epoch ... 113
4.16 Semaphore ... 113
4.17 Thread-Safety ... 114
4.18 Tracing ... 114
4.19 Treatment of Error Conditions for Mathematical Functions ... 116
4.19.1 Domain Error ... 116
4.19.2 Pole Error ... 117
4.19.3 Range Error ... 117
4.20 Treatment of NaN Arguments for the Mathematical Functions ... 118
4.21 Utility ... 118
4.22 Variable Assignment ... 118

Chapter 5 File Format Notation ... 121

Chapter 6 Character Set ... 125
6.1 Portable Character Set ... 125
6.2 Character Encoding ... 128

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

	6.3	C Language Wide-Character Codes	129
	6.4	Character Set Description File	129
	6.4.1	State-Dependent Character Encodings	132
Chapter	**7**	**Locale**	**135**
	7.1	General	135
	7.2	POSIX Locale	136
	7.3	Locale Definition	136
	7.3.1	LC_CTYPE	139
	7.3.2	LC_COLLATE	146
	7.3.3	LC_MONETARY	154
	7.3.4	LC_NUMERIC	157
	7.3.5	LC_TIME	158
	7.3.6	LC_MESSAGES	164
	7.4	Locale Definition Grammar	165
	7.4.1	Locale Lexical Conventions	165
	7.4.2	Locale Grammar	166
Chapter	**8**	**Environment Variables**	**173**
	8.1	Environment Variable Definition	173
	8.2	Internationalization Variables	174
	8.3	Other Environment Variables	177
Chapter	**9**	**Regular Expressions**	**181**
	9.1	Regular Expression Definitions	181
	9.2	Regular Expression General Requirements	182
	9.3	Basic Regular Expressions	183
	9.3.1	BREs Matching a Single Character or Collating Element	183
	9.3.2	BRE Ordinary Characters	183
	9.3.3	BRE Special Characters	183
	9.3.4	Periods in BREs	184
	9.3.5	RE Bracket Expression	184
	9.3.6	BREs Matching Multiple Characters	186
	9.3.7	BRE Precedence	187
	9.3.8	BRE Expression Anchoring	187
	9.4	Extended Regular Expressions	188
	9.4.1	EREs Matching a Single Character or Collating Element	188
	9.4.2	ERE Ordinary Characters	188
	9.4.3	ERE Special Characters	188
	9.4.4	Periods in EREs	189
	9.4.5	ERE Bracket Expression	189
	9.4.6	EREs Matching Multiple Characters	189
	9.4.7	ERE Alternation	190
	9.4.8	ERE Precedence	190
	9.4.9	ERE Expression Anchoring	190
	9.5	Regular Expression Grammar	191
	9.5.1	BRE/ERE Grammar Lexical Conventions	191
	9.5.2	RE and Bracket Expression Grammar	192
	9.5.3	ERE Grammar	194

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Chapter 10 Directory Structure and Devices ... 197
10.1 Directory Structure and Files ... 197
10.2 Output Devices and Terminal Types ... 198

Chapter 11 General Terminal Interface ... 199
11.1 Interface Characteristics ... 199
11.1.1 Opening a Terminal Device File ... 199
11.1.2 Process Groups ... 200
11.1.3 The Controlling Terminal ... 200
11.1.4 Terminal Access Control ... 201
11.1.5 Input Processing and Reading Data ... 201
11.1.6 Canonical Mode Input Processing ... 202
11.1.7 Non-Canonical Mode Input Processing ... 202
11.1.8 Writing Data and Output Processing ... 203
11.1.9 Special Characters ... 203
11.1.10 Modem Disconnect ... 205
11.1.11 Closing a Terminal Device File ... 205
11.2 Parameters that Can be Set ... 205
11.2.1 The termios Structure ... 205
11.2.2 Input Modes ... 206
11.2.3 Output Modes ... 207
11.2.4 Control Modes ... 209
11.2.5 Local Modes ... 210
11.2.6 Special Control Characters ... 212

Chapter 12 Utility Conventions ... 213
12.1 Utility Argument Syntax ... 213
12.2 Utility Syntax Guidelines ... 215

Chapter 13 Headers ... 219

Volume 2 System Interfaces, Issue 7 ... 463

Chapter 1 Introduction ... 465
1.1 Relationship to Other Formal Standards ... 465
1.2 Format of Entries ... 465

Chapter 2 General Information ... 467
2.1 Use and Implementation of Interfaces ... 467
2.1.1 Use and Implementation of Functions ... 467
2.1.2 Use and Implementation of Macros ... 468
2.2 The Compilation Environment ... 468
2.2.1 POSIX.1 Symbols ... 468
2.2.2 The Name Space ... 469
2.3 Error Numbers ... 477
2.3.1 Additional Error Numbers ... 484
2.4 Signal Concepts ... 484
2.4.1 Signal Generation and Delivery ... 484
2.4.2 Realtime Signal Generation and Delivery ... 485
2.4.3 Signal Actions ... 486
2.4.4 Signal Effects on Other Functions ... 490

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

2.5 Standard I/O Streams ... 490
2.5.1 Interaction of File Descriptors and Standard I/O Streams ... 491
2.5.2 Stream Orientation and Encoding Rules ... 493
2.6 STREAMS ... 494
2.6.1 Accessing STREAMS ... 495
2.7 XSI Interprocess Communication ... 496
2.7.1 IPC General Description ... 496
2.8 Realtime ... 497
2.8.1 Realtime Signals ... 497
2.8.2 Asynchronous I/O ... 497
2.8.3 Memory Management ... 499
2.8.4 Process Scheduling ... 501
2.8.5 Clocks and Timers ... 505
2.9 Threads ... 507
2.9.1 Thread-Safety ... 507
2.9.2 Thread IDs ... 508
2.9.3 Thread Mutexes ... 508
2.9.4 Thread Scheduling ... 509
2.9.5 Thread Cancellation ... 511
2.9.6 Thread Read-Write Locks ... 515
2.9.7 Thread Interactions with Regular File Operations ... 516
2.9.8 Use of Application-Managed Thread Stacks ... 516
2.10 Sockets ... 517
2.10.1 Address Families ... 517
2.10.2 Addressing ... 517
2.10.3 Protocols ... 517
2.10.4 Routing ... 518
2.10.5 Interfaces ... 518
2.10.6 Socket Types ... 518
2.10.7 Socket I/O Mode ... 519
2.10.8 Socket Owner ... 519
2.10.9 Socket Queue Limits ... 519
2.10.10 Pending Error ... 519
2.10.11 Socket Receive Queue ... 520
2.10.12 Socket Out-of-Band Data State ... 520
2.10.13 Connection Indication Queue ... 521
2.10.14 Signals ... 521
2.10.15 Asynchronous Errors ... 521
2.10.16 Use of Options ... 522
2.10.17 Use of Sockets for Local UNIX Connections ... 525
2.10.18 Use of Sockets over Internet Protocols ... 525
2.10.19 Use of Sockets over Internet Protocols Based on IPv4 ... 526
2.10.20 Use of Sockets over Internet Protocols Based on IPv6 ... 526
2.11 Tracing ... 529
2.11.1 Tracing Data Definitions ... 531
2.11.2 Trace Event Type Definitions ... 535
2.11.3 Trace Functions ... 539
2.12 Data Types ... 540
2.12.1 Defined Types ... 540

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub
Full document details: ISO_IEC_IEEE 9945_2009

2.12.2 The char Type ... 541
2.12.3 Pointer Types ... 541

Chapter 3 System Interfaces ... 543

Volume 3 Shell and Utilities, Issue 7 ... 2277

Chapter 1 Introduction ... 2279
1.1 Relationship to Other Documents ... 2279
1.1.1 System Interfaces ... 2279
1.1.2 Concepts Derived from the ISO C Standard ... 2283
1.2 Utility Limits ... 2285
1.3 Grammar Conventions ... 2287
1.4 Utility Description Defaults ... 2288
1.5 Considerations for Utilities in Support of Files of Arbitrary Size ... 2295
1.6 Built-In Utilities ... 2296

Chapter 2 Shell Command Language ... 2297
2.1 Shell Introduction ... 2297
2.2 Quoting ... 2298
2.2.1 Escape Character (Backslash) ... 2298
2.2.2 Single-Quotes ... 2298
2.2.3 Double-Quotes ... 2298
2.3 Token Recognition ... 2299
2.3.1 Alias Substitution ... 2300
2.4 Reserved Words ... 2301
2.5 Parameters and Variables ... 2301
2.5.1 Positional Parameters ... 2301
2.5.2 Special Parameters ... 2302
2.5.3 Shell Variables ... 2302
2.6 Word Expansions ... 2305
2.6.1 Tilde Expansion ... 2305
2.6.2 Parameter Expansion ... 2306
2.6.3 Command Substitution ... 2309
2.6.4 Arithmetic Expansion ... 2310
2.6.5 Field Splitting ... 2311
2.6.6 Pathname Expansion ... 2311
2.6.7 Quote Removal ... 2311
2.7 Redirection ... 2312
2.7.1 Redirecting Input ... 2312
2.7.2 Redirecting Output ... 2313
2.7.3 Appending Redirected Output ... 2313
2.7.4 Here-Document ... 2313
2.7.5 Duplicating an Input File Descriptor ... 2314
2.7.6 Duplicating an Output File Descriptor ... 2314
2.7.7 Open File Descriptors for Reading and Writing ... 2315
2.8 Exit Status and Errors ... 2315
2.8.1 Consequences of Shell Errors ... 2315
2.8.2 Exit Status for Commands ... 2315
2.9 Shell Commands ... 2316

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

2.9.1 Simple Commands ... 2316
2.9.2 Pipelines ... 2318
2.9.3 Lists ... 2319
2.9.4 Compound Commands ... 2321
2.9.5 Function Definition Command ... 2324
2.10 Shell Grammar ... 2325
2.10.1 Shell Grammar Lexical Conventions ... 2325
2.10.2 Shell Grammar Rules ... 2325
2.11 Signals and Error Handling ... 2330
2.12 Shell Execution Environment ... 2331
2.13 Pattern Matching Notation ... 2332
2.13.1 Patterns Matching a Single Character ... 2332
2.13.2 Patterns Matching Multiple Characters ... 2332
2.13.3 Patterns Used for Filename Expansion ... 2333
2.14 Special Built-In Utilities ... 2334

Chapter 3 Batch Environment Services ... 2375
3.1 General Concepts ... 2375
3.1.1 Batch Client-Server Interaction ... 2375
3.1.2 Batch Queues ... 2376
3.1.3 Batch Job Creation ... 2376
3.1.4 Batch Job Tracking ... 2376
3.1.5 Batch Job Routing ... 2377
3.1.6 Batch Job Execution ... 2377
3.1.7 Batch Job Exit ... 2378
3.1.8 Batch Job Abort ... 2378
3.1.9 Batch Authorization ... 2378
3.1.10 Batch Administration ... 2378
3.1.11 Batch Notification ... 2379
3.2 Batch Services ... 2379
3.2.1 Batch Job States ... 2380
3.2.2 Deferred Batch Services ... 2381
3.2.3 Requested Batch Services ... 2390
3.3 Common Behavior for Batch Environment Utilities ... 2397
3.3.1 Batch Job Identifier ... 2397
3.3.2 Destination ... 2398
3.3.3 Multiple Keyword-Value Pairs ... 2399

Chapter 4 Utilities ... 2401

Volume 4 Rationale (Informative), Issue 7 ... 3407

Part A Base Definitions ... 3409

Appendix A Rationale for Base Definitions ... 3411
A.1 Introduction ... 3411
A.1.1 Scope ... 3411
A.1.2 Conformance ... 3414
A.1.3 Normative References ... 3414
A.1.4 Change History ... 3414
A.1.5 Terminology ... 3414

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

A.1.6 Definitions and Concepts ... 3416
A.1.7 Portability ... 3416
A.2 Conformance ... 3417
A.2.1 Implementation Conformance ... 3417
A.2.2 Application Conformance ... 3421
A.2.3 Language-Dependent Services for the C Programming Language ... 3421
A.2.4 Other Language-Related Specifications ... 3422
A.3 Definitions ... 3422
A.4 General Concepts ... 3443
A.4.1 Concurrent Execution ... 3443
A.4.2 Directory Protection ... 3444
A.4.3 Extended Security Controls ... 3444
A.4.4 File Access Permissions ... 3444
A.4.5 File Hierarchy ... 3444
A.4.6 Filenames ... 3445
A.4.7 Filename Portability ... 3446
A.4.8 File Times Update ... 3446
A.4.9 Host and Network Byte Order ... 3447
A.4.10 Measurement of Execution Time ... 3447
A.4.11 Memory Synchronization ... 3447
A.4.12 Pathname Resolution ... 3449
A.4.13 Process ID Reuse ... 3450
A.4.14 Scheduling Policy ... 3450
A.4.15 Seconds Since the Epoch ... 3450
A.4.16 Semaphore ... 3452
A.4.17 Thread-Safety ... 3452
A.4.18 Tracing ... 3452
A.4.19 Treatment of Error Conditions for Mathematical Functions ... 3452
A.4.20 Treatment of NaN Arguments for Mathematical Functions ... 3452
A.4.21 Utility ... 3452
A.4.22 Variable Assignment ... 3452
A.5 File Format Notation ... 3452
A.6 Character Set ... 3453
A.6.1 Portable Character Set ... 3453
A.6.2 Character Encoding ... 3454
A.6.3 C Language Wide-Character Codes ... 3454
A.6.4 Character Set Description File ... 3454
A.7 Locale ... 3456
A.7.1 General ... 3456
A.7.2 POSIX Locale ... 3457
A.7.3 Locale Definition ... 3457
A.7.4 Locale Definition Grammar ... 3464
A.7.5 Locale Definition Example ... 3464
A.8 Environment Variables ... 3467
A.8.1 Environment Variable Definition ... 3467
A.8.2 Internationalization Variables ... 3468
A.8.3 Other Environment Variables ... 3469
A.9 Regular Expressions ... 3470
A.9.1 Regular Expression Definitions ... 3471

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

A.9.2 Regular Expression General Requirements ... 3471
A.9.3 Basic Regular Expressions ... 3472
A.9.4 Extended Regular Expressions ... 3475
A.9.5 Regular Expression Grammar ... 3477
A.10 Directory Structure and Devices ... 3478
A.10.1 Directory Structure and Files ... 3478
A.10.2 Output Devices and Terminal Types ... 3478
A.11 General Terminal Interface ... 3478
A.11.1 Interface Characteristics ... 3479
A.11.2 Parameters that Can be Set ... 3483
A.12 Utility Conventions ... 3485
A.12.1 Utility Argument Syntax ... 3485
A.12.2 Utility Syntax Guidelines ... 3486
A.13 Headers ... 3488
A.13.1 Format of Entries ... 3488
A.13.2 Removed Headers in Issue 7 ... 3489

Part B System Interfaces ... 3491

Appendix B Rationale for System Interfaces ... 3493
B.1 Introduction ... 3493
B.1.1 Change History ... 3493
B.1.2 Relationship to Other Formal Standards ... 3496
B.1.3 Format of Entries ... 3496
B.2 General Information ... 3497
B.2.1 Use and Implementation of Interfaces ... 3497
B.2.2 The Compilation Environment ... 3498
B.2.3 Error Numbers ... 3503
B.2.4 Signal Concepts ... 3507
B.2.5 Standard I/O Streams ... 3517
B.2.6 STREAMS ... 3517
B.2.7 XSI Interprocess Communication ... 3518
B.2.8 Realtime ... 3519
B.2.9 Threads ... 3564
B.2.10 Sockets ... 3592
B.2.11 Tracing ... 3594
B.2.12 Data Types ... 3620
B.3 System Interfaces ... 3622
B.3.1 System Interfaces Removed in this Version ... 3622
B.3.2 System Interfaces Removed in the Previous Version ... 3625
B.3.3 Examples for Spawn ... 3625

Part C Shell and Utilities ... 3635

Appendix C Rationale for Shell and Utilities ... 3637
C.1 Introduction ... 3637
C.1.1 Change History ... 3637
C.1.2 Relationship to Other Documents ... 3638
C.1.3 Utility Limits ... 3639
C.1.4 Grammar Conventions ... 3642
C.1.5 Utility Description Defaults ... 3642

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

C.1.6 Considerations for Utilities in Support of Files of Arbitrary Size ... 3645
C.1.7 Built-In Utilities ... 3646
C.2 Shell Command Language ... 3648
C.2.1 Shell Introduction ... 3648
C.2.2 Quoting ... 3648
C.2.3 Token Recognition ... 3650
C.2.4 Reserved Words ... 3651
C.2.5 Parameters and Variables ... 3651
C.2.6 Word Expansions ... 3654
C.2.7 Redirection ... 3660
C.2.8 Exit Status and Errors ... 3662
C.2.9 Shell Commands ... 3662
C.2.10 Shell Grammar ... 3669
C.2.11 Signals and Error Handling ... 3671
C.2.12 Shell Execution Environment ... 3671
C.2.13 Pattern Matching Notation ... 3671
C.2.14 Special Built-In Utilities ... 3673
C.3 Batch Environment Services and Utilities ... 3673
C.3.1 Batch General Concepts ... 3676
C.3.2 Batch Services ... 3678
C.3.3 Common Behavior for Batch Environment Utilities ... 3679
C.4 Utilities ... 3679
C.4.1 Utilities Removed in this Version ... 3679
C.4.2 Utilities Removed in the Previous Version ... 3679
C.4.3 Exclusion of Utilities ... 3679

Part D Portability Considerations ... 3683

Appendix D Portability Considerations (Informative) ... 3685
D.1 User Requirements ... 3685
D.1.1 Configuration Interrogation ... 3686
D.1.2 Process Management ... 3686
D.1.3 Access to Data ... 3686
D.1.4 Access to the Environment ... 3686
D.1.5 Access to Determinism and Performance Enhancements ... 3686
D.1.6 Operating System-Dependent Profile ... 3687
D.1.7 I/O Interaction ... 3687
D.1.8 Internationalization Interaction ... 3687
D.1.9 C-Language Extensions ... 3687
D.1.10 Command Language ... 3687
D.1.11 Interactive Facilities ... 3687
D.1.12 Accomplish Multiple Tasks Simultaneously ... 3687
D.1.13 Complex Data Manipulation ... 3688
D.1.14 File Hierarchy Manipulation ... 3688
D.1.15 Locale Configuration ... 3688
D.1.16 Inter-User Communication ... 3688
D.1.17 System Environment ... 3688
D.1.18 Printing ... 3688
D.1.19 Software Development ... 3688

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Contents

D.2 Portability Capabilities ... 3689
D.2.1 Configuration Interrogation ... 3689
D.2.2 Process Management ... 3690
D.2.3 Access to Data ... 3690
D.2.4 Access to the Environment ... 3691
D.2.5 Bounded (Realtime) Response ... 3692
D.2.6 Operating System-Dependent Profile ... 3692
D.2.7 I/O Interaction ... 3692
D.2.8 Internationalization Interaction ... 3693
D.2.9 C-Language Extensions ... 3693
D.2.10 Command Language ... 3693
D.2.11 Interactive Facilities ... 3694
D.2.12 Accomplish Multiple Tasks Simultaneously ... 3694
D.2.13 Complex Data Manipulation ... 3694
D.2.14 File Hierarchy Manipulation ... 3695
D.2.15 Locale Configuration ... 3695
D.2.16 Inter-User Communication ... 3695
D.2.17 System Environment ... 3696
D.2.18 Printing ... 3696
D.2.19 Software Development ... 3696
D.2.20 Future Growth ... 3696
D.3 Profiling Considerations ... 3697
D.3.1 Configuration Options ... 3697
D.3.2 Configuration Options (Shell and Utilities) ... 3697
D.3.3 Configurable Limits ... 3699
D.3.4 Configuration Options (System Interfaces) ... 3699
D.3.5 Configurable Limits ... 3704
D.3.6 Optional Behavior ... 3707

Part E Subprofiling Considerations ... 3709

Appendix E Subprofiling Considerations (Informative) ... 3711
E.1 Subprofiling Option Groups ... 3711

Index ... 3717

List of Figures

B-1 Example of a System with Typed Memory ... 3537
B-2 Trace System Overview: for Offline Analysis ... 3600
B-3 Trace System Overview: for Online Analysis ... 3601
B-4 Trace System Overview: States of a Trace Stream ... 3603
B-5 Trace Another Process ... 3613
B-6 Trace Name Space Overview: With Third-Party Library ... 3614

List of Tables

3-1 Job Control Job ID Formats ... 66
5-1 Escape Sequences and Associated Actions ... 121
6-1 Portable Character Set ... 125
6-2 Control Character Set ... 130

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

AVA Documents Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

7-1 Valid Character Class Combinations 142
10-1 Control Character Names 198
2-1 Value of Level for Socket Options 522
2-2 Socket-Level Options 523
2-3 Trace Option: System Trace Events 537
2-4 Trace and Trace Event Filter Options: System Trace Events 537
2-5 Trace and Trace Log Options: System Trace Events 538
2-6 Trace, Trace Log, and Trace Event Filter Options: System Trace Events 538
2-7 Trace Option: User Trace Event 539
1-1 Actions when Creating a File that Already Exists 2281
1-2 Selected ISO C Standard Operators and Control Flow Keywords 2284
1-3 Utility Limit Minimum Values 2285
1-4 Symbolic Utility Limits 2286
1-5 Regular Built-In Utilities 2296
3-1 Batch Utilities 2375
3-2 Environment Variable Summary 2379
3-3 Next State Table 2381
3-4 Results/Output Table 2383
3-5 Batch Services Summary 2390
A-1 Historical Practice for Symbolic Links 3440

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Trademarks

The following information is given for the convenience of users of POSIX.1-2008 and does not constitute an endorsement by the IEEE or The Open Group of these products. Equivalent products may be used if they can be shown to lead to the same results.

There may be other products mentioned in the text that might be covered by trademark protection and readers are advised to verify them independently.

754™, 854™, 1003.0™, 1003.1™, 1003.1d™, 1003.1g™, 1003.1j™, 1003.1q™, 1003.2™, 1003.2a™, 1003.2d™, 1003.9™, and 1003.13™ are trademarks of the Institute of Electrical and Electronic Engineers, Inc.

AIX® is a registered trademark of IBM Corporation.

AT&T® is a registered trademark of AT&T in the USA and other countries.

Boundaryless Information Flow™ and TOGAF™ are trademarks and Motif®, Making Standards Work®, OSF/1®, The Open Group®, UNIX®, and the "X" device are registered trademarks of The Open Group in the United States and other countries.

BSD™ is a trademark of the University of California, Berkeley, USA.

Hewlett-Packard®, HP®, and HP-UX® are registered trademarks of Hewlett-Packard Company.

IBM® is a registered trademark of International Business Machines Corporation.

IEEE® is a registered trademark of the Institute of Electrical and Electronic Engineers, Inc.

Linux® is a registered trademark of Linus Torvalds.

POSIX® is a registered trademark of the Institute of Electrical and Electronic Engineers, Inc.

Sun® and Sun Microsystems® are registered trademarks of Sun Microsystems, Inc.

/usr/group® is a registered trademark of UniForum, the International Network of UNIX System Users.

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub
Full document details: ISO_IEC_IEEE 9945_2009

Acknowledgements

The contributions of the following organizations to the development of POSIX.1-2008 are gratefully acknowledged:

- AT&T for permission to reproduce portions of its copyrighted System V Interface Definition (SVID) and material from the UNIX System V Release 2.0 documentation.
- Hewlett-Packard Company, International Business Machines Corporation, Novell Inc., The Open Software Foundation, and Sun Microsystems Inc. for permission to reproduce portions of their copyrighted documentation
- ISO/IEC JTC 1/SC 22/WG 14 C Language Committee
- Red Hat Inc. for permission to reproduce portions of its copyrighted documentation

POSIX.1-2008 was prepared by the Austin Group, a joint working group of the IEEE, The Open Group, and ISO/IEC JTC 1/SC 22.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Referenced Documents

Normative References

Normative references for POSIX.1-2008 are defined in Section 1.3 (on page 4).

Informative References

The following documents are referenced in POSIX.1-2008:

1984 /usr/group Standard
/usr/group Standards Committee, Santa Clara, CA, UniForum 1984.

Almasi and Gottlieb
George S. Almasi and Allan Gottlieb, *Highly Parallel Computing*, The Benjamin/Cummings Publishing Company, Inc., 1989, ISBN: 0-8053-0177-1.

ANSI C
American National Standard for Information Systems: Standard X3.159-1989, Programming Language C.

ANSI X3.226-1994
American National Standard for Information Systems: Standard X3.226-1994, Programming Language Common LISP.

Brawer
Steven Brawer, *Introduction to Parallel Programming*, Academic Press, 1989, ISBN: 0-12-128470-0.

DeRemer and Pennello Article
DeRemer, Frank and Pennello, Thomas J., *Efficient Computation of LALR(1) Look-Ahead Sets*, SigPlan Notices, Volume 15, No. 8, August 1979.

Draft ANSI X3J11.1
IEEE Floating Point draft report of ANSI X3J11.1 (NCEG).

FIPS 151-1
Federal Information Procurement Standard (FIPS) 151-1. Portable Operating System Interface (POSIX)—Part 1: System Application Program Interface (API) [C Language].

FIPS 151-2
Federal Information Procurement Standards (FIPS) 151-2, Portable Operating System Interface (POSIX)— Part 1: System Application Program Interface (API) [C Language].

HP-UX Manual
Hewlett-Packard HP-UX Release 9.0 Reference Manual, Third Edition, August 1992.

IEC 60559: 1989
IEC 60559: 1989, Binary Floating-Point Arithmetic for Microprocessor Systems (previously designated IEC 559: 1989).

IEEE Standards Terms
IEEE 100, The Authoritative Dictionary of IEEE Standards Terms, Seventh Edition.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

IEEE Std 754™-1985
IEEE Std 754-1985 (Reaff 1990), IEEE Standard for Binary Floating-Point Arithmetic.

IEEE Std 854™-1987
IEEE Std 854-1987, IEEE Standard for Radix-Independent Floating-Point Arithmetic.

IEEE Std 1003.9™-1992
IEEE Std 1003.9-1992, IEEE Standard for Information Technology — POSIX FORTRAN 77 Language Interfaces — Part 1: Binding for System Application Program Interface API.

IETF RFC 791
Internet Protocol, Version 4 (IPv4), September 1981 (available at: www.ietf.org/rfc/rfc0791.txt).

IETF RFC 819
The Domain Naming Convention for Internet User Applications, Z. Su, J. Postel, August 1982 (available at: www.ietf.org/rfc/rfc0819.txt).

IETF RFC 822
Standard for the Format of ARPA Internet Text Messages, D.H. Crocker, August 1982 (available at: www.ietf.org/rfc/rfc0822.txt).

IETF RFC 919
Broadcasting Internet Datagrams, J. Mogul, October 1984 (available at: www.ietf.org/rfc/rfc0919.txt).

IETF RFC 920
Domain Requirements, J. Postel, J. Reynolds, October 1984 (available at: www.ietf.org/rfc/rfc0920.txt).

IETF RFC 921
Domain Name System Implementation Schedule, J. Postel, October 1984 (available at: www.ietf.org/rfc/rfc0921.txt).

IETF RFC 922
Broadcasting Internet Datagrams in the Presence of Subnets, J. Mogul, October 1984 (available at: www.ietf.org/rfc/rfc0922.txt).

IETF RFC 1034
Domain Names — Concepts and Facilities, P. Mockapetris, November 1987 (available at: www.ietf.org/rfc/rfc1034.txt).

IETF RFC 1035
Domain Names — Implementation and Specification, P. Mockapetris, November 1987 (available at: www.ietf.org/rfc/rfc1035.txt).

IETF RFC 1123
Requirements for Internet Hosts — Application and Support, R. Braden, October 1989 (available at: www.ietf.org/rfc/rfc1123.txt).

IETF RFC 1886
DNS Extensions to Support Internet Protocol, Version 6 (IPv6), C. Huitema, S. Thomson, December 1995 (available at: www.ietf.org/rfc/rfc1886.txt).

IETF RFC 2045
Multipurpose Internet Mail Extensions (MIME), Part 1: Format of Internet Message Bodies, N. Freed, N. Borenstein, November 1996 (available at: www.ietf.org/rfc/rfc2045.txt).

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Referenced Documents

IETF RFC 2181
Clarifications to the DNS Specification, R. Elz, R. Bush, July 1997 (available at: www.ietf.org/rfc/rfc2181.txt).

IETF RFC 2373
Internet Protocol, Version 6 (IPv6) Addressing Architecture, S. Deering, R. Hinden, July 1998 (available at: www.ietf.org/rfc/rfc2373.txt).

IETF RFC 2460
Internet Protocol, Version 6 (IPv6), S. Deering, R. Hinden, December 1998 (available at: www.ietf.org/rfc/rfc2460.txt).

Internationalisation Guide
Guide, July 1993, Internationalisation Guide, Version 2 (ISBN: 1-859120-02-4, G304), published by The Open Group.

ISO 2375: 1985
ISO 2375: 1985, Data Processing — Procedure for Registration of Escape Sequences.

ISO 8652: 1987
ISO 8652: 1987, Programming Languages — Ada (technically identical to ANSI standard 1815A-1983).

ISO/IEC 1539: 1991
ISO/IEC 1539: 1991, Information Technology — Programming Languages — Fortran (technically identical to the ANSI X3.9-1978 standard [FORTRAN 77]).

ISO/IEC 4873: 1991
ISO/IEC 4873: 1991, Information Technology — ISO 8-bit Code for Information Interchange — Structure and Rules for Implementation.

ISO/IEC 6429: 1992
ISO/IEC 6429: 1992, Information Technology — Control Functions for Coded Character Sets.

ISO/IEC 6937: 1994
ISO/IEC 6937: 1994, Information Technology — Coded Graphic Character Set for Text Communication — Latin Alphabet.

ISO/IEC 8802-3: 1996
ISO/IEC 8802-3: 1996, Information Technology — Telecommunications and Information Exchange Between Systems — Local and Metropolitan Area Networks — Specific Requirements — Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications.

ISO/IEC 8859
ISO/IEC 8859, Information Technology — 8-Bit Single-Byte Coded Graphic Character Sets:

Part 1: Latin Alphabet No. 1
Part 2: Latin Alphabet No. 2
Part 3: Latin Alphabet No. 3
Part 4: Latin Alphabet No. 4
Part 5: Latin/Cyrillic Alphabet
Part 6: Latin/Arabic Alphabet
Part 7: Latin/Greek Alphabet
Part 8: Latin/Hebrew Alphabet
Part 9: Latin Alphabet No. 5
Part 10: Latin Alphabet No. 6
Part 11: Latin/Thai Alphabet

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Part 13: Latin Alphabet No. 7
Part 14: Latin Alphabet No. 8 (Celtic)
Part 15: Latin Alphabet No. 9
Part 16: Latin Alphabet No. 10

ISO/IEC 9899: 1990
ISO/IEC 9899: 1990, Programming Languages — C, including Amendment 1: 1995 (E), C Integrity (Multibyte Support Extensions (MSE) for ISO C).

ISO POSIX-1: 1996
ISO/IEC 9945-1: 1996, Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language] (identical to ANSI/IEEE Std 1003.1-1996). Incorporating ANSI/IEEE Stds 1003.1-1990, 1003.1b-1993, 1003.1c-1995, and 1003.1i-1995.

ISO POSIX-2: 1993
ISO/IEC 9945-2: 1993, Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities (identical to ANSI/IEEE Std 1003.2™-1992, as amended by ANSI/IEEE Std 1003.2a™-1992).

Issue 1
X/Open Portability Guide, July 1985 (ISBN: 0-444-87839-4).

Issue 2
X/Open Portability Guide, January 1987:

- Volume 1: XVS Commands and Utilities (ISBN: 0-444-70174-5)
- Volume 2: XVS System Calls and Libraries (ISBN: 0-444-70175-3)

Issue 3
X/Open Specification, 1988, 1989, February 1992:

- Commands and Utilities, Issue 3 (ISBN: 1-872630-36-7, C211); this specification was formerly X/Open Portability Guide, Issue 3, Volume 1, January 1989, XSI Commands and Utilities (ISBN: 0-13-685835-X, XO/XPG/89/002)
- System Interfaces and Headers, Issue 3 (ISBN: 1-872630-37-5, C212); this specification was formerly X/Open Portability Guide, Issue 3, Volume 2, January 1989, XSI System Interface and Headers (ISBN: 0-13-685843-0, XO/XPG/89/003)
- Curses Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapters 9 to 14 inclusive; this specification was formerly X/Open Portability Guide, Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)
- Headers Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapter 19, Cpio and Tar Headers; this specification was formerly X/Open Portability Guide Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)

Issue 4
CAE Specification, July 1992, published by The Open Group:

- System Interface Definitions (XBD), Issue 4 (ISBN: 1-872630-46-4, C204)
- Commands and Utilities (XCU), Issue 4 (ISBN: 1-872630-48-0, C203)
- System Interfaces and Headers (XSH), Issue 4 (ISBN: 1-872630-47-2, C202)

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Referenced Documents

Issue 4, Version 2
CAE Specification, August 1994, published by The Open Group:

- System Interface Definitions (XBD), Issue 4, Version 2 (ISBN: 1-85912-036-9, C434)
- Commands and Utilities (XCU), Issue 4, Version 2 (ISBN: 1-85912-034-2, C436)
- System Interfaces and Headers (XSH), Issue 4, Version 2 (ISBN: 1-85912-037-7, C435)

Issue 5
Technical Standard, February 1997, published by The Open Group:

- System Interface Definitions (XBD), Issue 5 (ISBN: 1-85912-186-1, C605)
- Commands and Utilities (XCU), Issue 5 (ISBN: 1-85912-191-8, C604)
- System Interfaces and Headers (XSH), Issue 5 (ISBN: 1-85912-181-0, C606)

Issue 6
Technical Standard, April 2004, published by The Open Group:

- Base Definitions (XBD), Issue 6 (ISBN: 1-931624-43-7, C046)
- System Interfaces (XSH), Issue 6 (ISBN: 1-931624-44-5, C047)
- Shell and Utilities (XCU), Issue 6 (ISBN: 1-931624-45-3, C048)

Knuth Article
Knuth, Donald E., *On the Translation of Languages from Left to Right*, Information and Control, Volume 8, No. 6, October 1965.

KornShell
Bolsky, Morris I. and Korn, David G., *The New KornShell Command and Programming Language*, March 1995, Prentice Hall.

MSE Working Draft
Working draft of ISO/IEC 9899:1990/Add3:Draft, Addendum 3 — Multibyte Support Extensions (MSE) as documented in the ISO Working Paper SC22/WG14/N205 dated 31 March 1992.

POSIX.0:1995
IEEE Std 1003.0™-1995, IEEE Guide to the POSIX Open System Environment (OSE) (identical to ISO/IEC TR 14252).

POSIX.1:1988
IEEE Std 1003.1™-1988, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

POSIX.1:1990
IEEE Std 1003.1™-1990, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

POSIX.1a
P1003.1a, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — (C Language) Amendment.

POSIX.1d:1999
IEEE Std 1003.1d™-1999, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) —

Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub
Full document details: ISO_IEC_IEEE 9945_2009

Amendment 4: Additional Realtime Extensions [C Language].

POSIX.1g: 2000
IEEE Std 1003.1g™-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 6: Protocol-Independent Interfaces (PII).

POSIX.1j: 2000
IEEE Std 1003.1j™-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 5: Advanced Realtime Extensions [C Language].

POSIX.1q: 2000
IEEE Std 1003.1q™-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 7: Tracing [C Language].

POSIX.2b
P1003.2b, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment.

POSIX.2d: 1994
IEEE Std 1003.2d™-1994, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment 1: Batch Environment.

POSIX.13: 1998
IEEE Std 1003.13™-1998, IEEE Standard for Information Technology — Standardized Application Environment Profile (AEP) — POSIX Realtime Application Support.

Sarwate Article
Sarwate, Dilip V., *Computation of Cyclic Redundancy Checks via Table Lookup*, Communications of the ACM, Volume 30, No. 8, August 1988.

Sprunt, Sha, and Lehoczky
Sprunt, B., Sha, L., and Lehoczky, J.P., *Aperiodic Task Scheduling for Hard Real-Time Systems*, The Journal of Real-Time Systems, Volume 1, 1989, Pages 27-60.

SVID, Issue 1
American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 1; Morristown, NJ, UNIX Press, 1985.

SVID, Issue 2
American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 2; Morristown, NJ, UNIX Press, 1986.

SVID, Issue 3
American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 3; Morristown, NJ, UNIX Press, 1989.

The AWK Programming Language
Aho, Alfred V., Kernighan, Brian W., and Weinberger, Peter J., *The AWK Programming Language*, Reading, MA, Addison-Wesley 1988.

UNIX Programmer's Manual
American Telephone and Telegraph Company, *UNIX Time-Sharing System: UNIX Programmer's Manual*, 7th Edition, Murray Hill, NJ, Bell Telephone Laboratories, January 1979.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

XNS, Issue 4
CAE Specification, August 1994, Networking Services, Issue 4 (ISBN: 1-85912-049-0, C438), published by The Open Group.

XNS, Issue 5
CAE Specification, February 1997, Networking Services, Issue 5 (ISBN: 1-85912-165-9, C523), published by The Open Group.

XNS, Issue 5.2
Technical Standard, January 2000, Networking Services (XNS), Issue 5.2 (ISBN: 1-85912-241-8, C808), published by The Open Group.

X/Open Curses, Issue 4, Version 2
CAE Specification, May 1996, X/Open Curses, Issue 4, Version 2 (ISBN: 1-85912-171-3, C610), published by The Open Group.

Yacc
Yacc: Yet Another Compiler Compiler, Stephen C. Johnson, 1978.

Source Documents

Parts of the following documents were used to create the base documents for POSIX.1-2008:

AIX 3.2 Manual
AIX Version 3.2 For RISC System/6000, Technical Reference: Base Operating System and Extensions, 1990, 1992 (Part No. SC23-2382-00).

OSF/1
OSF/1 Programmer's Reference, Release 1.2 (ISBN: 0-13-020579-6).

OSF AES
Application Environment Specification (AES) Operating System Programming Interfaces Volume, Revision A (ISBN: 0-13-043522-8).

System V Release 2.0

— UNIX System V Release 2.0 Programmer's Reference Manual (April 1984 - Issue 2).

— UNIX System V Release 2.0 Programming Guide (April 1984 - Issue 2).

System V Release 4.2
Operating System API Reference, UNIX® SVR4.2 (1992) (ISBN: 0-13-017658-3).

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Standard for Information Technology—
Portable Operating System Interface (POSIX®)

Technical Standard: Base Specifications, Issue 7

Prepared by the Austin Group (www.opengroup.org/austin).

IMPORTANT NOTICE: This standard is not intended to assure safety, security, health, or environmental protection in all circumstances. Implementors of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents". They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

Technical Standard

Vol. 1:

Base Definitions, Issue 7

The Open Group
The Institute of Electrical and Electronics Engineers, Inc.

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009

(blank page)

 Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.

Documents
Document Sharing Hub

Full document details: ISO_IEC_IEEE 9945_2009