
**Information technology — Multimedia
content description interface —**

**Part 11:
MPEG-7 profile schemas**

**AMENDMENT 1: Audiovisual description
profile (AVDP) schema**

*Technologies de l'information — Interface de description du contenu
multimédia —*

Partie 11: Schémas du profil MPEG-7

*AMENDEMENT 1: Schéma du profil de description audiovisuelle
(ADVP)*



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

In exceptional circumstances, when the joint technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide to publish a Technical Report. A Technical Report is entirely informative in nature and shall be subject to review every five years in the same manner as an International Standard.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO/IEC TR 15938-11:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

Information technology — Multimedia content description interface —

Part 11: MPEG-7 profile schemas

AMENDMENT 1: Audiovisual description profile (AVDP) schema

Page 75

After 3.4, add the following subclause:

3.5 AVDP Profile Schema

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- #####
      MPEG-7 Audiovisual Description Profile (AVDP)
      based on MPEG-7 Version 2
##### -->

<schema xmlns="http://www.w3.org/2001/XMLSchema" xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004"
xmlns:xml="http://www.w3.org/XML/1998/namespace"
targetNamespace="urn:mpeg:mpeg7:schema:2004" elementFormDefault="qualified"
attributeFormDefault="unqualified">
  <annotation>
    <documentation>
      The following schema definition corresponds to the description tools of:
        ISO/IEC 15938-1 + ISO/IEC 15938-1 COR/1 /1 + ISO/IEC 15938-1 AMD/1 (Systems)
        ISO/IEC 15938-2 (DDL)
        ISO/IEC 15938-3 + ISO/IEC 15938-3 COR/1 + ISO/IEC 15938-3 AMD/1 (Visual)
        ISO/IEC 15938-4 + ISO/IEC 15938-4 AMD/1 (Audio)
        ISO/IEC 15938-5 + ISO/IEC 15938-5 COR/1 + ISO/IEC 15938-5 AMD/1 + ISO/IEC
15938-5 AMD/2 (MDS)
    </documentation>
  </annotation>
  <!-- ##### -->
  <!-- import xml components -->
  <!-- ##### -->
  <import namespace="http://www.w3.org/XML/1998/namespace"
schemaLocation="http://www.w3.org/2001/03/xml.xsd"/>
  <annotation>
    <documentation>
      This document contains tools defined as MPEG-7 specific extention of
      XML Schema in ISO/IEC 15938-2
    </documentation>
  </annotation>
  <!-- *****-->
  <!-- ***** ISO/IEC 15938-2 DDL *****-->
```

```

<!-- *****-->
<annotation>
  <documentation>
    The following section contains tools defined in ISO/IEC 15938-2
  </documentation>
</annotation>
<!-- ##### -->
<!-- Definition of 'mpeg7:dim' for Matrix Datatype -->
<!-- ##### -->
<!-- definition of listOfPositiveIntegerForDim datatype -->
<simpleType name="listOfPositiveIntegerForDim">
  <list itemType="positiveInteger"/>
</simpleType>
<!-- definition of mpeg7:dim attribute -->
<attribute name="dim">
  <simpleType>
    <restriction base="mpeg7:listOfPositiveIntegerForDim">
      <minLength value="1"/>
    </restriction>
  </simpleType>
</attribute>
<!-- ##### -->
<!-- Definition of MPEG-7 Datatype Extensions -->
<!-- ##### -->
<!-- definition of basicTimePoint datatype -->
<simpleType name="basicTimePointType">
  <restriction base="string">
    <pattern value="\-?(\d+(\-\d{2}(\-\d{2})?)?(T\d{2}(:\d{2}(:\d{2}(:\d+(\.\d{2})?)?)?)?(F\d+)((\-\|+)\d{2}:\d{2})?)?"/>
  </restriction>
</simpleType>
<!-- definition of basicDuration datatype -->
<simpleType name="basicDurationType">
  <restriction base="string">
    <pattern value="\-?P(\d+D)?(T(\d+H)?(\d+M)?(\d+S)?(\d+N)?(\d{2}f)?)?(\d+F)?((\-\|+)\d{2}:\d{2}Z)?"/>
  </restriction>
</simpleType>
<!-- *****-->
<!-- ***** ISO/IEC 15938-3 Visual*****-->
<!-- *****-->
<annotation>
  <documentation>
    The following section contains visual tools defined in:
    ISO/IEC 15938-3 + ISO/IEC 15938-3 AMD/1 (Visual)
  </documentation>
</annotation>
<!-- ##### -->
<!-- Definition of GridLayout Datatype -->
<!-- ##### -->
<complexType name="GridLayoutType" final="#all">
  <sequence>
    <element name="Descriptor" type="mpeg7:VisualDType" maxOccurs="65025"/>
  </sequence>
  <attribute name="numOfPartX" type="mpeg7:unsigned8" use="required"/>
  <attribute name="numOfPartY" type="mpeg7:unsigned8" use="required"/>
  <attribute name="descriptorMask" use="optional">
    <simpleType>
      <restriction base="string">
        <pattern value="(0|1)*"/>
      </restriction>
    </simpleType>
  </attribute>
</complexType>

```

```

        </restriction>
    </simpleType>
</attribute>
</complexType>
<!-- ##### -->
<!-- Definition of VisualTimeSeries Datatypes -->
<!-- ##### -->
<!-- Definition of VisualTimeSeries Datatype -->
<complexType name="VisualTimeSeriesType" abstract="true">
    <sequence>
        <element name="TimeIncr" type="mpeg7:mediaDurationType"/>
    </sequence>
    <attribute name="offset" type="mpeg7:mediaDurationType" use="optional"
default="PT0S"/>
</complexType>
<!-- Definition of RegularVisualTimeSeries Datatype -->
<complexType name="RegularVisualTimeSeriesType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualTimeSeriesType">
            <sequence>
                <element name="Descriptor" type="mpeg7:VisualDType"
maxOccurs="unbounded"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- Definition of IrregularVisualTimeSeries Datatype -->
<complexType name="IrregularVisualTimeSeriesType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualTimeSeriesType">
            <sequence maxOccurs="unbounded">
                <element name="Descriptor" type="mpeg7:VisualDType"/>
                <element name="Interval" type="mpeg7:unsigned32"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of Spatial2DCoordinateSystem Header -->
<!-- ##### -->
<complexType name="Spatial2DCoordinateSystemType" final="#all">
    <complexContent>
        <extension base="mpeg7:HeaderType">
            <sequence>
                <element name="Unit" minOccurs="0">
                    <simpleType>
                        <restriction base="string">
                            <enumeration value="pixel"/>
                            <enumeration value="meter"/>
                            <enumeration value="pictureHeight"/>
                            <enumeration value="pictureWidth"/>
                            <enumeration value="pictureWidthAndHeight"/>
                        </restriction>
                    </simpleType>
                </element>
                <element name="LocalCoordinateSystem" minOccurs="0">
                    <complexType>
                        <sequence>
                            <choice>
                                <sequence maxOccurs="3">

```

```

        <element name="Pixel">
            <simpleType>
                <restriction base="mpeg7:integerVector">
                    <length value="2"/>
                </restriction>
            </simpleType>
        </element>
        <element name="CoordPoint">
            <simpleType>
                <restriction base="mpeg7:floatVector">
                    <length value="2"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
    <sequence maxOccurs="3">
        <element name="CurrPixel">
            <simpleType>
                <restriction base="mpeg7:integerVector">
                    <length value="2"/>
                </restriction>
            </simpleType>
        </element>
        <element name="SrcPixel">
            <simpleType>
                <restriction base="mpeg7:integerVector">
                    <length value="2"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
    </choice>
    <element name="MappingFuncnt" type="string" minOccurs="0"
maxOccurs="2"/>

    </sequence>
    <attribute name="name" type="string" use="required"/>
    <attribute name="dataSet" type="anyURI" use="optional"/>
</complexType>
</element>
<element name="IntegratedCoordinateSystem" minOccurs="0">
    <complexType>
        <sequence minOccurs="0" maxOccurs="65535">
            <element name="TimeIncr"
type="mpeg7:MediaIncrDurationType"/>
            <element name="MotionParams" type="float" minOccurs="2"
maxOccurs="12"/>
        </sequence>
        <attribute name="modelType" use="required">
            <simpleType>
                <restriction base="string">
                    <enumeration value="translational"/>
                    <enumeration value="rotationAndScaling"/>
                    <enumeration value="affine"/>
                    <enumeration value="perspective"/>
                    <enumeration value="quadratic"/>
                </restriction>
            </simpleType>
        </attribute>
        <attribute name="xOrigin" type="float" use="required"/>
        <attribute name="yOrigin" type="float" use="required"/>
    </complexType>
</element>

```

```

        </complexType>
      </element>
    </sequence>
    <attribute name="xRepr" type="mpeg7:unsigned8" use="required"/>
    <attribute name="yRepr" type="mpeg7:unsigned8" use="required"/>
    <attribute name="xSrcSize" type="positiveInteger" use="optional"/>
    <attribute name="ySrcSize" type="positiveInteger" use="optional"/>
  </extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of TemporalInterpolation Datatype -->
<!-- ##### -->
<complexType name="TemporalInterpolationType" final="#all">
  <sequence>
    <choice>
      <element name="WholeInterval">
        <complexType>
          <sequence>
            <element name="MediaIncrDuration"
type="mpeg7:MediaIncrDurationType"/>
          </sequence>
        </complexType>
      </element>
      <element name="KeyTimePoint">
        <complexType>
          <sequence>
            <element name="MediaRelIncrTimePoint"
type="mpeg7:MediaRelIncrTimePointType" minOccurs="2" maxOccurs="65535"/>
          </sequence>
        </complexType>
      </element>
    </choice>
    <element name="InterpolationFunctions" maxOccurs="15">
      <complexType>
        <sequence>
          <element name="KeyValue" minOccurs="2" maxOccurs="65535">
            <complexType>
              <simpleContent>
                <extension base="float">
                  <attribute name="type" use="optional"
default="firstOrder">
                    <simpleType>
                      <restriction base="string">
                        <enumeration value="startPoint"/>
                        <enumeration value="firstOrder"/>
                        <enumeration value="secondOrder"/>
                        <enumeration value="notDetermined"/>
                      </restriction>
                    </simpleType>
                  </attribute>
                  <attribute name="param" type="float" use="optional"
default="0.0"/>
                </extension>
              </simpleContent>
            </complexType>
          </element>
        </sequence>
      </complexType>
    </element>
  </sequence>
</complexType>
</element>

```

```

    </sequence>
</complexType>
<!-- ##### -->
<!-- Definition of ColorSpace Datatype -->
<!-- ##### -->
<complexType name="ColorSpaceType" final="#all">
    <sequence>
        <element name="ColorTransMat" minOccurs="0">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned16"/>
                    </simpleType>
                    <length value="9"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
    <attribute name="colorReferenceFlag" type="boolean" use="optional"
default="false"/>
    <attribute name="type" use="required">
        <simpleType>
            <restriction base="string">
                <enumeration value="RGB"/>
                <enumeration value="YCbCr"/>
                <enumeration value="HSV"/>
                <enumeration value="HMD"/>
                <enumeration value="LinearMatrix"/>
                <enumeration value="Monochrome"/>
            </restriction>
        </simpleType>
    </attribute>
</complexType>
<!-- ##### -->
<!-- Definition of ColorQuantization Datatype -->
<!-- ##### -->
<complexType name="ColorQuantizationType" final="#all">
    <sequence maxOccurs="3">
        <element name="Component">
            <simpleType>
                <restriction base="string">
                    <enumeration value="R"/>
                    <enumeration value="G"/>
                    <enumeration value="B"/>
                    <enumeration value="Y"/>
                    <enumeration value="Cb"/>
                    <enumeration value="Cr"/>
                    <enumeration value="H"/>
                    <enumeration value="S"/>
                    <enumeration value="V"/>
                    <enumeration value="Max"/>
                    <enumeration value="Min"/>
                    <enumeration value="Diff"/>
                    <enumeration value="Sum"/>
                </restriction>
            </simpleType>
        </element>
        <element name="NumOfBins" type="mpeg7:unsigned12"/>
    </sequence>
</complexType>

```

```

<!-- ##### -->
<!-- Definition of DominantColor D
-->
<!-- ##### -->
<complexType name="DominantColorType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <element name="ColorSpace" type="mpeg7:ColorSpaceType" minOccurs="0"/>
        <element name="ColorQuantization" type="mpeg7:ColorQuantizationType"
minOccurs="0"/>
        <element name="SpatialCoherency" type="mpeg7:unsigned5"/>
        <element name="Value" maxOccurs="8">
          <complexType>
            <sequence>
              <element name="Percentage" type="mpeg7:unsigned5"/>
              <element name="Index">
                <simpleType>
                  <restriction>
                    <simpleType>
                      <list itemType="mpeg7:unsigned12"/>
                    </simpleType>
                    <length value="3"/>
                  </restriction>
                </simpleType>
              </element>
              <element name="ColorVariance" minOccurs="0">
                <simpleType>
                  <restriction>
                    <simpleType>
                      <list itemType="mpeg7:unsigned1"/>
                    </simpleType>
                    <length value="3"/>
                  </restriction>
                </simpleType>
              </element>
            </sequence>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ScalableColor D
-->
<!-- ##### -->
<complexType name="ScalableColorType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <element name="Coeff" type="mpeg7:integerVector"/>
      </sequence>
      <attribute name="numOfCoeff" use="required">
        <simpleType>
          <restriction base="integer">
            <enumeration value="16"/>
            <enumeration value="32"/>
            <enumeration value="64"/>
            <enumeration value="128"/>
          </restriction>
        </simpleType>
      </attribute>
    </extension>
  </complexContent>
</complexType>

```

```

        <enumeration value="256"/>
      </restriction>
    </simpleType>
  </attribute>
  <attribute name="numOfBitplanesDiscarded" use="required">
    <simpleType>
      <restriction base="integer">
        <enumeration value="0"/>
        <enumeration value="1"/>
        <enumeration value="2"/>
        <enumeration value="3"/>
        <enumeration value="4"/>
        <enumeration value="6"/>
        <enumeration value="8"/>
      </restriction>
    </simpleType>
  </attribute>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ColorLayout D
-->
<!-- ##### -->
<complexType name="ColorLayoutType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <element name="YDCCoeff" type="mpeg7:unsigned6"/>
        <element name="CbDCCoeff" type="mpeg7:unsigned6"/>
        <element name="CrDCCoeff" type="mpeg7:unsigned6"/>
        <choice>
          <element name="YACCoeff2">
            <simpleType>
              <restriction>
                <simpleType>
                  <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="2"/>
              </restriction>
            </simpleType>
          </element>
          <element name="YACCoeff5">
            <simpleType>
              <restriction>
                <simpleType>
                  <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="5"/>
              </restriction>
            </simpleType>
          </element>
          <element name="YACCoeff9">
            <simpleType>
              <restriction>
                <simpleType>
                  <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="9"/>
              </restriction>
            </simpleType>
          </element>
        </choice>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

```

        </simpleType>
      </element>
      <element name="YACCCoeff14">
        <simpleType>
          <restriction>
            <simpleType>
              <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <length value="14"/>
          </restriction>
        </simpleType>
      </element>
      <element name="YACCCoeff20">
        <simpleType>
          <restriction>
            <simpleType>
              <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <length value="20"/>
          </restriction>
        </simpleType>
      </element>
      <element name="YACCCoeff27">
        <simpleType>
          <restriction>
            <simpleType>
              <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <length value="27"/>
          </restriction>
        </simpleType>
      </element>
      <element name="YACCCoeff63">
        <simpleType>
          <restriction>
            <simpleType>
              <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <length value="63"/>
          </restriction>
        </simpleType>
      </element>
    </choice>
    <choice>
      <sequence>
        <element name="CbACCoeff2">
          <simpleType>
            <restriction>
              <simpleType>
                <list itemType="mpeg7:unsigned5"/>
              </simpleType>
              <length value="2"/>
            </restriction>
          </simpleType>
        </element>
        <element name="CrACCoeff2">
          <simpleType>
            <restriction>
              <simpleType>
                <list itemType="mpeg7:unsigned5"/>
              </simpleType>
            </restriction>
          </simpleType>
        </element>
      </sequence>
    </choice>
  </element>

```

```

        </simpleType>
        <length value="2"/>
    </restriction>
</simpleType>
</element>
</sequence>
<sequence>
    <element name="CbACCoeff5">
        <simpleType>
            <restriction>
                <simpleType>
                    <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="5"/>
            </restriction>
        </simpleType>
    </element>
    <element name="CrACCoeff5">
        <simpleType>
            <restriction>
                <simpleType>
                    <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="5"/>
            </restriction>
        </simpleType>
    </element>
</sequence>
<sequence>
    <element name="CbACCoeff9">
        <simpleType>
            <restriction>
                <simpleType>
                    <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="9"/>
            </restriction>
        </simpleType>
    </element>
    <element name="CrACCoeff9">
        <simpleType>
            <restriction>
                <simpleType>
                    <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="9"/>
            </restriction>
        </simpleType>
    </element>
</sequence>
<sequence>
    <element name="CbACCoeff14">
        <simpleType>
            <restriction>
                <simpleType>
                    <list itemType="mpeg7:unsigned5"/>
                </simpleType>
                <length value="14"/>
            </restriction>
        </simpleType>
    </element>

```

```

        </element>
        <element name="CrACCoeff14">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned5"/>
                    </simpleType>
                    <length value="14"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
    <sequence>
        <element name="CbACCoeff20">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned5"/>
                    </simpleType>
                    <length value="20"/>
                </restriction>
            </simpleType>
        </element>
        <element name="CrACCoeff20">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned5"/>
                    </simpleType>
                    <length value="20"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
    <sequence>
        <element name="CbACCoeff27">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned5"/>
                    </simpleType>
                    <length value="27"/>
                </restriction>
            </simpleType>
        </element>
        <element name="CrACCoeff27">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned5"/>
                    </simpleType>
                    <length value="27"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
    <sequence>
        <element name="CbACCoeff63">
            <simpleType>
                <restriction>

```

```

        <simpleType>
            <list itemType="mpeg7:unsigned5"/>
        </simpleType>
        <length value="63"/>
    </restriction>
</simpleType>
</element>
<element name="CrACCoeff63">
    <simpleType>
        <restriction>
            <simpleType>
                <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <length value="63"/>
        </restriction>
    </simpleType>
</element>
</sequence>
</choice>
</sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ColorStructure D
-->
<!-- ##### -->
<complexType name="ColorStructureType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="Values">
                    <simpleType>
                        <restriction>
                            <simpleType>
                                <list itemType="mpeg7:unsigned8"/>
                            </simpleType>
                            <minLength value="1"/>
                            <maxLength value="256"/>
                        </restriction>
                    </simpleType>
                </element>
            </sequence>
            <attribute name="colorQuant" type="mpeg7:unsigned3" use="required"/>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of GoFGoPColor D
-->
>
<!-- ##### -->
<complexType name="GoFGoPColorType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="ScalableColor" type="mpeg7:ScalableColorType"/>
            </sequence>
            <attribute name="aggregation" use="required">
                <simpleType>
                    <restriction base="string">

```

```

        <enumeration value="Average"/>
        <enumeration value="Median"/>
        <enumeration value="Intersection"/>
    </restriction>
</simpleType>
</attribute>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of HomogeneousTexture D -->
<!-- ##### -->
<!-- Definition of HomogeneousTexture D -->
<complexType name="HomogeneousTextureType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="Average" type="mpeg7:unsigned8"/>
                <element name="StandardDeviation" type="mpeg7:unsigned8"/>
                <element name="Energy" type="mpeg7:textureListType"/>
                <element name="EnergyDeviation" type="mpeg7:textureListType"
minOccurs="0"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- Definition of textureList datatype -->
<simpleType name="textureListType">
    <restriction>
        <simpleType>
            <list itemType="mpeg7:unsigned8"/>
        </simpleType>
        <length value="30"/>
    </restriction>
</simpleType>
<!-- ##### -->
<!-- Definition of TextureBrowsing D -->
>
<!-- ##### -->
<complexType name="TextureBrowsingType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="Regularity">
                    <simpleType>
                        <restriction base="string">
                            <enumeration value="irregular"/>
                            <enumeration value="slightlyRegular"/>
                            <enumeration value="regular"/>
                            <enumeration value="highlyRegular"/>
                        </restriction>
                    </simpleType>
                </element>
                <sequence maxOccurs="2">
                    <element name="Direction">
                        <simpleType>
                            <restriction base="string">
                                <enumeration value="noDirectionality"/>
                                <enumeration value="0Degree"/>
                                <enumeration value="30Degree"/>

```

```

        <enumeration value="60Degree"/>
        <enumeration value="90Degree"/>
        <enumeration value="120Degree"/>
        <enumeration value="150Degree"/>
    </restriction>
</simpleType>
</element>
<element name="Scale">
    <simpleType>
        <restriction base="string">
            <enumeration value="fine"/>
            <enumeration value="medium"/>
            <enumeration value="coarse"/>
            <enumeration value="veryCoarse"/>
        </restriction>
    </simpleType>
</element>
</sequence>
</sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of EdgeHistogram D -->
>
<!-- ##### -->
<complexType name="EdgeHistogramType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="BinCounts">
                    <simpleType>
                        <restriction>
                            <simpleType>
                                <list itemType="mpeg7:unsigned3"/>
                            </simpleType>
                                <length value="80"/>
                        </restriction>
                    </simpleType>
                </element>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of RegionShape D -->
->
<!-- ##### -->
<complexType name="RegionShapeType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="MagnitudeOfART">
                    <simpleType>
                        <restriction>
                            <simpleType>
                                <list itemType="mpeg7:unsigned4"/>
                            </simpleType>
                                <length value="35"/>
                        </restriction>
                    </simpleType>
                </element>
            </sequence>
        </extension>
    </complexContent>
</complexType>

```

```

        </simpleType>
      </element>
    </sequence>
  </extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ContourShape D - ->
- ->
<!-- ##### -->
<!-- Definition of ContourShape D -->
<complexType name="ContourShapeType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <element name="GlobalCurvature" type="mpeg7:curvatureType"/>
        <element name="PrototypeCurvature" type="mpeg7:curvatureType"
minOccurs="0"/>
        <element name="HighestPeakY" type="mpeg7:unsigned7"/>
        <!-- VIDEO COR/1 -->
        <element name="Peak" minOccurs="0" maxOccurs="62">
          <complexType>
            <attribute name="peakX" type="mpeg7:unsigned6" use="required"/>
            <attribute name="peakY" type="mpeg7:unsigned3" use="required"/>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<!-- Definition of curvature datatype -->
<simpleType name="curvatureType">
  <restriction>
    <simpleType>
      <list itemType="mpeg7:unsigned6"/>
    </simpleType>
    <length value="2"/>
  </restriction>
</simpleType>
<!-- ##### -->
<!-- Definition of Shape3D D - ->
- ->
<!-- ##### -->
<complexType name="Shape3DType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <element name="Spectrum">
          <simpleType>
            <restriction>
              <simpleType>
                <list itemType="mpeg7:unsigned12"/>
              </simpleType>
              <maxLength value="255"/>
            </restriction>
          </simpleType>
        </element>
        <element name="PlanarSurfaces" type="mpeg7:unsigned12"/>
        <element name="SingularSurfaces" type="mpeg7:unsigned12"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

```

        <attribute name="bitsPerBin" type="mpeg7:unsigned4" use="optional"
default="12"/>
    </extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of CameraMotion D -
->
<!-- ##### -->
<!-- Definition of CameraMotion D -->
<complexType name="CameraMotionType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="Segment" type="mpeg7:CameraMotionSegmentType"
minOccurs="0" maxOccurs="unbounded"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- Definition of CameraMotionSegment Datatype -->
<complexType name="CameraMotionSegmentType" abstract="true">
    <sequence>
        <element name="MediaTime" type="mpeg7:MediaTimeType"/>
        <element name="FocusOfExpansion" type="mpeg7:FocusOfExpansionType"
minOccurs="0"/>
    </sequence>
</complexType>
<!-- Definition of MixtureCameraMotionSegment Datatype -->
<complexType name="MixtureCameraMotionSegmentType" final="#all">
    <complexContent>
        <extension base="mpeg7:CameraMotionSegmentType">
            <sequence>
                <element name="FractionalPresence"
type="mpeg7:FractionalPresenceType"/>
                <element name="AmountOfMotion" type="mpeg7:MixtureAmountOfMotionType"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- Definition of NonMixtureCameraMotionSegment Datatype -->
<complexType name="NonMixtureCameraMotionSegmentType">
    <complexContent>
        <extension base="mpeg7:CameraMotionSegmentType">
            <sequence>
                <element name="AmountOfMotion"
type="mpeg7:NonMixtureAmountOfMotionType"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- Definition of FocusOfExpansion Datatype -->
<complexType name="FocusOfExpansionType">
    <sequence>
        <element name="HorizontalPosition" type="float"/>
        <element name="VerticalPosition" type="float"/>
    </sequence>
</complexType>
<!-- Definition of FractionalPresence Datatype -->
<complexType name="FractionalPresenceType" final="#all">

```

```

<sequence>
  <element name="TrackLeft" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="TrackRight" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="BoomDown" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="BoomUp" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="DollyForward" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="DollyBackward" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="PanLeft" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="PanRight" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="TiltDown" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="TiltUp" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="RollClockwise" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="RollAnticlockwise" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="ZoomIn" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="ZoomOut" type="mpeg7:unsigned7" minOccurs="0"/>
  <element name="Fixed" type="mpeg7:unsigned7" minOccurs="0"/>
</sequence>
</complexType>
<!-- Definition of MixtureAmountOfMotion Datatype -->
<complexType name="MixtureAmountOfMotionType" final="#all">
  <sequence>
    <element name="TrackLeft" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="TrackRight" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="BoomDown" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="BoomUp" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="DollyForward" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="DollyBackward" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="PanLeft" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="PanRight" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="TiltDown" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="TiltUp" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="RollClockwise" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="RollAnticlockwise" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="ZoomIn" type="mpeg7:unsigned11" minOccurs="0"/>
    <element name="ZoomOut" type="mpeg7:unsigned11" minOccurs="0"/>
  </sequence>
</complexType>
<!-- Definition of NonMixtureAmountOfMotion Datatype -->
<complexType name="NonMixtureAmountOfMotionType">
  <choice>
    <element name="TrackLeft" type="mpeg7:unsigned11"/>
    <element name="TrackRight" type="mpeg7:unsigned11"/>
    <element name="BoomDown" type="mpeg7:unsigned11"/>
    <element name="BoomUp" type="mpeg7:unsigned11"/>
    <element name="DollyForward" type="mpeg7:unsigned11"/>
    <element name="DollyBackward" type="mpeg7:unsigned11"/>
    <element name="PanLeft" type="mpeg7:unsigned11"/>
    <element name="PanRight" type="mpeg7:unsigned11"/>
    <element name="TiltDown" type="mpeg7:unsigned11"/>
    <element name="TiltUp" type="mpeg7:unsigned11"/>
    <element name="RollClockwise" type="mpeg7:unsigned11"/>
    <element name="RollAnticlockwise" type="mpeg7:unsigned11"/>
    <element name="ZoomIn" type="mpeg7:unsigned11"/>
    <element name="ZoomOut" type="mpeg7:unsigned11"/>
    <element name="Fixed">
      <complexType/>
    </element>
  </choice>
</complexType>
<!-- ##### -->

```

```

<!-- Definition of MotionTrajectory D
-->
<!-- ##### -->
<complexType name="MotionTrajectoryType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <choice>
          <element name="CoordRef">
            <complexType>
              <attribute name="ref" type="IDREF" use="required"/>
              <attribute name="spatialRef" type="boolean" use="required"/>
            </complexType>
          </element>
          <element name="CoordDef">
            <complexType>
              <sequence>
                <element name="Repr" minOccurs="0">
                  <complexType>
                    <attribute name="x" type="mpeg7:unsigned8"
use="required"/>
                    <attribute name="y" type="mpeg7:unsigned8"
use="required"/>
                  </complexType>
                </element>
              </sequence>
              <attribute name="units" use="required">
                <simpleType>
                  <restriction base="string">
                    <enumeration value="pictureHeight"/>
                    <enumeration value="pictureWidth"/>
                    <enumeration value="pictureWidthAndHeight"/>
                    <enumeration value="meter"/>
                  </restriction>
                </simpleType>
              </attribute>
            </complexType>
          </element>
        </choice>
        <element name="Params" type="mpeg7:TemporalInterpolationType"/>
      </sequence>
      <attribute name="cameraFollows" type="boolean" use="optional"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ParametricMotion D
-->
<!-- ##### -->
<complexType name="ParametricMotionType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <choice>
          <element name="CoordRef">
            <complexType>
              <attribute name="ref" type="IDREF" use="required"/>
              <attribute name="spatialRef" type="boolean" use="required"/>
            </complexType>
          </element>

```

```

        <element name="CoordDef">
            <complexType>
                <attribute name="originX" type="float" use="required"/>
                <attribute name="originY" type="float" use="required"/>
            </complexType>
        </element>
    </choice>
    <element name="MediaDuration" type="mpeg7:MediaIncrDurationType"/>
    <element name="Parameters">
        <simpleType>
            <restriction base="mpeg7:floatVector">
                <maxLength value="12"/>
            </restriction>
        </simpleType>
    </element>
</sequence>
<attribute name="motionModel" use="required">
    <simpleType>
        <restriction base="string">
            <enumeration value="translational"/>
            <enumeration value="rotationOrScaling"/>
            <enumeration value="affine"/>
            <enumeration value="perspective"/>
            <enumeration value="quadratic"/>
        </restriction>
    </simpleType>
</attribute>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of MotionActivity D -->
-->
<!-- ##### -->
<complexType name="MotionActivityType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="Intensity">
                    <simpleType>
                        <restriction base="mpeg7:unsigned3">
                            <minInclusive value="1"/>
                            <maxInclusive value="5"/>
                        </restriction>
                    </simpleType>
                </element>
                <element name="DominantDirection" type="mpeg7:unsigned3"
minOccurs="0"/>
                <element name="SpatialDistributionParams" minOccurs="0">
                    <complexType>
                        <attribute name="numOfShortRuns" type="mpeg7:unsigned6"
use="required"/>
                        <attribute name="numOfMediumRuns" type="mpeg7:unsigned5"
use="required"/>
                        <attribute name="numOfLongRuns" type="mpeg7:unsigned5"
use="required"/>
                    </complexType>
                </element>
                <element name="SpatialLocalizationParams" minOccurs="0">
                    <complexType>

```

```

        <choice>
            <element name="Vector4">
                <simpleType>
                    <restriction>
                        <simpleType>
                            <list itemType="mpeg7:unsigned3"/>
                        </simpleType>
                        <length value="4"/>
                    </restriction>
                </simpleType>
            </element>
            <element name="Vector16">
                <simpleType>
                    <restriction>
                        <simpleType>
                            <list itemType="mpeg7:unsigned3"/>
                        </simpleType>
                        <length value="16"/>
                    </restriction>
                </simpleType>
            </element>
            <element name="Vector64">
                <simpleType>
                    <restriction>
                        <simpleType>
                            <list itemType="mpeg7:unsigned3"/>
                        </simpleType>
                        <length value="64"/>
                    </restriction>
                </simpleType>
            </element>
            <element name="Vector256">
                <simpleType>
                    <restriction>
                        <simpleType>
                            <list itemType="mpeg7:unsigned3"/>
                        </simpleType>
                        <length value="256"/>
                    </restriction>
                </simpleType>
            </element>
        </choice>
    </complexType>
</element>
<element name="TemporalParams" minOccurs="0">
    <simpleType>
        <restriction>
            <simpleType>
                <list itemType="mpeg7:unsigned6"/>
            </simpleType>
            <length value="5"/>
        </restriction>
    </simpleType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of RegionLocator Datatype -->

```

```

<!-- ##### -->
<!-- Definition of RegionLocator Datatype -->
<complexType name="RegionLocatorType" final="#all">
  <sequence>
    <element name="CoordRef" minOccurs="0">
      <complexType>
        <attribute name="ref" type="IDREF" use="required"/>
        <attribute name="spatialRef" type="boolean" use="optional"
default="false"/>
      </complexType>
    </element>
    <element name="Box" minOccurs="0" maxOccurs="unbounded">
      <complexType>
        <simpleContent>
          <extension base="mpeg7:BoxListType">
            <attribute name="unlocatedRegion" type="boolean" use="optional"
default="false"/>
          </extension>
        </simpleContent>
      </complexType>
    </element>
    <element name="Polygon" minOccurs="0" maxOccurs="unbounded">
      <complexType>
        <sequence>
          <element name="Coords" type="mpeg7:IntegerMatrixType"/>
        </sequence>
        <attribute name="unlocatedRegion" type="boolean" use="optional"
default="false"/>
      </complexType>
    </element>
  </sequence>
</complexType>
<!-- Definition of BoxList Datatype -->
<complexType name="BoxListType">
  <simpleContent>
    <restriction base="mpeg7:IntegerMatrixType"/>
  </simpleContent>
</complexType>
<!-- ##### -->
<!-- Definition of SpatioTemporalLocator Datatype -->
<!-- ##### -->
<!-- Definition of SpatioTemporalLocator Datatype -->
<complexType name="SpatioTemporalLocatorType" final="#all">
  <sequence>
    <element name="CoordRef" minOccurs="0">
      <complexType>
        <attribute name="ref" type="IDREF" use="required"/>
        <attribute name="spatialRef" type="boolean" use="required"/>
      </complexType>
    </element>
    <choice maxOccurs="unbounded">
      <element name="FigureTrajectory" type="mpeg7:FigureTrajectoryType"/>
      <element name="ParameterTrajectory" type="mpeg7:ParameterTrajectoryType"/>
      <element name="MediaTime" type="mpeg7:MediaTimeType"/>
    </choice>
  </sequence>
</complexType>
<!-- Definition of FigureTrajectory Datatype -->
<complexType name="FigureTrajectoryType" final="#all">
  <sequence>

```

```

        <element name="MediaTime" type="mpeg7:MediaTimeType"/>
        <element name="Vertex" type="mpeg7:TemporalInterpolationType" minOccurs="3"
maxOccurs="unbounded"/>
        <element name="Depth" type="mpeg7:TemporalInterpolationType" minOccurs="0"/>
    </sequence>
    <attribute name="type" use="required">
        <simpleType>
            <restriction base="string">
                <enumeration value="rectangle"/>
                <enumeration value="ellipse"/>
                <enumeration value="polygon"/>
            </restriction>
        </simpleType>
    </attribute>
</complexType>
<!-- Definition of ParameterTrajectory Datatype -->
<complexType name="ParameterTrajectoryType" final="#all">
    <sequence>
        <element name="MediaTime" type="mpeg7:MediaTimeType"/>
        <element name="InitialRegion" type="mpeg7:RegionLocatorType"/>
        <element name="Params" type="mpeg7:TemporalInterpolationType" minOccurs="0"/>
        <element name="Depth" type="mpeg7:TemporalInterpolationType" minOccurs="0"/>
    </sequence>
    <attribute name="motionModel" use="required">
        <simpleType>
            <restriction base="string">
                <enumeration value="still"/>
                <enumeration value="translation"/>
                <enumeration value="rotationAndScaling"/>
                <enumeration value="affine"/>
                <enumeration value="perspective"/>
                <enumeration value="parabolic"/>
            </restriction>
        </simpleType>
    </attribute>
    <attribute name="ellipseFlag" type="boolean" use="optional" default="false"/>
</complexType>
<!-- ##### -->
<!-- Definition of FaceRecognition D --
>
<!-- ##### -->
<complexType name="FaceRecognitionType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="Feature">
                    <simpleType>
                        <restriction>
                            <simpleType>
                                <list itemType="mpeg7:unsigned5"/>
                            </simpleType>
                                <length value="48"/>
                        </restriction>
                    </simpleType>
                </element>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- *****-->

```

```

<!-- ***** ISO/IEC 15938-4 Visual AMD/1
*****-->
<!-- *****-->
<!-- ##### -->
<!-- Definition of MPEG-7 GofGopFeatureType -->
<!-- ##### -->
<complexType name="GofGopFeatureType">
  <sequence>
    <element name="Descriptor" type="mpeg7:VisualDType"/>
  </sequence>
  <attribute name="aggregation" use="optional">
    <simpleType>
      <restriction base="string">
        <enumeration value="Average"/>
        <enumeration value="Median"/>
        <enumeration value="SplitMerge"/>
      </restriction>
    </simpleType>
  </attribute>
</complexType>
<!-- #####-->
<!-- Definition of MPEG-7 ColorTemperatureType -->
<!-- #####-->
<complexType name="ColorTemperatureType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>
        <element name="BrowsingCategory">
          <simpleType>
            <restriction base="string">
              <enumeration value="hot"/>
              <enumeration value="warm"/>
              <enumeration value="moderate"/>
              <enumeration value="cool"/>
            </restriction>
          </simpleType>
        </element>
        <element name="SubRangeIndex" type="mpeg7:unsigned6"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<!-- #####-->
<!-- Definition of MPEG-7 IlluminationInvariantColorType -->
<!-- #####-->
<complexType name="IlluminationInvariantColorType">
  <choice>
    <element name="DominantColor" type="mpeg7:DominantColorType"/>
    <element name="ScalableColor" type="mpeg7:ScalableColorType"/>
    <element name="ColorLayout" type="mpeg7:ColorLayoutType"/>
    <element name="ColorStructure" type="mpeg7:ColorStructureType"/>
  </choice>
</complexType>
<!-- #####-->
<!-- Definition of MPEG-7 ShapeVariationType -->
<!-- #####-->
<complexType name="ShapeVariationType" final="#all">
  <complexContent>
    <extension base="mpeg7:VisualDType">
      <sequence>

```

```

        <element name="StaticShapeVariation">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned4"/>
                    </simpleType>
                    <length value="35"/>
                </restriction>
            </simpleType>
        </element>
        <element name="DynamicShapeVariation">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned4"/>
                    </simpleType>
                    <length value="35"/>
                </restriction>
            </simpleType>
        </element>
        <element name="StatisticalVariation">
            <simpleType>
                <restriction>
                    <simpleType>
                        <list itemType="mpeg7:unsigned4"/>
                    </simpleType>
                    <length value="35"/>
                </restriction>
            </simpleType>
        </element>
    </sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of MPEG-7 "AdvancedFaceRecognitionType" -->
<!-- ##### -->
<complexType name="AdvancedFaceRecognitionType" final="#all">
    <complexContent>
        <extension base="mpeg7:VisualDType">
            <sequence>
                <element name="FourierFeature">
                    <simpleType>
                        <restriction>
                            <simpleType>
                                <list itemType="mpeg7:unsigned5"/>
                            </simpleType>
                            <minLength value="24"/>
                            <maxLength value="63"/>
                        </restriction>
                    </simpleType>
                </element>
                <element name="CentralFourierFeature">
                    <simpleType>
                        <restriction>
                            <simpleType>
                                <list itemType="mpeg7:unsigned5"/>
                            </simpleType>
                            <minLength value="24"/>
                            <maxLength value="63"/>
                        </restriction>
                    </simpleType>
                </element>
            </sequence>
        </extension>
    </complexContent>
</complexType>

```

```

        </restriction>
      </simpleType>
    </element>
    <sequence minOccurs="0">
      <element name="CompositeFeature">
        <simpleType>
          <restriction>
            <simpleType>
              <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <minLength value="0"/>
            <maxLength value="63"/>
          </restriction>
        </simpleType>
      </element>
      <element name="SubregionCompositeFeature">
        <simpleType>
          <restriction>
            <simpleType>
              <list itemType="mpeg7:unsigned5"/>
            </simpleType>
            <minLength value="0"/>
            <maxLength value="63"/>
          </restriction>
        </simpleType>
      </element>
    </sequence>
  </extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of media-centric visual DSs -->
<!-- ##### -->
<!-- Definition of MPEG-7 Still Region Feature Type -->
<!-- ##### -->
<complexType name="StillRegionFeatureType">
  <complexContent>
    <extension base="mpeg7:VisualDSType">
      <sequence>
        <!-- List of features available -->
        <!-- Color Distribution -->
        <!-- for the region with limited number of colors -->
        <element name="DominantColor" type="mpeg7:DominantColorType"
minOccurs="0"/>
        <!-- for generic applications -->
        <element name="ScalableColor" type="mpeg7:ScalableColorType"
minOccurs="0"/>
        <!-- for high-level applications requesting precise retrieval -->
        <element name="ColorStructure" type="mpeg7:ColorStructureType"
minOccurs="0"/>
        <!-- Spatial Distribution of Color -->
        <element name="ColorLayout" type="mpeg7:ColorLayoutType"
minOccurs="0"/>
        <!-- Color Temperature -->
        <element name="ColorTemperature" type="mpeg7:ColorTemperatureType"
minOccurs="0"/>
        <!-- Illumination Independent Color -->
        <element name="IlluminationCompensatedColor"
type="mpeg7:IlluminationInvariantColorType" minOccurs="0"/>

```

```

        <!-- Spatial Distribution of edges -->
        <element name="Edge" type="mpeg7:EdgeHistogramType" minOccurs="0"/>
        <!-- Homogeneous Patterns -->
        <!-- It is applicable only to the picture with homogeneous pattern -->
        <element name="HomogeneousPattern" type="mpeg7:HomogeneousTextureType"
minOccurs="0"/>

        <!-- In case only rough browsing is requested -->
        <element name="TextureBrowsing" type="mpeg7:TextureBrowsingType"
minOccurs="0"/>

        <!-- Shape -->
        <!-- for shape mask-->
        <element name="ShapeMask" type="mpeg7:RegionShapeType" minOccurs="0"/>
        <!-- for contour -->
        <element name="Contour" type="mpeg7:ContourShapeType" minOccurs="0"/>
    </sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of MPEG-7 VideoSegmentFeatureType -->
<!-- ##### -->
<complexType name="VideoSegmentFeatureType">
    <complexContent>
        <extension base="mpeg7:VisualDSType">
            <sequence>
                <!-- List of features available -->
                <!-- Temporal transition of frame feature -->
                <element name="TemporalTransition" type="mpeg7:VisualTimeSeriesType"
minOccurs="0" maxOccurs="unbounded"/>
                <!-- Representative feature over all frame in the sequence -->
                <element name="RepresentativeFeature" type="mpeg7:GofGopFeatureType"
minOccurs="0" maxOccurs="unbounded"/>
                <!-- motion activity -->
                <element name="MotionActivity" type="mpeg7:MotionActivityType"
minOccurs="0"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of MPEG-7 MovingRegionFeatureType -->
<!-- ##### -->
<complexType name="MovingRegionFeatureType">
    <complexContent>
        <extension base="mpeg7:VideoSegmentFeatureType">
            <sequence>
                <!-- List of features available -->
                <!-- description of statistical characteristics of shape changes -->
                <element name="ShapeVariation" type="mpeg7:ShapeVariationType"
minOccurs="0"/>

                <!-- description of motion characteristics -->
                <choice minOccurs="0">
                    <element name="ParametricMotion" type="mpeg7:ParametricMotionType"/>
                    <element name="MotionTrajectory" type="mpeg7:MotionTrajectoryType"/>
                </choice>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ***** -->

```

```

<!-- ***** ISO/IEC 15938-4 AUDIO *****-->
<!-- *****-->
<annotation>
  <documentation>
    This section contains tools defined in:
      ISO/IEC 15938-4 + ISO/IEC 15938-4 AMD/1 (Audio)
  </documentation>
</annotation>
<!-- ##### -->
<!-- Definition of AudioLLDScalar D -->
<!-- ##### -->
<complexType name="AudioLLDScalarType" abstract="true">
  <complexContent>
    <extension base="mpeg7:AudioDType">
      <choice>
        <element name="Scalar" type="float"/>
        <element name="SeriesOfScalar" maxOccurs="unbounded">
          <complexType>
            <complexContent>
              <extension base="mpeg7:SeriesOfScalarType">
                <attribute name="hopSize" type="mpeg7:mediaDurationType"
default="PT10N1000F"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </choice>
      <attribute name="confidence" type="mpeg7:zeroToOneType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioLLDVector D -->
<!-- ##### -->
<complexType name="AudioLLDVectorType" abstract="true">
  <complexContent>
    <extension base="mpeg7:AudioDType">
      <choice>
        <element name="Vector" type="mpeg7:floatVector"/>
        <element name="SeriesOfVector" maxOccurs="unbounded">
          <complexType>
            <complexContent>
              <extension base="mpeg7:SeriesOfVectorType">
                <attribute name="hopSize" type="mpeg7:mediaDurationType"
default="PT10N1000F"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </choice>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioWaveform D -->
<!-- ##### -->
<complexType name="AudioWaveformType">
  <complexContent>
    <extension base="mpeg7:AudioLLDScalarType">
      <attribute name="minRange" type="float" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

```

        <attribute name="maxRange" type="float" use="optional"/>
    </extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of audioSpectrumAttributeGrp -->
<!-- ##### -->
<attributeGroup name="audioSpectrumAttributeGrp">
    <attribute name="loEdge" type="float" default="62.5"/>
    <attribute name="hiEdge" type="float" default="16000"/>
    <attribute name="octaveResolution" use="optional">
        <simpleType>
            <restriction base="string">
                <enumeration value="1/16"/>
                <enumeration value="1/8"/>
                <enumeration value="1/4"/>
                <enumeration value="1/2"/>
                <enumeration value="1"/>
                <enumeration value="2"/>
                <enumeration value="4"/>
                <enumeration value="8"/>
            </restriction>
        </simpleType>
    </attribute>
    <!-- Edge values are in Hertz -->
</attributeGroup>
<!-- ##### -->
<!-- Definition of AudioSpectrumEnvelope D -->
<!-- ##### -->
<complexType name="AudioSpectrumEnvelopeType">
    <complexContent>
        <extension base="mpeg7:AudioLLDVectorType">
            <attributeGroup ref="mpeg7:audioSpectrumAttributeGrp"/>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioPower D -->
<!-- ##### -->
<complexType name="AudioPowerType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioSpectrumCentroid D -->
<!-- ##### -->
<complexType name="AudioSpectrumCentroidType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioSpectrumSpread D -->
<!-- ##### -->
<complexType name="AudioSpectrumSpreadType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>

```

```

<!-- ##### -->
<!-- Definition of AudioFundamentalFrequency D -->
<!-- ##### -->
<complexType name="AudioFundamentalFrequencyType">
  <complexContent>
    <extension base="mpeg7:AudioLLDScalarType">
      <attribute name="loLimit" type="float" default="25"/>
      <attribute name="hiLimit" type="float" use="optional"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioHarmonicity D -->
<!-- ##### -->
<complexType name="AudioHarmonicityType">
  <complexContent>
    <extension base="mpeg7:AudioDType">
      <sequence>
        <element name="HarmonicRatio" type="mpeg7:AudioLLDScalarType"/>
        <element name="UpperLimitOfHarmonicity"
type="mpeg7:AudioLLDScalarType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioSpectrumFlatness D -->
<!-- ##### -->
<complexType name="AudioSpectrumFlatnessType">
  <complexContent>
    <extension base="mpeg7:AudioLLDVectorType">
      <attribute name="loEdge" type="float" default="250"/>
      <attribute name="hiEdge" type="float" default="16000"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioSpectrumBasis D -->
<!-- ##### -->
<complexType name="AudioSpectrumBasisType">
  <complexContent>
    <extension base="mpeg7:AudioLLDVectorType">
      <attributeGroup ref="mpeg7:audioSpectrumAttributeGrp"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioSpectrumProjection D -->
<!-- ##### -->
<complexType name="AudioSpectrumProjectionType">
  <complexContent>
    <extension base="mpeg7:AudioLLDVectorType"/>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of LogAttackTime D -->
<!-- ##### -->
<complexType name="LogAttackTimeType">
  <complexContent>
    <extension base="mpeg7:AudioLLDScalarType"/>

```

```

    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of HarmonicSpectralCentroid D -->
<!-- ##### -->
<complexType name="HarmonicSpectralCentroidType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of HarmonicSpectralDeviation D -->
<!-- ##### -->
<complexType name="HarmonicSpectralDeviationType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of HarmonicSpectralSpread D -->
<!-- ##### -->
<complexType name="HarmonicSpectralSpreadType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of HarmonicSpectralVariation D -->
<!-- ##### -->
<complexType name="HarmonicSpectralVariationType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SpectralCentroid D -->
<!-- ##### -->
<complexType name="SpectralCentroidType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of TemporalCentroid D -->
<!-- ##### -->
<complexType name="TemporalCentroidType">
    <complexContent>
        <extension base="mpeg7:AudioLLDScalarType"/>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ScalableSeries datatype -->
<!-- ##### -->
<complexType name="ScalableSeriesType" abstract="true">
    <sequence>
        <element name="Scaling" minOccurs="0" maxOccurs="unbounded">
            <complexType>
                <attribute name="ratio" type="positiveInteger" use="required"/>
                <attribute name="numOfElements" type="positiveInteger" use="required"/>
            </complexType>

```

```

        </element>
    </sequence>
    <attribute name="totalNumOfSamples" type="positiveInteger" use="required"/>
</complexType>
<!-- ##### -->
<!-- Definition of SeriesOfScalar datatype -->
<!-- ##### -->
<complexType name="SeriesOfScalarType">
    <complexContent>
        <extension base="mpeg7:ScalableSeriesType">
            <sequence>
                <element name="Raw" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Min" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Max" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Mean" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Random" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="First" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Last" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Variance" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Weight" type="mpeg7:floatVector" minOccurs="0"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SeriesOfScalarBinary datatype -->
<!-- ##### -->
<complexType name="SeriesOfScalarBinaryType">
    <complexContent>
        <extension base="mpeg7:SeriesOfScalarType">
            <sequence>
                <element name="VarianceScalewise" type="mpeg7:FloatMatrixType"
minOccurs="0"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SeriesOfVector datatype -->
<!-- ##### -->
<complexType name="SeriesOfVectorType">
    <complexContent>
        <extension base="mpeg7:ScalableSeriesType">
            <sequence>
                <element name="Raw" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Min" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Max" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Mean" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Random" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="First" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Last" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Variance" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="Covariance" type="mpeg7:FloatMatrixType" minOccurs="0"/>
                <element name="VarianceSummed" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="MaxSqDist" type="mpeg7:floatVector" minOccurs="0"/>
                <element name="Weight" type="mpeg7:floatVector" minOccurs="0"/>
            </sequence>
            <attribute name="vectorSize" type="positiveInteger" default="1"/>
        </extension>
    </complexContent>

```

```

</complexType>
<!-- ##### -->
<!-- Definition of SeriesOfVectorBinary datatype -->
<!-- ##### -->
<complexType name="SeriesOfVectorBinaryType">
  <complexContent>
    <extension base="mpeg7:SeriesOfVectorType">
      <sequence>
        <element name="VarianceScalewise" type="mpeg7:FloatMatrixType"
minOccurs="0"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SilenceHeader header -->
<!-- ##### -->
<complexType name="SilenceHeaderType">
  <complexContent>
    <extension base="mpeg7:HeaderType">
      <attribute name="minDuration" type="mpeg7:mediaDurationType"
use="required"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of Silence D -->
<!-- ##### -->
<complexType name="SilenceType">
  <complexContent>
    <extension base="mpeg7:AudioDType">
      <attribute name="confidence" type="mpeg7:zeroToOneType" default="1.0"/>
      <attribute name="minDurationRef" type="anyURI" use="optional"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of AudioSignature DS -->
<!-- ##### -->
<complexType name="AudioSignatureType">
  <complexContent>
    <extension base="mpeg7:AudioDSType">
      <sequence>
        <element name="Flatness" type="mpeg7:AudioSpectrumFlatnessType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of InstrumentTimbre DS -->
<!-- ##### -->
<complexType name="InstrumentTimbreType">
  <complexContent>
    <extension base="mpeg7:AudioDSType">
      <sequence>
        <element name="LogAttackTime" type="mpeg7:LogAttackTimeType"
minOccurs="0"/>
        <element name="HarmonicSpectralCentroid"
type="mpeg7:HarmonicSpectralCentroidType" minOccurs="0"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

```

        <element name="HarmonicSpectralDeviation"
type="mpeg7:HarmonicSpectralDeviationType" minOccurs="0"/>
        <element name="HarmonicSpectralSpread"
type="mpeg7:HarmonicSpectralSpreadType" minOccurs="0"/>
        <element name="HarmonicSpectralVariation"
type="mpeg7:HarmonicSpectralVariationType" minOccurs="0"/>
        <element name="SpectralCentroid" type="mpeg7:SpectralCentroidType"
minOccurs="0"/>
        <element name="TemporalCentroid" type="mpeg7:TemporalCentroidType"
minOccurs="0"/>
    </sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of HarmonicInstrumentTimbre DS -->
<!-- ##### -->
<complexType name="HarmonicInstrumentTimbreType">
    <complexContent>
        <extension base="mpeg7:AudioDSType">
            <sequence>
                <element name="LogAttackTime" type="mpeg7:LogAttackTimeType"/>
                <element name="HarmonicSpectralCentroid"
type="mpeg7:HarmonicSpectralCentroidType"/>
                <element name="HarmonicSpectralDeviation"
type="mpeg7:HarmonicSpectralDeviationType"/>
                <element name="HarmonicSpectralSpread"
type="mpeg7:HarmonicSpectralSpreadType"/>
                <element name="HarmonicSpectralVariation"
type="mpeg7:HarmonicSpectralVariationType"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of PercussiveInstrumentTimbre DS -->
<!-- ##### -->
<complexType name="PercussiveInstrumentTimbreType">
    <complexContent>
        <extension base="mpeg7:AudioDSType">
            <sequence>
                <element name="LogAttackTime" type="mpeg7:LogAttackTimeType"/>
                <element name="SpectralCentroid" type="mpeg7:SpectralCentroidType"/>
                <element name="TemporalCentroid" type="mpeg7:TemporalCentroidType"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SpokenContentHeader header -->
<!-- ##### -->
<complexType name="SpokenContentHeaderType">
    <complexContent>
        <extension base="mpeg7:HeaderType">
            <sequence>
                <choice maxOccurs="unbounded">
                    <element name="WordLexicon" type="mpeg7:WordLexiconType"/>
                    <element name="PhoneLexicon" type="mpeg7:PhoneLexiconType"/>
                </choice>
                <!-- Information about the word and phone lexicons used to -->
                <!-- represent the speech -->
            </sequence>
        </extension>
    </complexContent>
</complexType>

```

```

        </choice>
        <element name="ConfusionInfo" type="mpeg7:ConfusionCountType"
minOccurs="0" maxOccurs="unbounded"/>
        <element name="DescriptionMetadata"
type="mpeg7:DescriptionMetadataType" minOccurs="0"/>
        <element name="SpeakerInfo" type="mpeg7:SpeakerInfoType"
maxOccurs="unbounded"/>
        <!-- Information about the speakers in the audio -->
    </sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SpeakerInfo header -->
<!-- ##### -->
<complexType name="SpeakerInfoType">
    <complexContent>
        <extension base="mpeg7:HeaderType">
            <sequence>
                <element name="SpokenLanguage" type="language"/>
                <element name="Person" type="mpeg7:PersonType" minOccurs="0"/>
                <element name="WordIndex" minOccurs="0">
                    <complexType>
                        <sequence>
                            <element name="WordIndexEntry" maxOccurs="unbounded">
                                <complexType>
                                    <sequence>
                                        <element name="IndexEntry"
type="mpeg7:SpokenContentIndexEntryType" maxOccurs="unbounded"/>
                                    </sequence>
                                    <attribute name="key" use="required">
                                        <simpleType>
                                            <list itemType="mpeg7:WordLexiconIndexType"/>
                                        </simpleType>
                                    </attribute>
                                </complexType>
                            </element>
                        </sequence>
                        <attribute name="defaultLattice" type="anyURI" use="required"/>
                    </complexType>
                </element>
                <element name="PhoneIndex" minOccurs="0">
                    <complexType>
                        <sequence>
                            <element name="PhoneIndexEntry" maxOccurs="unbounded">
                                <complexType>
                                    <sequence>
                                        <element name="IndexEntry"
type="mpeg7:SpokenContentIndexEntryType" maxOccurs="unbounded"/>
                                    </sequence>
                                    <attribute name="key" use="required">
                                        <simpleType>
                                            <list
itemType="mpeg7:PhoneLexiconIndexType"/>
                                        </simpleType>
                                    </attribute>
                                </complexType>
                            </element>
                        </sequence>
                        <attribute name="defaultLattice" type="anyURI" use="required"/>
                    </complexType>
                </element>
            </sequence>
        </extension>
    </complexContent>
</complexType>

```

```

        </complexType>
      </element>
    </sequence>
    <attribute name="phoneLexiconRef" type="anyURI" use="optional"/>
    <attribute name="wordLexiconRef" type="anyURI" use="optional"/>
    <attribute name="confusionInfoRef" type="anyURI" use="optional"/>
    <attribute name="descriptionMetadataRef" type="anyURI" use="optional"/>
    <attribute name="provenance" use="required">
      <simpleType>
        <restriction base="NMTOKEN">
          <enumeration value="unknown"/>
          <enumeration value="ASR"/>
          <enumeration value="manual"/>
          <enumeration value="keyword"/>
          <enumeration value="parsing"/>
        </restriction>
      </simpleType>
    </attribute>
  </extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of SpokenContentIndexEntry datatype -->
<!-- ##### -->
<complexType name="SpokenContentIndexEntryType">
  <attribute name="node" type="mpeg7:unsigned16" use="required"/>
  <attribute name="block" type="mpeg7:unsigned16" use="required"/>
  <attribute name="lattice" type="anyURI" use="optional"/>
</complexType>
<!-- ##### -->
<!-- Definitions of SpokenContent Word and Phone datatypes -->
<!-- ##### -->
<simpleType name="WordType">
  <restriction base="string"/>
</simpleType>
<simpleType name="PhoneType">
  <restriction base="string"/>
</simpleType>
<simpleType name="WordLexiconIndexType">
  <restriction base="mpeg7:unsigned32"/>
</simpleType>
<simpleType name="PhoneLexiconIndexType">
  <restriction base="mpeg7:unsigned16"/>
</simpleType>
<!-- ##### -->
<!-- Definition of Lexicon header -->
<!-- ##### -->
<complexType name="LexiconType" abstract="true">
  <complexContent>
    <extension base="mpeg7:HeaderType">
      <attribute name="numOfOriginalEntries" type="positiveInteger"
use="optional"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of WordLexiconType (Audio AMD/1) -->
-->
<!-- ##### -->
<!-- ##### -->

```

```

<!-- Definition of WordLexiconType -->
<!-- ##### -->
<complexType name="WordLexiconType">
  <complexContent>
    <extension base="mpeg7:LexiconType">
      <sequence>
        <element name="Token">
          <complexType>
            <simpleContent>
              <extension base="mpeg7:WordType">
                <attribute name="linguisticUnit" use="optional"
default="word">
                  <simpleType>
                    <union>
                      <simpleType>
                        <restriction base="NMTOKEN">
                          <enumeration value="word"/>
                          <enumeration value="syllable"/>
                          <enumeration value="morpheme"/>
                          <enumeration value="phrase"/>
                          <enumeration value="component"/>
                          <enumeration value="stem"/>
                          <enumeration value="affix"/>
                          <enumeration value="nonspeech"/>
                          <enumeration value="other"/>
                        </restriction>
                      </simpleType>
                      <simpleType>
                        <restriction
base="mpeg7:termAliasReferenceType"/>
                        </simpleType>
                      <simpleType>
                        <restriction
base="mpeg7:termURIReferenceType"/>
                        </simpleType>
                      </union>
                    </simpleType>
                  </attribute>
                  <attribute name="representation" use="optional"
default="orthographic">
                    <simpleType>
                      <restriction base="NMTOKEN">
                        <enumeration value="orthographic"/>
                        <enumeration value="nonorthographic"/>
                      </restriction>
                    </simpleType>
                  </attribute>
                </extension>
              </simpleContent>
              <!-- New attribute V2 -->
            </complexType>
          </element>
        </sequence>
        <attribute name="phoneticAlphabet" type="mpeg7:phoneticAlphabetType"
use="optional"/>
      </extension>
      <!-- New attribute V2 -->
    </complexContent>
  </complexType>
<!-- ##### -->

```

```

<!-- Definition of phoneticAlphabet datatype -->
<!-- ##### -->
<simpleType name="phoneticAlphabetType">
  <restriction base="NMTOKEN">
    <enumeration value="sampa"/>
    <enumeration value="ipaSymbol"/>
    <enumeration value="ipaNumber"/>
    <enumeration value="other"/>
  </restriction>
  <!-- This defines an [enumerated] type covering the phone sets. It -->
  <!-- essentially distinguishes between IPA based systems and everything -->
  <!-- else. -->
</simpleType>
<!-- ##### -->
<!-- Definition of PhoneLexicon header -->
<!-- ##### -->
<complexType name="PhoneLexiconType">
  <complexContent>
    <extension base="mpeg7:LexiconType">
      <sequence>
        <element name="Token" type="mpeg7:PhoneType" maxOccurs="65536"/>
        <!-- The maxOccurs is the upper limit of WordLexiconIndexType -->
      </sequence>
      <attribute name="phoneticAlphabet" type="mpeg7:phoneticAlphabetType"
default="sampa"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of ConfusionCount header -->
<!-- ##### -->
<complexType name="ConfusionCountType">
  <complexContent>
    <extension base="mpeg7:HeaderType">
      <sequence>
        <element name="Insertion" type="mpeg7:integerVector"/>
        <element name="Deletion" type="mpeg7:integerVector"/>
        <element name="Substitution" type="mpeg7:IntegerMatrixType"/>
      </sequence>
      <attribute name="numOfDimensions" type="positiveInteger" use="required"/>
    </extension>
  </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of the SpokenContentLattice DS -->
<!-- ##### -->
<complexType name="SpokenContentLatticeType">
  <complexContent>
    <extension base="mpeg7:AudioDSType">
      <sequence>
        <element name="Block" maxOccurs="65536">
          <complexType>
            <sequence>
              <element name="MediaTime" type="mpeg7:MediaTimeType"/>
              <element name="Node" maxOccurs="65536">
                <complexType>
                  <sequence>
                    <element name="WordLink" minOccurs="0"
maxOccurs="127">

```

```

          <complexType>

```

```

                                <complexContent>
                                    <extension
base="mpeg7:SpokenContentLinkType">
                                <attribute name="word"
type="mpeg7:WordLexiconIndexType" use="required"/>
                                </extension>
                                </complexContent>
                                </complexType>
                                </element>
                                <element name="PhoneLink" minOccurs="0"
maxOccurs="127">
                                <complexType>
                                    <complexContent>
                                        <extension
base="mpeg7:SpokenContentLinkType">
                                <attribute name="phone"
type="mpeg7:PhoneLexiconIndexType" use="required"/>
                                </extension>
                                </complexContent>
                                </complexType>
                                </element>
                                </sequence>
                                <attribute name="num" type="mpeg7:unsigned16"
use="required"/>
                                <attribute name="timeOffset" type="mpeg7:unsigned16"
use="required"/>
                                <attribute name="speakerInfoRef" type="anyURI"
use="optional"/>
                                </complexType>
                                </element>
                                </sequence>
                                <attribute name="defaultSpeakerInfoRef" type="anyURI"
use="required"/>
                                <attribute name="num" type="mpeg7:unsigned16" use="required"/>
                                <attribute name="audio" default="speech">
                                    <simpleType>
                                        <restriction base="NMTOKEN">
                                            <enumeration value="unknown"/>
                                            <enumeration value="speech"/>
                                            <enumeration value="noise"/>
                                            <enumeration value="noisySpeech"/>
                                        </restriction>
                                <!-- This gives an approximate measure of how noisy the
-->
                                <!-- speech signal is with respect to the speech
-->
                                    </simpleType>
                                </attribute>
                                </complexType>
                                </element>
                                </sequence>
                                </extension>
                                </complexContent>
                                </complexType>
                                <!-- ##### -->
                                <!-- Definition of SpokenContentLink datatype (Audio AMD/1)
-->
                                <!-- ##### -->
                                <complexType name="SpokenContentLinkType">
                                    <attribute name="probability" type="mpeg7:zeroToOneType" default="1.0"/>

```

```

    <attribute name="acousticScore" type="mpeg7:nonNegativeReal" use="optional"/>
    <attribute name="nodeOffset" type="mpeg7:unsigned16" default="1"/>
    <!-- New attribute V2 -->
</complexType>
<!-- ##### -->
<!-- Definition of Melody DS -->
<!-- ##### -->
<complexType name="MelodyType">
    <complexContent>
        <extension base="mpeg7:AudioDSType">
            <sequence>
                <element name="Meter" type="mpeg7:MeterType" minOccurs="0"/>
                <element name="Scale" type="mpeg7:scaleType" minOccurs="0"/>
                <element name="Key" type="mpeg7:KeyType" minOccurs="0"/>
                <choice>
                    <element name="MelodyContour" type="mpeg7:MelodyContourType"/>
                    <element name="MelodySequence" type="mpeg7:MelodySequenceType"
maxOccurs="unbounded"/>
                </choice>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of MelodyContour DS -->
<!-- ##### -->
<complexType name="MelodyContourType">
    <complexContent>
        <extension base="mpeg7:AudioDSType">
            <sequence>
                <element name="Contour" type="mpeg7:contourType"/>
                <element name="Beat" type="mpeg7:beatType"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of Meter D -->
<!-- ##### -->
<complexType name="MeterType">
    <complexContent>
        <extension base="mpeg7:AudioDType">
            <sequence>
                <element name="Numerator">
                    <simpleType>
                        <restriction base="integer">
                            <minInclusive value="1"/>
                            <maxInclusive value="128"/>
                        </restriction>
                    </simpleType>
                </element>
                <element name="Denominator">
                    <simpleType>
                        <restriction base="integer">
                            <enumeration value="1"/>
                            <enumeration value="2"/>
                            <enumeration value="4"/>
                            <enumeration value="8"/>
                            <enumeration value="16"/>
                            <enumeration value="32"/>
                        </restriction>
                    </simpleType>
                </element>
            </sequence>
        </extension>
    </complexContent>
</complexType>

```

```

        <enumeration value="64"/>
        <enumeration value="128"/>
    </restriction>
</simpleType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<!-- ##### -->
<!-- Definition of contour datatype -->
<!-- ##### -->
<simpleType name="contourType">
    <list>
        <simpleType>
            <restriction base="integer">
                <minInclusive value="-2"/>
                <maxInclusive value="+2"/>
            </restriction>
        </simpleType>
    </list>
</simpleType>
<!-- ##### -->
<!-- Definition of beat datatype -->
<!-- ##### -->
<simpleType name="beatType">
    <list itemType="integer"/>
</simpleType>
<!-- ##### -->
<!-- Definition of Scale datatype -->
<!-- ##### -->
<!-- Information about a scale -->
<!-- array of a repeatable span of notes, in semitones from base pitch -->
<simpleType name="scaleType">
    <restriction base="mpeg7:floatVector"/>
</simpleType>
<!-- ##### -->
<!-- Definition of MelodyKey DS -->
<!-- ##### -->
<!-- Information about the key -->
<!-- ##### -->
<complexType name="KeyType">
    <complexContent>
        <extension base="mpeg7:AudioDSType">
            <sequence>
                <element name="KeyNote">
                    <complexType>
                        <simpleContent>
                            <extension base="mpeg7:degreeNoteType">
                                <attribute name="display" type="string" use="optional"/>
                            </extension>
                        </simpleContent>
                    </complexType>
                </element>
            </sequence>
            <attribute name="accidental" type="mpeg7:degreeAccidentalType"
default="natural"/>
            <attribute name="mode" type="mpeg7:termReferenceType" use="optional"/>
        </extension>
    </complexContent>
</complexType>

```

```

<simpleType name="degreeNoteType">
  <restriction base="string">
    <enumeration value="C"/>
    <enumeration value="D"/>
    <enumeration value="E"/>
    <enumeration value="F"/>
    <enumeration value="G"/>
    <enumeration value="A"/>
    <enumeration value="B"/>
  </restriction>
</simpleType>
<simpleType name="degreeAccidentalType">
  <restriction base="string">
    <enumeration value="flat"/>
    <enumeration value="natural"/>
    <enumeration value="sharp"/>
    <enumeration value="doubleSharp"/>
    <enumeration value="doubleFlat"/>
  </restriction>
</simpleType>
<!-- ##### -->
<!-- Definition of MelodySequence DS -->
<!-- ##### -->
<complexType name="MelodySequenceType">
  <complexContent>
    <extension base="mpeg7:AudioDSType">
      <sequence>
        <element name="StartingNote" minOccurs="0">
          <complexType>
            <sequence>
              <element name="StartingFrequency" type="float"
minOccurs="0"/>
              <element name="StartingPitch" minOccurs="0">
                <complexType>
                  <sequence>
                    <element name="PitchNote">
                      <complexType>
                        <simpleContent>
                          <extension
base="mpeg7:degreeNoteType">
                            <attribute name="display"
type="string" use="optional"/>
                        </extension>
                      </simpleContent>
                    </complexType>
                  </sequence>
                </complexType>
              </element>
            </sequence>
            <attribute name="accidental"
type="mpeg7:degreeAccidentalType" default="natural"/>
            <attribute name="height" type="integer"
use="optional"/>
          </complexType>
        </element>
      </sequence>
    </complexType>
  </element>
  <element name="NoteArray" maxOccurs="unbounded">
    <complexType>
      <complexContent>
        <extension base="mpeg7:AudioDSType">

```

```

        <sequence>
            <element name="Note" maxOccurs="unbounded">
                <complexType>
                    <sequence>
                        <element name="Interval" type="float"/>
                        <element name="NoteRelDuration"
type="float"/>
                        <element name="Lyric"
type="mpeg7:TextualType" minOccurs="0"/>
                    </sequence>
                </complexType>
            </element>
        </sequence>
    </extension>
</complexContent>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<!-- *****-->
<!-- ***** ISO/IEC 15938-3 Audio AMD/1
*****-->
<!-- *****-->
<!-- ##### -->
<!-- Definition of AudioSignalQuality DS AMD/1 -->
<!-- ##### -->
<complexType name="AudioSignalQualityType">
    <complexContent>
        <extension base="mpeg7:AudioDSType">
            <sequence>
                <!-- Summaries-->
                <element name="Operator" type="mpeg7:PersonType" minOccurs="0"/>
                <element name="UsedTool" type="mpeg7:CreationToolType" minOccurs="0"/>
                <element name="BackgroundNoiseLevel"
type="mpeg7:BackgroundNoiseLevelType"/>
                <element name="RelativeDelay" type="mpeg7:RelativeDelayType"/>
                <element name="Balance" type="mpeg7:BalanceType"/>
                <element name="DcOffset" type="mpeg7:DcOffsetType"/>
                <element name="CrossChannelCorrelation"
type="mpeg7:CrossChannelCorrelationType"/>
                <element name="Bandwidth" type="mpeg7:BandwidthType"/>
                <!-- High Level Feature-->
                <element name="TransmissionTechnology"
type="mpeg7:TransmissionTechnologyType" minOccurs="0"/>
                <!-- Events-->
                <element name="ErrorEventList" minOccurs="0">
                    <complexType>
                        <sequence>
                            <element name="ErrorEvent" type="mpeg7:ErrorEventType"
minOccurs="0" maxOccurs="unbounded"/>
                        </sequence>
                    </complexType>
                </element>
            </sequence>
            <attribute name="IsOriginalMono" type="boolean"/>
            <attribute name="BroadcastReady" type="boolean" use="optional"/>
        </extension>
    <!-- Attributes-->

```

```

    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of BackgroundNoiseLevel D -->
  <!-- ##### -->
  <complexType name="BackgroundNoiseLevelType">
    <complexContent>
      <extension base="mpeg7:AudioLLDVectorType"/>
    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of CrossChannelCorrelation D -->
  <!-- ##### -->
  <complexType name="CrossChannelCorrelationType">
    <complexContent>
      <extension base="mpeg7:AudioLLDVectorType"/>
    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of RelativeDelay D -->
  <!-- ##### -->
  <complexType name="RelativeDelayType">
    <complexContent>
      <extension base="mpeg7:AudioLLDVectorType">
        <attribute name="Reliability" type="mpeg7:zeroToOneType" use="optional"/>
      </extension>
    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of Balance D -->
  <!-- ##### -->
  <complexType name="BalanceType">
    <complexContent>
      <extension base="mpeg7:AudioLLDVectorType"/>
    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of DcOffset D -->
  <!-- ##### -->
  <complexType name="DcOffsetType">
    <complexContent>
      <extension base="mpeg7:AudioLLDVectorType"/>
    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of Bandwidth D -->
  <!-- ##### -->
  <complexType name="BandwidthType">
    <complexContent>
      <extension base="mpeg7:AudioLLDVectorType"/>
    </complexContent>
  </complexType>
  <!-- ##### -->
  <!-- Definition of Transmission Technology Type -->
  <!-- ##### -->
  <complexType name="TransmissionTechnologyType">
    <complexContent>
      <extension base="mpeg7:ControlledTermUseType"/>
    </complexContent>
  </complexType>

```