

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 1599

PLASTICS

DETERMINATION OF VISCOSITY LOSS ON MOULDING
OF CELLULOSE ACETATE

1st EDITION
April 1970

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 1599, *Plastics – Determination of viscosity loss on moulding of cellulose acetate*, was drawn up by Technical Committee ISO/TC 61, *Plastics*, the Secretariat of which is held by the American National Standards Institute (ANSI).

Work on this question led to the adoption of Draft ISO Recommendation No. 1599 which was circulated to all the ISO Member Bodies for enquiry in May 1968. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Austria	Israel	South Africa, Rep. of
Belgium	Italy	Spain
Brazil	Japan	Sweden
Czechoslovakia	Korea, Rep. of	Switzerland
Germany	Netherlands	Turkey
Hungary	Poland	U.A.R.
India	Portugal	United Kingdom
Iran	Romania	U.S.A.

The following Member Body opposed the approval of the Draft :

France

This Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided, in April 1970, to accept it as an ISO RECOMMENDATION.