

transforme
remplace
par 731 / VII

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 1913

FORMIC ACID FOR INDUSTRIAL USE

DETERMINATION OF LOW CONTENTS OF VOLATILE ACIDS OTHER THAN FORMIC ACID
(LESS THAN 0.5 % (m/m) CALCULATED AS ACETIC ACID)
VOLUMETRIC METHOD

1st EDITION

January 1971

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 1913, *Formic acid for industrial use – Determination of low contents of volatile acids other than formic acid (less than 0.5 % (m/m), calculated as acetic acid) – Volumetric method*, was drawn up by Technical Committee ISO/TC 47, *Chemistry*, the Secretariat of which is held by the Ente Nazionale Italiano di Unificazione (UNI).

Work on this question led to the adoption of Draft ISO Recommendation No. 1913, which was circulated to all the ISO Member Bodies for enquiry in February 1970. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Australia	Iran	Sweden
Austria	Israel	Switzerland
Belgium	Japan	Thailand
Czechoslovakia	Netherlands	Turkey
France	New Zealand	U.A.R.
Germany	Portugal	United Kingdom
Greece	Romania	U.S.A.
Hungary	South Africa, Rep. of	U.S.S.R.
India	Spain	

No Member Body opposed the approval of the Draft.

This Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided to accept it as an ISO RECOMMENDATION.