

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 852

SODIUM TRIPOLYPHOSPHATE AND SODIUM PYROPHOSPHATE
FOR INDUSTRIAL USE

DETERMINATION OF IRON CONTENT
2,2'-BIPYRIDYL SPECTROPHOTOMETRIC METHOD

1st EDITION

October 1968

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

This page intentionally left blank

BRIEF HISTORY

The ISO Recommendation R 852, *Sodium tripolyphosphate and sodium pyrophosphate for industrial use – Determination of iron content – 2,2'-bipyridyl spectrophotometric method*, was drawn up by Technical Committee ISO/TC 47, *Chemistry*, the Secretariat of which is held by the Ente Nazionale Italiano di Unificazione (UNI).

Work on this question by the Technical Committee began in 1960 and led, in 1966, to the adoption of a Draft ISO Recommendation.

In December 1966, this Draft ISO Recommendation (No. 1113) was circulated to all the ISO Member Bodies for enquiry. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Austria	India	South Africa, Rep. of
Belgium	Israel	Spain
Brazil	Italy	Switzerland
Bulgaria	Japan	Thailand
Chile	Korea, Rep. of	Turkey
Czechoslovakia	Morocco	U.A.R.
France	New Zealand	United Kingdom
Germany	Poland	U.S.S.R.
Hungary	Romania	Yugoslavia

One Member Body opposed the approval of the Draft :

Netherlands

The Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided, in October 1968, to accept it as an ISO RECOMMENDATION.