

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 883

THROWAWAY CARBIDE INDEXABLE INSERTS

DIMENSIONS

1st EDITION

September 1969

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 883, *Throwaway carbide indexable inserts – Dimensions*, was drawn up by Technical Committee ISO/TC 29, *Small tools*, the Secretariat of which is held by the Association Française de Normalisation (AFNOR).

Work on this question led to the adoption of a Draft ISO Recommendation.

In December 1966, this Draft ISO Recommendation (No. 997) was circulated to all the ISO Member Bodies for enquiry. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Australia	Hungary	Poland
Austria	India	Portugal
Belgium	Israel	Spain
Brazil	Italy	Sweden
Chile	Korea, Rep. of	Switzerland
Czechoslovakia	Netherlands	Turkey
France	New Zealand	U.A.R.
Germany	Norway	United Kingdom

Two Member Bodies opposed the approval of the Draft :

U.S.A.
U.S.S.R.

Subsequently, Technical Committee ISO/TC 29 revised the text of Draft ISO Recommendation No. 997 with a view to aligning it with the new method of designation of inserts, which will be the subject of a separate ISO Recommendation.

This revised Draft ISO Recommendation (No. 997/B) was then submitted by correspondence, and in conformity with the abbreviated procedure, direct to the ISO Council, which decided, in September 1969, to accept it as an ISO RECOMMENDATION.

CONTENTS

	Page
1. Scope	7
2. Interchangeability	7
2.1 Inches-millimetres interchangeability	7
2.2 Interchangeability with “ceramic” inserts	7
3. Designation and marking	8
3.1 Designation	8
3.2 Marking	8
4. Recommended dimensions for the metric series	9
4.1 Triangular inserts without side-clearance (symbol TN) for tools with negative top rake angle	9
4.2 Triangular inserts with side-clearance (symbol TP) for tools with positive top rake angle	10
4.3 Square inserts without side-clearance (symbol SN) for tools with negative top rake angle	11
4.4 Square inserts with side-clearance (symbol SP) for tools with positive top rake angle	12
5. Recommended dimensions for the inch series	13
5.1 Triangular inserts without side-clearance (symbol TN) for tools with negative top rake angle	13
5.2 Triangular inserts with side-clearance (symbol TP) for tools with positive top rake angle	14
5.3 Square inserts without side-clearance (symbol SN) for tools with negative top rake angle	15
5.4 Square inserts with side-clearance (symbol SP) for tools with positive top rake angle	16
ANNEX A – Checking of dimension m	17
ANNEX B – General table – Comprehensive range of insert sizes	18

