

First edition
2004-10-01

Geometrical Product Specifications (GPS) — Linear and angular dimensioning and tolerancing: +/- limit specifications — Step dimensions, distances, angular sizes and radii

*Spécification géométrique des produits (GPS) — Cotation et
tolérancement linéaires et angulaires: Spécifications de limites en +/- —
Ressauts, distances, tailles angulaires et rayons*



Reference number
ISO/TR 16570:2004(E)

AVA Documents
Document Sharing Hub
© ISO 2004

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents		Page
Foreword.....		iv
Introduction		v
1	Scope.....	1
2	Normative references	1
3	Terms and definitions	1
4	Linear dimensioning	2
5	Angular dimensioning	6
6	Tolerances	7
7	Designation.....	10
Annex A (informative) Examples covered by other standards		11
Annex B (informative) Relation to the GPS matrix model		14
Bibliography		15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In exceptional circumstances, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide by a simple majority vote of its participating members to publish a Technical Report. A Technical Report is entirely informative in nature and does not have to be reviewed until the data it provides are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TR 16570 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

Introduction

This Technical Report is a geometrical product specification (GPS) technical report and is to be regarded as a general GPS technical report (see ISO/TR 14638). It influences links 1 and 2 of the chains of standards on size, distance, radius and angle.

For more detailed information on the relation of this Technical Report to other standards and the GPS matrix model, see Annex B.

The application of $\pm$ limit specifications usually causes large specification uncertainty (see ISO/TS 17450-2). It must be emphasized that any $\pm$ limit specification in this Technical Report, generally speaking, can be completely substituted by geometrical dimensioning and tolerancing as per ISO 1101 and its related standards. Even the application of this Technical Report might cause large specification uncertainty. Consequently, ISO/TC 213 recommends that the use of $\pm$ limit specifications be restricted to features of size only (see ISO 14660-1 and ISO 14405).

Other geometrical specifications are indicated and toleranced according to the principles given in ISO 1101 and related standards (e.g. by positional tolerancing).

This Technical Report consists of several groups of examples and it needs to be recognized that several different interpretation concepts are applied in the various groups.

ISO 129 contains general rules for dimensioning and dimensional tolerancing with $\pm$ limit specifications in technical drawings. These rules are not always sufficient for an unambiguous description of the workpiece geometry.

EXAMPLE 1 Distances between axes of holes on a pitch cylinder cannot be toleranced by $\pm$ limit specifications suitable for the function (see Figure A.1, left).

EXAMPLE 2 Angles between planes containing axes of holes cannot be toleranced by $\pm$ limit specifications suitable for the function (see Figures A.3 and A.5).

EXAMPLE 3 Linear dimensions and $\pm$ limit specifications, even when related to the same reference (having the same origin as in superimposed running dimensioning), but dimensioned in two or three directions and nominally perpendicular to each other, are ambiguous (see Figure A.1, centre, right).

In certain cases, such as for step dimensions, the function (e.g. assembly) allows for larger tolerances for the form (e.g. flatness) than for the location of the point of the surface, which is the most outward of the material. In these cases the production process including casting, forging and sheet metal working, becomes more beneficial when $\pm$ limit deviation specifications are applied.

For these and similar cases, this Technical Report deals with $\pm$ limit specifications for

- step dimensions (see 4.2),
- distances between an integral feature and a derived feature (see 4.3.1),
- distances between two derived features (see 4.3.2),
- angular sizes (see Clause 5), and
- radii (see 6.4),

only when two features are involved.

Geometrical Product Specifications (GPS) — Linear and angular dimensioning and tolerancing: +/- limit specifications — Step dimensions, distances, angular sizes and radii

1 Scope

This Technical Report describes the $\pm$ limit specification of step dimensions, distances, angular sizes and radii when the function relates to two features only.

The interpretation of $\pm$ limit specifications in accordance with this Technical Report is only applicable to a drawing when “ISO/TR 16570” is referred to on the drawing.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 129-1:2004, *Technical drawings — Dimensioning — General principles, definitions, methods of execution and special indications*

ISO 1101:—¹⁾, *Geometrical Product Specifications (GPS) — Geometrical tolerancing — Tolerancing of form, orientation, location and run-out*

ISO 14660-1, *Geometrical Product Specifications (GPS) — Geometrical features — Part 1: General terms and definitions*

ISO/TS 17450-1:—²⁾, *Geometrical product specifications (GPS) — Part 1: Model for geometrical specification and verification*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 129, ISO 1101, ISO 14660-1 and ISO/TS 17450-1 apply.

1) To be published. (Revision of ISO 1101:1983)

2) To be published.