



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

M.1340

Corrigendum 1
(08/2001)

**SERIES M: TMN AND NETWORK MAINTENANCE:
INTERNATIONAL TRANSMISSION SYSTEMS,
TELEPHONE CIRCUITS, TELEGRAPHY, FACSIMILE
AND LEASED CIRCUITS**

International data transmission systems

**Performance objectives, allocations and limits for
international PDH leased circuits and supporting
data transmission links and systems**

Corrigendum 1

ITU-T Recommendation M.1340 – Corrigendum 1

(Formerly CCITT Recommendation)

ITU-T M-SERIES RECOMMENDATIONS

TMN AND NETWORK MAINTENANCE: INTERNATIONAL TRANSMISSION SYSTEMS, TELEPHONE CIRCUITS, TELEGRAPHY, FACSIMILE AND LEASED CIRCUITS

Introduction and general principles of maintenance and maintenance organization	M.10–M.299
International transmission systems	M.300–M.559
International telephone circuits	M.560–M.759
Common channel signalling systems	M.760–M.799
International telegraph systems and phototelegraph transmission	M.800–M.899
International leased group and supergroup links	M.900–M.999
International leased circuits	M.1000–M.1099
Mobile telecommunication systems and services	M.1100–M.1199
International public telephone network	M.1200–M.1299
International data transmission systems	M.1300–M.1399
Designations and information exchange	M.1400–M.1999
International transport network	M.2000–M.2999
Telecommunications management network	M.3000–M.3599
Integrated services digital networks	M.3600–M.3999
Common channel signalling systems	M.4000–M.4999

For further details, please refer to the list of ITU-T Recommendations.

ITU-T Recommendation M.1340

Performance objectives, allocations and limits for international PDH leased circuits and supporting data transmission links and systems

CORRIGENDUM 1

Summary

This Corrigendum 1 to ITU-T M.1340 modifies Table 3, Performance allocations for the derivation of performance limits for the international portion routed via a high-grade transmission path, corrects table referencing.

Source

Corrigendum 1 to ITU-T Recommendation M.1340 was prepared by ITU-T Study Group 4 (2001-2004) and approved under the WTSA Resolution 1 procedure on 13 August 2001.