



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

M.3621

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

(07/95)

MAINTENANCE

INTEGRATED SERVICES DIGITAL NETWORKS

INTEGRATED MANAGEMENT OF THE ISDN CUSTOMER ACCESS

ITU-T Recommendation M.3621

(Previously "CCITT Recommendation")

FOREWORD

The ITU-T (Telecommunication Standardization Sector) is a permanent organ of the International Telecommunication Union (ITU). The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1 (Helsinki, March 1-12, 1993).

ITU-T Recommendation M.3621 was prepared by ITU-T Study Group 4 (1993-1996) and was approved under the WTSC Resolution No. 1 procedure on the 27th of July 1995.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1995

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	<i>Page</i>
1 General	1
1.1 Scope	1
2 References	1
3 Sample relationships between management information from different layers	1
4 Layer faults and indications	2
4.1 BRI and PRI Layer 1, 2 and 3 events and indications	2

ABSTRACT

It has been observed that events occurring at the lower layers of a protocol stack may impact higher layers. This Recommendation provides information which may be used to correlate event indications from each of the first three layers of ISDN BRI and PRI to determine if they are related to a single lower layer event.

KEYWORDS

ISDN customer access; Fault Management; Management of ISDN D-channel.

ii