



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

Q.731.7

(06/97)

SERIES Q: SWITCHING AND SIGNALLING

Specifications of Signalling System No. 7 – ISDN
supplementary services

**Stage 3 description for number identification
supplementary services using Signalling
System No. 7: Malicious call identification
(MCID)**

ITU-T Recommendation Q.731.7

(Previously CCITT Recommendation)

ITU-T Q-SERIES RECOMMENDATIONS
SWITCHING AND SIGNALLING

SIGNALLING IN THE INTERNATIONAL MANUAL SERVICE	Q.1–Q.3
INTERNATIONAL AUTOMATIC AND SEMI-AUTOMATIC WORKING	Q.4–Q.59
FUNCTIONS AND INFORMATION FLOWS FOR SERVICES IN THE ISDN	Q.60–Q.99
CLAUSES APPLICABLE TO ITU-T STANDARD SYSTEMS	Q.100–Q.119
SPECIFICATIONS OF SIGNALLING SYSTEMS No. 4 AND No. 5	Q.120–Q.249
SPECIFICATIONS OF SIGNALLING SYSTEM No. 6	Q.250–Q.309
SPECIFICATIONS OF SIGNALLING SYSTEM R1	Q.310–Q.399
SPECIFICATIONS OF SIGNALLING SYSTEM R2	Q.400–Q.499
DIGITAL EXCHANGES	Q.500–Q.599
INTERWORKING OF SIGNALLING SYSTEMS	Q.600–Q.699
SPECIFICATIONS OF SIGNALLING SYSTEM No. 7	Q.700–Q.849
General	Q.700
Message transfer part (MTP)	Q.701–Q.709
Signalling connection control part (SCCP)	Q.711–Q.719
Telephone user part (TUP)	Q.720–Q.729
ISDN supplementary services	Q.730–Q.739
Data user part	Q.740–Q.749
Signalling System No. 7 management	Q.750–Q.759
ISDN user part	Q.760–Q.769
Transaction capabilities application part	Q.770–Q.779
Test specification	Q.780–Q.799
Q3 interface	Q.800–Q.849
DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 1	Q.850–Q.999
General	Q.850–Q.919
Data link layer	Q.920–Q.929
Network layer	Q.930–Q.939
User-network management	Q.940–Q.949
Stage 3 description for supplementary services using DSS 1	Q.950–Q.999
PUBLIC LAND MOBILE NETWORK	Q.1000–Q.1099
INTERWORKING WITH SATELLITE MOBILE SYSTEMS	Q.1100–Q.1199
INTELLIGENT NETWORK	Q.1200–Q.1999
BROADBAND ISDN	Q.2000–Q.2999

For further details, please refer to ITU-T List of Recommendations.

ITU-T RECOMMENDATION Q.731.7**STAGE 3 DESCRIPTION FOR NUMBER IDENTIFICATION SUPPLEMENTARY
SERVICES USING SIGNALLING SYSTEM NO. 7: MALICIOUS CALL
IDENTIFICATION (MCID)****Summary**

This Recommendation defines the essential functions, procedures and messages of the ISUP protocol required for the provisioning to ISDN users of the Malicious Call Identification supplementary service, which enables a user to request that the source of an incoming call is identified and registered in the network.

Source

ITU-T Recommendation Q.731.7 was prepared by ITU-T Study Group 11 (1997-2000) and was approved under the WTSC Resolution No. 1 procedure on the 5th of June 1997.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

INTELLECTUAL PROPERTY RIGHTS

The ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. The ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, the ITU had/had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 1997

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	Page
7 Malicious Call Identification (MCID).....	1
7.1 Introduction	1
7.1.1 Scope	1
7.1.2 References	1
7.1.3 Terms and definitions.....	2
7.2 Description	2
7.2.1 General description	2
7.2.2 Specific terminology	2
7.2.3 Qualification on the applicability to telecommunications services.....	2
7.2.4 State definitions.....	2
7.3 Operational requirements	2
7.3.1 Provision/withdrawal	2
7.3.2 Requirements on the originating network side.....	2
7.3.3 Requirements in the network.....	2
7.3.4 Requirements on the destination network side.....	3
7.4 Coding requirements	3
7.5 Signalling requirements.....	3
7.5.1 Activation/deactivation/registration.....	3
7.5.2 Invocation and operation.....	3
7.6 Interactions with other supplementary services.....	5
7.6.1 Call Waiting (CW)	5
7.6.2 Call transfer services	5
7.6.3 Connected Line Identification Presentation (COLP)	5
7.6.4 Connected Line Identification Restriction (COLR).....	5
7.6.5 Calling Line Identification Presentation (CLIP)	5
7.6.6 Calling Line Identification Restriction (CLIR).....	5
7.6.7 Closed User Group (CUG).....	5
7.6.8 Conference Calling (CONF)	5
7.6.9 Direct-Dialling-In (DDI)	5
7.6.10 Call Diversion (call forwarding) services (CDIV)	5
7.6.11 Line Hunting (LH)	6
7.6.12 Three-Party Service (3PTY).....	6
7.6.13 User-to-User Signalling (UUS).....	6
7.6.14 Multiple Subscriber Number (MSN).....	6
7.6.15 Call Hold (HOLD)	6
7.6.16 Advice of Charge (AOC)	6
7.6.17 Sub-addressing (SUB).....	7