



INTERNATIONAL TELECOMMUNICATION UNION

# ITU-T

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

## Q.816

**Corrigendum 1**  
(08/2001)

SERIES Q: SWITCHING AND SIGNALLING  
Q3 interface

---

CORBA-based TMN services  
**Corrigendum 1**

ITU-T Recommendation Q.816 – Corrigendum 1  
(Formerly CCITT Recommendation)

ITU-T Q-SERIES RECOMMENDATIONS  
SWITCHING AND SIGNALLING

|                                                                                |                    |
|--------------------------------------------------------------------------------|--------------------|
| SIGNALLING IN THE INTERNATIONAL MANUAL SERVICE                                 | Q.1–Q.3            |
| INTERNATIONAL AUTOMATIC AND SEMI-AUTOMATIC WORKING                             | Q.4–Q.59           |
| FUNCTIONS AND INFORMATION FLOWS FOR SERVICES IN THE ISDN                       | Q.60–Q.99          |
| CLAUSES APPLICABLE TO ITU-T STANDARD SYSTEMS                                   | Q.100–Q.119        |
| SPECIFICATIONS OF SIGNALLING SYSTEMS No. 4 AND No. 5                           | Q.120–Q.249        |
| SPECIFICATIONS OF SIGNALLING SYSTEM No. 6                                      | Q.250–Q.309        |
| SPECIFICATIONS OF SIGNALLING SYSTEM R1                                         | Q.310–Q.399        |
| SPECIFICATIONS OF SIGNALLING SYSTEM R2                                         | Q.400–Q.499        |
| DIGITAL EXCHANGES                                                              | Q.500–Q.599        |
| INTERWORKING OF SIGNALLING SYSTEMS                                             | Q.600–Q.699        |
| SPECIFICATIONS OF SIGNALLING SYSTEM No. 7                                      | Q.700–Q.799        |
| <b>Q3 INTERFACE</b>                                                            | <b>Q.800–Q.849</b> |
| DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 1                                     | Q.850–Q.999        |
| PUBLIC LAND MOBILE NETWORK                                                     | Q.1000–Q.1099      |
| INTERWORKING WITH SATELLITE MOBILE SYSTEMS                                     | Q.1100–Q.1199      |
| INTELLIGENT NETWORK                                                            | Q.1200–Q.1699      |
| SIGNALLING REQUIREMENTS AND PROTOCOLS FOR IMT-2000                             | Q.1700–Q.1799      |
| SPECIFICATIONS OF SIGNALLING RELATED TO BEARER INDEPENDENT CALL CONTROL (BICC) | Q.1900–Q.1999      |
| BROADBAND ISDN                                                                 | Q.2000–Q.2999      |

*For further details, please refer to the list of ITU-T Recommendations.*

# **ITU-T Recommendation Q.816**

## **CORBA-based TMN services**

### **CORRIGENDUM 1**

#### **Summary**

This Corrigendum contains modifications to clauses 2, 6.2 and 8.1.1 of ITU-T Q.816 (2001).

#### **Source**

Corrigendum 1 to ITU-T Recommendation Q.816 was prepared by ITU-T Study Group 4 (2001-2004) and approved under the WTSA Resolution 1 procedure on 13 August 2001.