

International Telecommunication Union

**ITU-T**

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

**Series Q**  
**Supplement 55**  
(04/2007)

SERIES Q: SWITCHING AND SIGNALLING

---

## **Signalling requirements at the interface between AS-FE and S-CSC-FE**

ITU-T Q-series Recommendations – Supplement 55

ITU-T Q-SERIES RECOMMENDATIONS  
**SWITCHING AND SIGNALLING**

|                                                                                |               |
|--------------------------------------------------------------------------------|---------------|
| SIGNALLING IN THE INTERNATIONAL MANUAL SERVICE                                 | Q.1–Q.3       |
| INTERNATIONAL AUTOMATIC AND SEMI-AUTOMATIC WORKING                             | Q.4–Q.59      |
| FUNCTIONS AND INFORMATION FLOWS FOR SERVICES IN THE ISDN                       | Q.60–Q.99     |
| CLAUSES APPLICABLE TO ITU-T STANDARD SYSTEMS                                   | Q.100–Q.119   |
| SPECIFICATIONS OF SIGNALLING SYSTEMS No. 4, 5, 6, R1 AND R2                    | Q.120–Q.499   |
| DIGITAL EXCHANGES                                                              | Q.500–Q.599   |
| INTERWORKING OF SIGNALLING SYSTEMS                                             | Q.600–Q.699   |
| SPECIFICATIONS OF SIGNALLING SYSTEM No. 7                                      | Q.700–Q.799   |
| Q3 INTERFACE                                                                   | Q.800–Q.849   |
| DIGITAL SUBSCRIBER SIGNALLING SYSTEM No. 1                                     | Q.850–Q.999   |
| PUBLIC LAND MOBILE NETWORK                                                     | Q.1000–Q.1099 |
| INTERWORKING WITH SATELLITE MOBILE SYSTEMS                                     | Q.1100–Q.1199 |
| INTELLIGENT NETWORK                                                            | Q.1200–Q.1699 |
| SIGNALLING REQUIREMENTS AND PROTOCOLS FOR IMT-2000                             | Q.1700–Q.1799 |
| SPECIFICATIONS OF SIGNALLING RELATED TO BEARER INDEPENDENT CALL CONTROL (BICC) | Q.1900–Q.1999 |
| BROADBAND ISDN                                                                 | Q.2000–Q.2999 |
| SIGNALLING REQUIREMENTS AND PROTOCOLS FOR THE NGN                              | Q.3000–Q.3999 |

*For further details, please refer to the list of ITU-T Recommendations.*

# **Supplement 55 to ITU-T Q-series Recommendations**

## **Signalling requirements at the interface between AS-FE and S-CSC-FE**

### **Summary**

Supplement 55 to ITU-T Q-series Recommendations describes the general signalling requirements at the interface between AS-FE and S-CSC-FE for session-based services of NGN release 1.

### **Source**

Supplement 55 to ITU-T Q-series Recommendations was agreed on 27 April 2007 by ITU-T Study Group 11 (2005-2008).

### **Keywords**

NGN, Session control, Signalling requirements, SIP Application.

## FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

## NOTE

In this publication, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this publication is voluntary. However, the publication may contain certain mandatory provisions (to ensure e.g. interoperability or applicability) and compliance with the publication is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the publication is required of any party.

## INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this publication may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the publication development process.

As of the date of approval of this publication, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this publication. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2007

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

# CONTENTS

## Page

|      |                                        |    |
|------|----------------------------------------|----|
| 1    | Scope .....                            | 1  |
| 2    | References.....                        | 1  |
| 3    | Definitions .....                      | 1  |
| 4    | Abbreviations and acronyms .....       | 2  |
| 5    | Reference architecture .....           | 3  |
| 6    | General requirements.....              | 4  |
| 7    | Applications.....                      | 4  |
| 8    | S-CSC-FE functional requirements ..... | 5  |
| 8.1  | Functional model .....                 | 5  |
| 8.2  | Registration trigger .....             | 6  |
| 8.3  | Originating call trigger .....         | 7  |
| 8.4  | Terminating call trigger .....         | 7  |
| 8.5  | Session release trigger .....          | 7  |
| 9    | AS-FE functional requirements .....    | 7  |
| 9.1  | Functional model .....                 | 7  |
| 9.2  | Interworking modes.....                | 8  |
| 9.3  | Application call processing .....      | 10 |
| 10   | S-CSC-FE signalling requirements ..... | 11 |
| 10.1 | 3rd party registration .....           | 11 |
| 10.2 | Service request.....                   | 11 |
| 11   | AS-FE signalling requirements.....     | 11 |
| 11.1 | Terminating UA.....                    | 11 |
| 11.2 | Originating UA .....                   | 12 |
| 11.3 | Redirect server.....                   | 12 |
| 11.4 | Proxy.....                             | 12 |
| 11.5 | 3rd party call control .....           | 12 |

