



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

U.208

(10/96)

SERIES U: TELEGRAPH SWITCHING

The international telex service

**The international telex service – Interworking
with the INMARSAT C system using one-stage
selection**

ITU-T Recommendation U.208

(Previously CCITT Recommendation)

ITU-T U-SERIES RECOMMENDATIONS
TELEGRAPH SWITCHING

General	U.1-U.10
Specific signalling schemes and interworking between signalling systems	U.11-U.19
Signalling over radio and multiplexed channels	U.20-U.29
Gentex signalling	U.30-U.39
Particular signalling facilities	U.40-U.59
Radiotelex interworking	U.60-U.69
Interworking between new information services and telex	U.70-U.79
Telex store and forward	U.80-U.99
Intex service	U.100-U.139
Definitions	U.140-U.199
The international telex service	U.200-U.299

For further details, please refer to ITU-T List of Recommendations.

FOREWORD

The ITU-T (Telecommunication Standardization Sector) is a permanent organ of the International Telecommunication Union (ITU). The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1 (Helsinki, March 1-12, 1993).

ITU-T Recommendation U.208 was revised by ITU-T Study Group 1 (1993-1996) and was approved by the WTSC (Geneva, 9-18 October 1996).

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1997

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	<i>Page</i>
1 Introduction	1
2 Scope	1
3 Methods of interworking	2
4 Access procedures from the international telex service.....	2
4.1 Call establishment.....	3
4.2 Determination of the calling telex address.....	4
5 Message deposit.....	4
6 Clearing	4
7 Reaction of MSSFU to abnormal conditions during message input.....	5
7.1 Receipt of non-processable answerback	5
7.2 Pause during input of message text.....	5
7.3 Receipt of WRU signal during text input.....	5
7.4 Receipt of national variants of telex characters (Combinations 6, 7, 8 in figures case)	5
7.5 Receipt of ITA2 combination 10 in figures case (Bell signal).....	6
7.6 Lack of storage capacity during message input	6
7.7 Clear by the telex subscriber without the EOT signal.....	6
7.8 Receipt of characters after the EOT signal	6
7.9 Receipt of clear signal after the EOT signal but before the ITD sequence	6
7.10 Service provided by the INMARSAT C system unavailable.....	6
8 Message delivery	6
9 Delivery notifications	6
9.1 Non-delivery notification.....	6
10 Calls from MES to a subscriber of the international telex service	8
11 MES-to-MES calls utilizing the international telex service	8