



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS D 1304 : 2004

(JARI/JEVS G701 : 2002)

**Electric vehicle—Charging system—
Test method of efficiency**

ICS 29.220.20; 43.120

Reference number : JIS D 1304 : 2004 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document S618 Spring Hub

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal of establishing a Japanese Industrial Standard from Japan Automobile Research Institute (JARI) (adopting the non-national standard, **JEVS G701 : 2002**), with a draft of Industrial Standard based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 2004-03-20

Date of Public Notice in Official Gazette: 2004-03-22

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Road Vehicles

JIS D 1304 : 2004, First English edition published in 2005-02

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2005

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub

Contents

		Page
1	Scope	1
2	Normative references	1
3	Definitions	1
4	Test condition	1
4.1	Condition of charging system	2
4.2	Measuring condition	2
5	Efficiency calculation and measured position	2
5.1	Instantaneous value of charging efficiency	2
5.2	Average efficiency during a period of charge	2
5.3	Measurement positions on conductive charging system	2
5.4	Measurement position of inductive charging system	3
5.5	Treatment of strain voltage output	3
6	Measuring instruments	4
7	Measurement of efficiency profile of a single unit of charging system ...	4
8	Derivation of efficiency in a state of actual service	5

(i)

PROTECTED BY COPYRIGHT



Documents
Document Sharing Hub