



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS D 9413 : 2011

(JBPI/JSA)

Bicycles—Handle grips

ICS 43.150

Reference number : JIS D 9413 : 2011 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub
7 S

Date of Establishment: 1961-03-01

Data of Revision: 2011-02-21

Date of Public Notice in Official Gazette: 2011-02-21

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Consumer Life Products

JIS D 9413 : 2011, First English edition published in 2011-12

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KA/SW

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Classification	1
4 Strength	2
4.1 Tensile strength of handlebar grip	2
4.2 Removal strength of handlebar grip	2
4.3 Elongation of handlebar tape	2
4.4 Removal strength of handlebar plug and cap	2
5 Construction	2
6 Shape and dimensions	3
6.1 Screw threads	3
6.2 Dimensions	3
7 Appearance	4
8 Test methods	4
8.1 Tensile test of handlebar grip	4
8.2 Removal force test for handlebar grip	5
8.3 Tensile test of handlebar tape	6
8.4 Removal force test of handlebar plug and cap	7
9 Designation of product	7
10 Marking	7

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Bicycle Promotion Institute (JBPI)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS D 9413 : 2004** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public or utility model right which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public or utility model right which have the said technical properties.