



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS G 1312-4 : 2011

(JFA/JSA)

**Method for chemical analysis of
ferrosilicon — Part 4: Methods for
determination of sulfur content**

ICS 77.040.30;77.100

Reference number : JIS G 1312-4 : 2011 (E)

PROTECTED BY COPYRIGHT

 **Documents**
Document Sharing Hub
7 S

Date of Establishment: 2011-10-20

Date of Public Notice in Official Gazette: 2011-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Iron and Steel

JIS G 1312-4 : 2011, First English edition published in 2013-06

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT



HN
Documents
Document Sharing Hub

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 General	1
4 Classification of determination method	1
5 Combustion — sodium hydroxide titration method	2
5.1 Summary	2
5.2 Reagents	2
5.3 Assembly of apparatus	2
5.4 Amount of test portion and combustion improver	2
5.5 Preliminary operation	2
5.6 Determination operation	3
5.7 Blank test	3
5.8 Calculation	3
6 Combustion — infrared absorption method (integral method)	3
6.1 Summary	3
6.2 Assembly of apparatus	3
6.3 Amount of test portion and combustion improver	3
6.4 Preliminary operation	3
6.5 Determination operation	3
6.6 Blank test	4
6.7 Calculation	4
7 Reduction distillation separation methylene blue absorptiometry	4
7.1 Summary	4
7.2 Reagents	4
7.3 Apparatus	5
7.4 Amount of test portion	6
7.5 Procedure	6
7.6 Blank test	8
7.7 Preparation of working curve	8
7.8 Calculation	8

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal for establishment of Japanese Industrial Standard submitted by the Japan Ferroalloy Association (JFA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

Consequently **JIS G 1312:1998** has been withdrawn and partially replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public or utility model right. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public or utility model right.

JIS G 1312 series consists of the following 6 parts under the general title "*Method for chemical analysis of ferrosilicon*":

Part 1: Methods for determination of silicon content

Part 2: Methods for determination of carbon content

Part 3: Methods for determination of phosphorus content

Part 4: Methods for determination of sulfur content

Part 5: Methods for determination of aluminium content

Part 6: Methods for determination of titanium content