



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS G 3477-1 : 2016

(JISF)

**Polyethylene coated steel pipes—Part 1:
3 layer extruded polyethylene coated
steel pipes**

(Amendment 1)

JIS G 3477-1:2012 was revised under date of May 20, 2016. The revised items are included in this Amendment 1 and use this in combination with JIS G 3477-1:2012.

ICS 77.140.10:77.140.75

Reference number : JIS G 3477-1 : 2016 (E)

PROTECTED BY COPYRIGHT

Licensee=Hong Kong Polytechnic University/9976803100
Not for Resale, 08/01/2016 04:36:17 MDT

 **Documents**
Document Sharing Hub

4 S

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law.

Consequently **JIS G 3477-1:2012** is partially replaced with this Amendment.

Date of Establishment: 2012-11-20

Date of Revision: 2016-05-20

Date of Public Notice in Official Gazette: 2016-05-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Metal and Inorganic
Materials

JIS G 3477-1 : 2016, First English edition published in 2016-07

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2016

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

SW

Polyethylene coated steel pipes — Part 1: 3 layer extruded polyethylene coated steel pipes (Amendment 1)

Introduction

The revision at this time is made mainly to replace the term “nominal strain at the time of tensile breaking” by “nominal tensile strain at break” and it does not constitute any technical deviation.

JIS G 3477-1:2012 is revised as follows.

2 Normative references

Delete “JIS G 3476 *Petroleum and natural gas industries — Steel pipe for pipeline transportation systems*”.

2 Normative references

Replace “JIS K 5600-2-4 *Testing methods for paints — Part 2: Characteristics and stability of paints — Section 4: Density*” by “JIS K 5600-2-4 *Testing methods for paints — Part 2: Characteristics and stability of paints — Section 4: Density (Pyknometer method)*”.

2 Normative references

Replace “JIS K 7161 *Plastics — Determination of tensile properties — Part 1: General principles*” by “JIS K 7161-1 *Plastics — Determination of tensile properties — Part 1: General principles*”.

2 Normative references

Replace “JIS K 7162 *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics*” by “JIS K 7161-2 *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics*”.

2 Normative references

Replace “JIS K 7210 *Plastics — Determination of the melt mass-flow rate (MFR) and the melt volume-flow rate (MVR) of thermoplastics*” by “JIS K 7210-1 *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 1: Standard method*”.

5.1.1 Classification of original pipes

In Table 2, delete “JIS G 3476”.

5.2.1 Polyethylene coating materials

Replace Table 3 by the following.