

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS L 4006 : 1998

Sizing systems for foundation garments

ICS 61.020

Descriptors : brassieres, corsets, underwear, socks, tights, stockings, numerical
designations, size, clothing sizes, size coding, women, clothing

Reference number : JIS L 4006 : 1998 (E)

L 4006:1998

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of International Trade and Industry through deliberations at Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law:

Date of Establishment: 1970-03-01

Date of Revision: 1998-02-20

Date of Public Notice in Official Gazette: 1998-02-20

Investigated by: Japanese Industrial Standards Committee

Divisional Council on Consumer Life

Technical Committee on Foundation
Garments, Socks and so on

JIS L 4006:1998, First English edition published in 1999-02

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Sizing systems for foundation garments

Introduction This Japanese Industrial Standard is composed of the body in which the provisions of the items not included in or different from the corresponding International Standard, such as division of cup body shape, classification and designation of sizes, method of size designation, marking method for size system and conformity of marking, and the Annex in which the items corresponding to **ISO 4416** *Size designation of clothes—Women's and girls' underwear, nightwear, foundation garments and shirts* published in 1981 as the first edition, such as definitions, control dimensions, size designation and labelling are provided without changing the technical contents.

1 Scope This Japanese Industrial Standard specifies the size and designation of the foundation garments out of the girls' and women's ready-made clothes.

The size and designation may be as specified in the Annex (normative) (size designation based on **ISO**). In this case, the classification of sizes is not specified particularly.

Remarks: The following is the International Standard corresponding to this Standard:

ISO 4416 : 1981 *Size designation of clothes—Women's and girls' underwear, nightwear, foundation garments and shirts*

2 Normative references The following standards contain provisions which, through reference in this Standard, constitute provisions of this Standard. The latest editions of them apply.

JIS L 0111 *Glossary of terms used in body measurements for clothes*

JIS L 0112 *Glossary of terms on parts and measurements of clothes*

JIS L 0215 *Glossary of terms on clothes*

ISO 3635 : 1981 *Size designation of clothes—Definitions and body measurement procedure*

3 Definitions For the purpose of this Standard, the definitions given in **JIS L 0111**, **JIS L 0112** and **JIS L 0215** and the following definitions apply:

- a) **girl** A female person whose growth in height is not yet finished.
- b) **woman** A female person whose growth in height is finished.
- c) **size of ready-made clothes** A size of ready-made clothes as a whole, which is indicated with control dimensions and garment dimensions to be indicated.
- d) **control dimension** Dimension of body portion making a base of the size of ready-made clothes.

It is expressed in centimeter as an actual dimension of the size of ready-made clothes.

- e) **garment dimension to be indicated** Garment dimension of specific portion of the ready-made clothes required to be indicated in the size of specific ready-made clothes. The actual dimension of the relevant clothes is expressed in centimeter as the size of ready-made clothes.

4 Control dimensions and garment dimensions to be indicated The control dimensions used in this Standard shall be underbust girth, bust girth, waist girth and hip girth, and the garment dimension to be indicated shall be bra-slip length.

5 Classification of size designation The size designation shall be classified into three as follows:

- a) Cup body shape division designation
- b) Waist designation
- c) Cup body shape division and range designation

6 Cup body shape division designation

6.1 Cup body shape division The divisions of cup body shape shall be as given in Table 1.

Table 1 Cup body shape division

Cup body shape	Definition
AA cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 7.5 cm.
A cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 10 cm.
B cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 12.5 cm.
C cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 15 cm.
D cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 17.5 cm.
E cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 20 cm.
F cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 22.5 cm.
G cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 25 cm.
H cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 27.5 cm.
I cup body shape	Body shape of a person whose difference between bust girth and underbust girth is about 30 cm.

6.2 Size classification and designation The sizes by divisions of cup body shape shall be classified and designated as given in Table 2-1 to 2-10.

Table 2-1 AA cup body shape

		Unit : cm				
Designation		AA60	AA65	AA70	AA75	AA80
Control dimension	Underbust girth	60	65	70	75	80
	Bust girth	68	73	78	83	88

Table 2-2 A cup body shape

		Unit : cm												
Designation		A60	A65	A70	A75	A80	A85	A90	A95	A100	A105	A110	A115	A120
Control dimension	Underbust girth	60	65	70	75	80	85	90	95	100	105	110	115	120
	Bust girth	70	75	80	85	90	95	100	105	110	115	120	125	130

Table 2-3 B cup body shape

Unit : cm

Designation		B65	B70	B75	B80	B85	B90	B95	B100	B105	B110	B115	B120
Control dimension	Underbust girth	65	70	75	80	85	90	95	100	105	110	115	120
	Bust girth	78	83	88	93	98	103	108	113	118	123	128	133

Table 2-4 C cup body shape

Unit : cm

Designation		C65	C70	C75	C80	C85	C90	C95	C100	C105	C110	C115	C120
Control dimension	Underbust girth	65	70	75	80	85	90	95	100	105	110	115	120
	Bust girth	80	85	90	95	100	105	110	115	120	125	130	135

Table 2-5 D cup body shape

Unit : cm

Designation		D65	D70	D75	D80	D85	D90	D95	D100	D105	D110	D115
Control dimension	Underbust girth	65	70	75	80	85	90	95	100	105	110	115
	Bust girth	83	88	93	98	103	108	113	118	123	128	133

Table 2-6 E cup body shape

Unit : cm

Designation		E65	E70	E75	E80	E85	E90	E95	E100
Control dimension	Underbust girth	65	70	75	80	85	90	95	100
	Bust girth	85	90	95	100	105	110	115	120

Table 2-7 F cup body shape

Unit : cm

Designation		F65	F70	F75	F80	F85	F90	F95
Control dimension	Underbust girth	65	70	75	80	85	90	95
	Bust girth	88	93	98	103	108	113	118

Table 2-8 G cup body shape

Unit : cm

Designation		G65	G70	G75	G80	G85	G90	G95
Control dimension	Underbust girth	65	70	75	80	85	90	95
	Bust girth	90	95	100	105	110	115	120