

Safety Standards

of the
Nuclear Safety Standards Commission (KTA)

KTA 3404 (2017-11)

Isolation of Operating System Pipes Penetrating the Containment Vessel in the Case of a Release of Radioactive Substances into the Containment Vessel

(Abschließung der den Reaktorsicherheitsbehälter durchdringenden Rohrleitungen von Betriebssystemen im Falle einer Freisetzung von radioaktiven Stoffen in den Reaktorsicherheitsbehälter)

Previous versions of this Safety Standard
were issued 1988-09, 2008-11 and 2013-11

If there is any doubt regarding the information contained in this translation, the German wording shall apply.

Editor:

KTA-Geschäftsstelle
c/o Bundesamt fuer kerntechnische Entsorgungssicherheit (BfE)
Willy-Brandt-Strasse 5 • D-38226 Salzgitter • Germany
Telephone +49-30-18-333-1621 • Telefax +49-30-18-333-1625

KTA SAFETY STANDARD

November
2017

Isolation of Operating System Pipes Penetrating the Containment Vessel in the Case of a Release of Radioactive Substances into the Containment Vessel

KTA 3404

CONTENTS

Basic Principles	5
1 Scope	5
2 Definitions	6
3 Requirements	6
3.1 Penetration Isolation	6
3.2 Ventilation Isolation	6
3.3 Location of the Isolating valves	6
3.4 Types	6
3.5 Closure Time	7
3.6 Leaktightness	7
3.7 Initiation of the Isolating Function	7
3.8 Actuation	7
3.9 Indication and Interlocking	7
3.10 Supply of Auxiliary Media	7
3.11 Supply of Electric Power	7
3.12 Protection against Incident Consequences	8
3.13 Fuel Pool Cooling System	8
3.14 Inerting in a Boiling Water Reactor	8
4 Testing of Isolating Valves	8
4.1 General	8
4.2 Tests prior to Installation	8
4.3 Tests Following Installation	9
4.4 In-Service Inspections	9
4.5 Practice of the Authorized Expert under Sec. 20 of the Atomic Energy Act	9
4.6 Documentation	9
Appendix A: Typical Examples of the Arrangement of Isolating Valves in Systems	10
Appendix B: Regulations Referred to in this Safety Standard	13

PLEASE NOTE: Only the original German version of this safety standard represents the joint resolution of the 35-member Nuclear Safety Standards Commission (Kerntechnischer Ausschuss, KTA). The German version was made public in the Federal Gazette (Bundesanzeiger) on May 17th, 2018. Copies of the German versions of the KTA safety standards may be mail-ordered through the Wolters Kluwer Deutschland GmbH (info@wolterskluwer.de). Downloads of the English translations are available at the KTA website (<http://www.kta-gs.de>).

All questions regarding this English translation should please be directed to the KTA office:

KTA-Geschaeftsstelle c/o BfE, Willy-Brandt-Str. 5, D-38226 Salzgitter, Germany or kta-gs@bfe.bund.de

Comments by the editor:

Taking into account the meaning and usage of auxiliary verbs in the German language, in this translation the following agreements are effective:

shall	indicates a mandatory requirement,
shall basically	is used in the case of mandatory requirements to which specific exceptions (and only those!) are permitted. It is a requirement of the KTA that these exceptions - other than those in the case of shall normally - are specified in the text of the safety standard,
shall normally	indicates a requirement to which exceptions are allowed. However, the exceptions used, shall be substantiated during the licensing procedure,
should	indicates a recommendation or an example of good practice,
may	indicates an acceptable or permissible method within the scope of this safety standard.