

NA to BS EN 1996-1-2:2024



BSI Standards Publication

UK National Annex to Eurocode 6: Design of masonry structures

Part 1-2: Structural fire design

bsi.

AVA Documents
Document Sharing Hub

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2025
Published by BSI Standards Limited 2025

ISBN 978 0 539 32374 0

ICS 13.220.50; 91.010.30; 91.080.30

The following BSI references relate to the work on this document:
Committee reference B/525/6
Draft for comment 24/30495273 DC

Amendments issued since publication

Date	Text affected
<hr/>	

Contents

Foreword	II
NA.1 Scope	1
NA.2 Nationally determined parameters	1
NA.3 Decisions on the status of the informative annexes	12
NA.4 Complimentary information	12
Bibliography	13
 Table NA.1 – Clay masonry – minimum thickness of separating non-loadbearing walls (Criteria EI) for fire resistance classifications	 2
Table NA.2 – Clay masonry – minimum thickness of separating loadbearing single-leaf walls (Criteria REI) for fire resistance classifications	2
Table NA.3 – Clay masonry – minimum thickness of each leaf of separating loadbearing cavity walls with one leaf loaded (Criteria REI) for fire resistance classifications	3
Table NA.4 – Calcium silicate – minimum masonry thickness of separating non-loadbearing walls (Criteria EI) for fire resistance classifications	4
Table NA.5 – Calcium silicate masonry – minimum thickness of separating loadbearing single-leaf walls (Criteria REI) for fire resistance classifications	5
Table NA.6 – Calcium silicate masonry – minimum thickness of each leaf of separating loadbearing cavity walls with one leaf loaded (Criteria REI) for fire resistance classifications	6
Table NA.7 – Dense and lightweight aggregate concrete masonry – minimum thickness of separating non-loadbearing separating walls (Criteria EI) for fire resistance classifications	6
Table NA.8 – Dense and lightweight aggregate concrete masonry – minimum thickness of separating loadbearing single-leaf walls (Criteria REI) for fire resistance classifications	7
Table NA.9 – Dense and lightweight aggregate concrete masonry – minimum thickness of each leaf of separating loadbearing cavity walls with one leaf loaded (Criteria REI) for fire resistance classifications	8
Table NA.10 – Autoclaved aerated concrete masonry – minimum thickness of separating non-loadbearing walls (Criteria EI) for fire resistance classifications	9
Table NA.11 – Autoclaved aerated concrete masonry – minimum thickness of separating loadbearing single-leaf walls (criteria REI) for fire resistance classifications	10
Table NA.12 – Autoclaved aerated concrete masonry – minimum thickness of each leaf of separating loadbearing cavity walls with one leaf loaded (Criteria REI) for fire resistance classifications	10
Table NA.13 – Manufactured stone masonry thickness of separating non-loadbearing walls (Criteria EI) for fire resistance classifications	11
Table NA.14 – Manufactured stone masonry – minimum thickness of separating loadbearing single-leaf walls (Criteria REI) for fire resistance classifications	11

Summary of pages

This document comprises a front cover, an inside front cover, pages I to IV, pages 1 to 7, and a back cover

THIS PAGE DELIBERATELY LEFT BLANK

Foreword

Publishing information

This National Annex is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 May 2025. It was prepared by Subcommittee B/525/6, *Use of masonry*, under the authority of Technical Committee B/525, *Building and civil engineering structures*. A list of organizations represented on these committees can be obtained on request to the committee manager.

Supersession

There is a period of coexistence related to this document, see below (Information about this document) for further details.

This document is the National Annex to [BS EN 1996-1-2:2024](#).

The National Annex to [BS EN 1996-1-2:2005](#) will be withdrawn on 30 March 2028.

Relationship with other publications

This National Annex is to be used in conjunction with [BS EN 1996-1-2:2024](#). It cannot be used by itself.

Information about this document

This National Annex to the EN Eurocode contains the national choices to be used for buildings and civil engineering works constructed in the UK. It also includes complementary information that is non-conflicting with the Eurocode itself.

The first generation of EN Eurocodes will remain current until 30 March 2028 and will then be withdrawn. The second generation of EN Eurocodes will be current upon publication and both sets of documents will co-exist until 30 March 2028.

The first generation of EN Eurocodes was published between 2002 and 2007, with conflicting British Standards withdrawn in 2010. This National Annex forms part of the second generation of EN Eurocodes suite of documents. The second generation of National Annexes to Eurocodes are expected to be published between 2024 and 2026. These documents are being published as soon as they are available. This is being done to enable users to prepare for the transition from the first generation to second generation of EN Eurocodes suite of documents. National Annexes of the first generation of Eurocodes will be withdrawn alongside the first generation of EN Eurocodes by BSI on 30 March 2028.

Where reference is made to a BS EN Eurocode document in this National Annex, it is understood that this includes the relevant National Annex where applicable.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Presentation conventions

The verb “shall” expresses a requirement strictly to be followed and from which no deviation is permitted in order to comply with the Eurocodes and the NDP specified in this National Annex.

The verb “should” expresses a highly recommended choice or course of action. Subject to national regulation and/or any relevant contractual provisions, alternative approaches could be used/adopted where technically justified.

The verb “may” expresses a course of action permissible within the limits of the Eurocodes and the NDP specified in this National Annex.

The verb “can” expresses possibility and capability; it is used for statements of fact and clarification of concepts.

Where words have alternative spellings, the preferred spelling of the *Shorter Oxford English Dictionary* is used (e.g. “organization” rather than “organisation”).

Where reference is made to a BS EN Eurocode document that shall be understood to include the relevant National Annex where applicable.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is and is to be used at the recipient’s own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

Compliance with a National Annex cannot confer immunity from legal obligations.