

Disclaimer

Copyright © National Grid plc 2011, all rights reserved

This information should not be forwarded to third parties.

TECHNICAL SPECIFICATION ADDENDUM

DOCUMENT TITLE	NGTS 3.24.60
DOCUMENT NUMBER	Synchronising
ISSUE NUMBER	2
ISSUE DATE	March 2002

This Technical Specification shall be read in conjunction with the following amendments:

Check appropriate boxes below

Addition	X	Replacement		Deletion	
AMENDMENTS					
4.6 Application Secondary VT signals shall be made available from all connected circuits that have the ability to input into the substation voltage selection scheme. The voltage selection scheme shall be designed to ensure that, under all running arrangements, the secondary running and incoming voltages applied to the synchronising function are always an accurate and consistent representation of the primary voltages impressed on either side of the circuit breaker selected for synchronising close.					
Date Effective From		1 April 2007			

	Originated by	Authorised by	Approved by
Name	John Fitch	Edgar Goddard	Ursula Bryan
Job Title	Forward Policy TL	Electricity Network Investment Manager	Asset Policy Manager
Department	Asset Policy	Asset Management	Asset Policy
Date	23/3/2007	29/03/07	28/03/07



National Grid

National Grid
Technical
Specification

Synchronising

NGTS 3.24.60
Issue 2
March 2002

CONTENTS	Page
Foreword	1
1 Scope	1
2 References	1
3 Definitions	1
4 General Requirements	2
5 Functional Interfaces	5
6 Settings	7
7 Performance Requirements	7
8 Implementation	8

Authorised for Issue by:

Mike Dean
Asset Strategy Manager

Unless this document is printed on grey paper, it will not be controlled (updated automatically). If printed from an electronic master (eg Intranet), this document will be valid on the day of printing only

© National Grid 2002

"No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without the written permission of the National Grid obtained from the issuing location.

The contents of National Grid engineering documents are based on the needs of National Grid and the conditions under which it operates. It should not therefore be assumed that the specifications and requirements stated therein necessarily meet the particular circumstances and requirements of other organisations. The principles set out in this document are for information only and therefore National Grid is not liable to customers / suppliers for any loss or damage resulting from reliance on the contents. It is the responsibility of such external organisations to check that the document is the latest version and is appropriate for their purposes."

(National Grid Legal Services. November 1999)

Registered Office
National Grid House
Kirby Corner Road
Coventry
CV4 8JY

Registered in
England and Wales
No. 2366977

Published by:

National Grid
Kelvin Avenue
Leatherhead
Surrey KT22 7ST

Unless this document is printed on grey paper, it will not be controlled (updated automatically). If printed from an electronic master (eg Intranet), this document will be valid on the day of printing only

Administrative enquiries regarding this document should be directed to:

Technical Data at Leatherhead, Telephone: 01372 383818

Contact name: Mick Deacon (author)

Telephone: 01372 383767