

Ref:	NR/L2/ELP/21088/09
Issue:	1
Date:	5 th December 2015
Compliance date:	1 st December 2016

NR/L2/ELP/21088

Module 09 – Mark 5 Maintenance Parameters

This document is the property of Network Rail. It shall not be reproduced in whole or part nor disclosed to a third party without the written permission of Network Rail.

© Copyright 2015 Network Rail.

Uncontrolled copy once printed from its electronic source.

Published and Issued by Network Rail, 2nd Floor, One Eversholt Street, London. NW1 2DN.



Ref:	NR/L2/ELP/21088/09
Issue:	1
Date:	5 th December 2015
Compliance date:	1 st December 2016

Contents

1 Scope	3
2 Definitions	3
3 Equipment Design	4
4 Equipment Design Variations	4
5 Equipment Design Designations	4
6 Environmental Conditions	4
7 Maximum Pantograph Operational Speeds	4
8 Continuous Current Carrying Capacity	5
9 Design Staggers	5
10 Track Tolerances	5
11 Pantograph Sway Allowance	6
12 Contact Wire Deviation	6
13 Available Contact Wire Uplift at Supports	6
14 Contact Wire Height	6
15 Maximum Dropper Spacing	7
16 Conductor Particulars	7
17 Conductor Tensions	7
18 Factor of Safety	8

Ref:	NR/L2/ELP/21088/09
Issue:	1
Date:	5 th December 2015
Compliance date:	1 st December 2016

1 Scope

This module of NR/L2/ELP/21088 covers:

- a) Equipment Design;
- b) Equipment Design Variations;
- c) Equipment Design Designations;
- d) Environmental Conditions;
- e) Maximum Pantograph Operational Speeds;
- f) Continuous Current Carrying Capacity;
- g) Design Staggers;
- h) Track Tolerances;
- i) Pantograph Sway Allowance;
- j) Contact Wire Deviation;
- k) Available Contact Wire Uplift at Supports
- l) Contact Wire heights;
- m) Maximum Dropper Spacing;
- n) Conductor Particulars;
- o) Conductor Tensions;
- p) Factor of Safety.

2 Definitions

See Glossary (NR/L2/ELP/21088/01)

Copyright Network Rail