


Ref:	NR/L2/ELP/27009/MOD C25
Issue:	1
Date:	03/12/2011
Compliance date:	03/03/2012
Page	1 of 6

OVERHEAD LINE CAMPAIGN CHANGES – DATA SHEET											
25	RAPID WEAR OF ALUMINIUM & COPPER DROPPER SADDLES IN AWAC AND 19/2.1MM CATENARY										
COMPONENT	Dropper saddles ('aeroplanes') made from aluminium and copper, OLEMI types 145/025 and 145/043.										
PROBLEM	<p>These dropper saddles wear due to up and down movement of the dropper caused by train passages. This leads to eventual stranding of the catenary.</p> <div></div>										
ACTION REQUIRED	<p>Replace existing aluminium or copper dropper saddles as follows:</p> <p>1. Where existing droppers are retained, fit stainless steel over sleeve as follows:</p> <table><tr><td>Catenary</td><td>OLEMI number</td><td>PADS number</td></tr><tr><td>19/2.1 copper</td><td>145/810/001</td><td>091/002256</td></tr><tr><td>7/3.95 AWAC</td><td>145/810/002</td><td>091/002257</td></tr></table>		Catenary	OLEMI number	PADS number	19/2.1 copper	145/810/001	091/002256	7/3.95 AWAC	145/810/002	091/002257
Catenary	OLEMI number	PADS number									
19/2.1 copper	145/810/001	091/002256									
7/3.95 AWAC	145/810/002	091/002257									


Reference Information	
Ellipse standard job number	13025
Ellipse standard job description	Replace Al and Cu dropper saddles
Category	Dropper
Priority	Yes
Types of OLE affected	Mk1; Mk3a; Mk3b
Original equipment dates	1958 - 1977

Ref:	NR/L2/ELP/27009/MOD C25
Issue:	1
Date:	03/12/2011
Compliance date:	03/03/2012
Page	2 of 6

OVERHEAD LINE CAMPAIGN CHANGES – DATA SHEET


25

RAPID WEAR OF ALUMINIUM & COPPER DROPPER SADDLES IN AWAC AND 19/2.1MM CATENARY



2. Where existing dropper is replaced like-for-like, fit standard OLEMI stainless steel dropper sleeve 145/812 as follows:

Catenary	OLEMI number	PADS number
19/2.1 copper	145/812/002	091/002404
7/3.95 AWAC	145/812/001	091/002403



3. Alternatively droppers can be replaced with an approved type of copper flexible dropper in conjunction with other campaign changes. See drawing 199/411 for dropper type.