

Ref:	NR/L2/SIG/30097/AppH5
Issue:	2
Date:	2 June 2012
Compliance date:	2 June 2012

Level 2 module

Appendix H5: Equipment and drawing identification

Endorsement and Authorisation

For endorsement, authorisation and acceptance for use, please refer to NR/L2/SIG/30097, *Modular Signalling*.

This document is the property of Network Rail. It shall not be reproduced in whole or part nor disclosed to a third party without the written permission of Network Rail.

© Copyright 2012 Network Rail.

Uncontrolled copy once printed from its electronic source.

Published and Issued by Network Rail, Kings Place, 90 York Way, London. N1 9AG.



Ref:	NR/L2/SIG/30097/AppH5
Issue:	2
Date:	2 June 2012
Compliance date:	2 June 2012

User information

This Network Rail standard contains colour-coding according to the following Red–Amber–Green classification.

Red requirements – *No deviations, could stop the railway*

- **Red requirements shall** always be complied with and achieved.
- Red requirements shall be presented in a red box **with the word “shall” or expressed as a direct instruction**.
- Accountability for the efficacy of red requirements lies with the Professional Head/Standard Owner.
- Red requirements are monitored for compliance.
- Corrective actions shall be enforced if deviations are discovered through functional checks (e.g. engineering verification visits, audit or Operations Self-Assurance).

Amber requirements – *Controlled deviations, approved risk analysis and mitigation*

- **Amber requirements shall** be complied with unless deviation has been approved in advance.
- Amber requirements shall be presented with an amber sidebar **and with the word “shall” or expressed as a direct instruction**.
- Accountability for the efficacy of these requirements lies with the Professional Head/Standard Owner, or their nominated Delegated Authority.
- Amber requirements are monitored for compliance.
- Deviations **may** be permitted. Deviations are approved by the Standard Owner or through existing Delegated Authority arrangements.
- Corrective actions shall be enforced if **non-approved** deviations are discovered through functional checks (e.g. engineering verification visits, audit or Operations Self-Assurance).

Green – *Guidance*

- Guidance is based on good practice. Guidance represents supporting information to help achieve **Red** and **Amber** requirements.
- Guidance shall be presented with a dotted green sidebar **and with the word “should” (usually in notes) or as a direct instruction**.
- Guidance is **not mandatory** and is not monitored for compliance.
- Alternative solutions may be used. Alternative solutions do not need to be formally approved.
- Decisions made by a competent person to use alternative solutions should be backed up by appropriate evidence or documentation.

Ref:	NR/L2/SIG/30097/AppH5
Issue:	2
Compliance date:	2 June 2012

Electronic File Location

This document is located within Network Rail's Corporate Content Management System (CCMS), and has the unique reference no.:

Version History

Issue	Date	Comments
1.0	31.05.10	First issue for guidance (as Appendix I3)
2.0	28.02.12	Second issue

Disclaimer

In issuing this document for its stated purpose, Network Rail makes no warranties, express or implied, that compliance with all or any documents it issues is sufficient on it's own to ensure safe systems of work or operation. Users are reminded of their own duties under health and safety legislation.

Ref:	NR/L2/SIG/30097/AppH5
Issue:	2
Compliance date:	2 June 2012

Contents

1.	INTRODUCTION	4
1.1	Background	4
1.2	Purpose	4
1.3	Scope	4
1.4	Definitions	4
2.	GENERAL	6
3.	NUMBERING OF SCHEME SKETCHES AND PLANS, LEVEL CROSSING GROUND PLANS, SIGNAL SIGHTING FORMS	6
3.1	Scheme sketches	6
3.2	Scheme Plans	6
3.3	Level Crossing Ground Plans	6
3.4	Signal and Sign Sighting Forms	6
4.	EQUIPMENT IDENTITIES	7
4.1	Line Designations	7
4.2	Signalling Islands	7
4.3	Signals and Slots	7
4.3.1	Signal Prefix	7
4.3.2	Signal and Slot numbers	7
4.4	Stop Boards and Fixed Distant Boards	8
4.5	Signs	8
4.6	Lockouts	9
4.7	Points	9
4.8	Axle Counters	9
4.8.1	General	9
4.8.2	Identity allocation	10
4.9	Location and Equipment Cases	10
5.	NUMBERING OF DETAILED DESIGN DRAWINGS	11
5.1	Version Control and Issue	11
5.2	Signal and Sign Sighting Forms	11
5.3	Drawing numbering	11
5.4	Control Point	12