

The following information is associated with Network Rail Standard:
[NR/L3/CIV/140/74N](#) Issue 2

Additional Content Access

Click the links below to access non PDF related content associated with this standard.

Word Document

- [NR/L3/CIV/140/74N](#)

If you have any questions, or need assistance, please contact [IHS Support](#)

Information accessed via the links above is the property of the Copyright holder

IHS Additional Content Page

Reference	NR/L3/CIV/140/74N
Issue	2
Publication date	6 th March 2010
Compliance date	5 th June 2010

MODEL CLAUSES FOR CIVIL ENGINEERING WORKS

SECTION 74

TIMBER PILES

NOTES TO SPECIFIER:

These notes do not form part of the Specification.

Items that need to be considered and included where appropriate either in this Appendix and/or on the Contract Drawings as Particular Requirements for timber piles include:

- (a) specified working loads (SWL)
SWL for working piles which are to be tested, are shown on Schedules 70B and C of the Appendix to Section 70,*
- (b) additional performance criteria for piles under test are shown on Schedule 70A of the Appendix to Section 70 (see also table B1.2 of the ICE Specification),*
- (c) species and grades of timber (see Clauses 74.002 and 74.003),*
- (d) details of pile encasement, where required for shaft length above the water table (see Clause 74.001 and Contract Drawings),*
- (e) length and dimensions (see Contract Drawings),*
- (f) preservative treatment (see Clause 74.008),*
- (g) surface finishes to piles,*
- (h) grades and types of pile shoes (see Clause 74.006),*
- (i) splicing (see Clause 74.010),*
- (j) penetration or depth to toe level (see Contract Drawings),*

Copyright © 2010 Network Rail