

The following information is associated with Network Rail Standard:
[NR/L3/CIV/140/213N](#) Issue 1

Additional Content Access

Click the links below to access non PDF related content associated with this standard.

Word Document

- [NR/L3/CIV/140/213N](#)

If you have any questions, or need assistance, please contact [IHS Support](#)

Information accessed via the links above is the property of the Copyright holder

IHS Additional Content Page

RAILTRACK PLC

MODEL CLAUSES FOR SPECIFYING CIVIL ENGINEERING WORKS

SECTION 213

Permanent Way Acceptance Standards

ISSUE NO. 1 REVISION B

RT/CE/C/008/213N

Page 1 of 8

Date: 31 March 1997

Submitted by: Keith Ross
Structures Standards Engineer
Civil Engineering Directorate
King's Cross

Approved by: Model Clauses (Civil Engineering)
Committee on 14 May 1997

Signature:.....
for Director, Civil Engineering

John Horsler
Civil Engineer, Structures Compliance
Chairman Model Clauses (Civil Engineering)
Committee

Amendments

Amendments and additions since the previous issue are marked by a vertical line in the right hand margin.

© Railtrack PLC 1997

This document is the property of Railtrack PLC. It shall not be reproduced in whole or in part without the written permission of the publisher for use external to Railtrack.

Published by

Director Civil Engineering,
Railtrack PLC,
Eastside Offices
Kings Cross Station,
London N1 9AP

Controlled document

No:.....

SECTION 213

**PERMANENT WAY ACCEPTANCE
STANDARDS**

SECTION CONTENTS

Page

This table of contents does not form part of the
Specification

**NOTES TO
SPECIFIER**

None applicable to this Section

SPECIFICATION CLAUSES

SECTION 213

**PERMANENT WAY ACCEPTANCE
STANDARDS**

213.001	Notification of completion	3	
213.002	Conditions for acceptance	3	
213.003	Marking of horizontal circular and transition curves	3	I
213.004	Certification and inspection reports	4	
213.005	Survey records	4	
213.006	Construction records	5	I
APPENDIX			
213A	Alumino-thermic weld inspection report	6	I
REFERENCES			
	<i>Railtrack Line Standards</i>	8	