

MISCELLANEOUS

Copyright © 2016 Network Rail

User information

This Network Rail standard contains colour-coding according to the following Red–Amber–Green classification.

Red requirements – no variations permitted

- Red requirements are to be complied with and achieved at all times.
- Red requirements are presented in a red box.
- Red requirements are monitored for compliance.
- Non-compliances will be investigated and corrective actions enforced.

Amber requirements – variations permitted subject to approved risk analysis and mitigation

- Amber requirements are to be complied with unless an approved variation is in place.
- Amber requirements are presented with an amber sidebar.
- Amber requirements are monitored for compliance.
- Variations can only be approved through the national non-compliance process.
- Non-approved variations will be investigated and corrective actions enforced.

Green guidance – to be used unless alternative solutions are followed

- Guidance should be followed unless an alternative solution produces a better result.
- Guidance is presented with a dotted green sidebar.
- Guidance is not monitored for compliance.
- Alternative solutions should be documented to demonstrate effective control.

Amendment marks


- First document amendments are presented with a single black line to the right of the affected text.
- Second document amendments are presented with a double black line to the right of the affected text.

Contents


F.1.1: Standard Method of Measurement of S&C	4
F.2.1: Standard Symbols for use on Layout Drawings - 1	5
F.2.2: Standard Symbols for use on Layout Drawings - 2 (Crossings)	6
F.2.3: Standard Symbols for use on Layout Drawings - 3	7
F.3.1: Weights of Components and S&C Units	8
F.4.1: S&C Detail Drawing Aide-Memoire – 1	9
F.4.2: S&C Detail Drawing Aide-Memoire - 2.	10
F.4.3: Construction of On-Track Plant Calibration Sidings	11
Table 1 – Standard Symbols for use on Layout Drawings.....	5
Table 2 – Standard Symbols for use on Layout Drawings.....	6
Table 3 – Weights of Components and S&C Units.....	8

F.1.1: Standard Method of Measurement of S&C


Turnout




Crossover



Junction



Diamond



Single / Double Slip

