


Ref	NR/WI/ELP/2723 I
Issue	I
Date	December 2005

Business Process Document

Work Instruction for operation of 11 kV supplies at Slade Green Depot, Ashford IECC and Victoria Station

Endorsement & Authorisation

Endorsed by:




K. Lydford, Professional Head of Electrification & Plant Engineering

Authorised by:



A. McNaughton, Chief Engineer

Accepted for issue by:



M. McManus, National Standards Manager

This document is the property of Network Rail. It shall not be reproduced in whole or part nor disclosed to a third party without the written permission of the Standard Owner.

©Copyright 2005 Network Rail

Uncontrolled copy once printed from its electronic source.

Published & Issued by: Network Rail 40 Melton Street, London NW1 2EE

Ref:	NR/WI/ELP/2723 I
Issue:	I
Date:	December 2005

Issue record

Issue	Date	Comments
I	December 2005	RT/E/WI/27125, (formerly TPS/O/605) RT/E/WI/27126 (formerly TPS/O/607), and RT/E/WI/27128 (formerly TPS/O/702) have been amalgamated and re-issued as a SAF3 Business Process Document

Implementation

3 December 2005

Compliance

This Network Rail work instruction is mandatory and must be complied with by Network Rail and its contractors from 3 December 2005.

When this work instruction is implemented, it is permissible for all projects, which have formally completed GRIP Level 4, to continue to comply with the Issue of any relevant Network Rail standards current when GRIP Level 4 was reached and not to comply with requirements contained herein unless the head of electrification and fixed plant has stipulated otherwise in the accompanying briefing note.

Where the head of electrification and fixed plant has specified that all projects will comply with the requirements, specific authority not to comply can be sought in the usual manner using the appropriate non-compliance authority processes described in Network Rail standard, [NR/SP/STP/045](#) Managing the process for non-compliance authority (formerly RT/LS/P/045).

Disclaimer

In issuing this document for its stated purpose, Network Rail makes no warranties, express or implied, that compliance with all or any documents it issues is sufficient on its own to ensure safe systems of work or operation. Users are reminded of their own duties under health and safety legislation.

Supply

Copies of documents are available electronically, within Network Rail's organisation. Hard copies of this document will be available to Network Rail employees on request to their document controller and to other organisations from IHS Technical Indexes (01344 404409)

Ref:	NR/WI/ELP/27231
Issue:	1
Date:	December 2005

Contents

1	Purpose	4
	ASHORD IECC	5
2	Description of Ashford IECC	5
3	Operation at Ashford	5
4	LV arrangements at Ashford	5
5	Arrangements for working on Ashford IECC 11kV supply	5
	SLADE GREEN DEPOT	7
6	Description of Slade Green	7
7	Operation at Slade Green	7
8	LV arrangements at Slade Green	7
9	Arrangements for working on Slade Green 11kV Ring	8
	VICTORIA STATION	9
10	Description of Victoria Station	9
11	Operation of Victoria Station	9
12	LV arrangements at Victoria Station	9
13	Arrangements for working on Victoria Station 11kV supply	9
Appendix A	Schematic diagram of 11 kV ring for Slade Green	11

Ref:	NR/WI/ELP/27231
Issue:	1
Date:	December 2005

I Purpose

This instruction covers the working arrangements for:

- (a) Ashford IECC and should be read in conjunction with the relevant Operation diagram;
- (b) Slade Green and should be read in conjunction with drawing SE/A2/238;
- (c) Victoria Station 11 kV Ring Main.

Copyright Network Rail
Provided by IHS under license with Network Rail
No reproduction or networking permitted without license from IHS

