

Supplement Notice

Information for users

The attached standard:

RT/CE/P/027

Issue 1

has essential supplementary information

Instructions for use

It is essential that you first read and understand the supplement pertaining to the standard before proceeding to the standard. You must then apply the requirements of the supplement to the standard.

Proceed to supplement ►**I have read & understand the supplement.
Proceed to standard ►**

Ref	NR/SP/TRK/127
Issue	1
Date	January 1996

Use of Ballast Gluing to increase the Lateral Resistance of Track (formerly RT/CE/P/027)

This temporary front sheet facilitates change to the new Network Rail Standards referencing nomenclature.

The Ref above will be formally allocated to this standard when it is next changed in the meantime the contents, date and issue number of this Network Rail Standard are UNCHANGED and with immediate effect it should be referred to as “(new ref) formerly (old ref)”.

This document is the property of Network Rail. It shall not be reproduced in whole or part nor disclosed to a third party without the written permission of the Standard Owner.

© Copyright 2005 Network Rail

Uncontrolled copy once printed from its electronic source.

Published & Issued by: Network Rail; 40 Melton Street, London NW1 2EE



RAILTRACK LINE

PROCEDURE

USE OF BALLAST GLUING TO INCREASE THE LATERAL RESISTANCE OF TRACK

© Copyright 1996 Railtrack PLC


All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of Railtrack PLC.

Endorsed by



Chairman, Railtrack Line Civ Eng Stds Cttee

Authorised by



Director Civil Engineering

Published by

Director Civil Engineering

Railtrack HQ

King's Cross Station

London

NI 9AP



Documents

Document Sharing Hub