

Ref	NR/SP/SIG/I0073
Issue	I
Date	February 1998

Barrier Boom Light Units for Level Crossings (formerly RT/E/S/I0073)

This temporary front sheet facilitates change to the new Network Rail Standards referencing nomenclature.

The Ref above will be formally allocated to this standard when it is next changed in the meantime the contents, date and issue number of this Network Rail Standard are UNCHANGED and with immediate effect it should be referred to as “(new ref) formerly (old ref)”.

This document is the property of Network Rail. It shall not be reproduced in whole or part nor disclosed to a third party without the written permission of the Standard Owner.

© Copyright 2004 Network Rail

Uncontrolled copy once printed from its electronic source.

Published & Issued by: Network Rail; 40 Melton Street, London NW1 2EE



RAILTRACK LINE

SPECIFICATION

BARRIER BOOM LIGHT UNITS FOR LEVEL CROSSINGS


Approval and Authorisation

Endorsed by :



J F Wilson, Head of Control Systems and
Communications Engineering

Authorised by :



J F Wilson, Acting Head of Electrical
Engineering & Control Systems

This publication, including the data and
information relating thereto, is not to
be used, disseminated, stored in a
retrieval system, reproduced, copied or
adapted either in whole or in part
without the express written permission
of RAILTRACK Plc.

Published and issued by
Railtrack plc
Railtrack House
Euston Square
LONDON
NW1 2EE

© 1998 RAILTRACK PLC

SUMMARY

This document specifies the requirements for light units used on level crossing barrier booms.

ISSUE/REVISION RECORD

This Specification will be updated when necessary by the distribution of a complete document. Amendments will be marked by a vertical black line in the adjacent right hand margin. The latest issue of this specification shall be implemented immediately upon receipt.

Issue	Date	Comments
Issue 1	February 1998	

IMPLEMENTATION

All new barrier boom lamps procured from 1 May 1998 shall conform to this Specification. Existing "lamp" type lights may continue to be used. The requirements of this Specification are mandatory and shall be enforced from the 1 May 1998 unless express written permission is obtained for any deviation from the Head of Electrical Engineering and Control Systems.

DISCLAIMER

Railtrack Plc has used its best endeavours to ensure that the content, layout and text of this document is accurate, complete and suitable for its stated purpose. It makes no warranties, express or implied, that compliance with the contents of this document shall be sufficient to ensure safe systems of work or operation. Railtrack plc will not be liable to pay compensation in respect of the content or subsequent use of this document for any purpose other than its stated purpose or for any purpose other than that for which it was prepared except where it can be shown to have acted in bad faith or there has been wilful default.

SUPPLY

Paper copies of this document will be available by printing from electronic copy or, where this is not possible, may be issued on request to the document controller.

BARRIER BOOM LIGHTS FOR LEVEL CROSSINGS**CONTENTS**

Section	Description	Page
1	PURPOSE	4
2	SCOPE	4
3	GENERAL DESCRIPTION	4
4	CONSTRUCTION	4
5	OPTICAL REQUIREMENTS	5
6	ELECTRICAL REQUIREMENTS	5
6.1	POWER SUPPLY	5
6.2	INSULATION & ISOLATION	6
7	SAFETY AND RELIABILITY	6
7.1	FAILURE MODE	6
7.2	RELIABILITY	6
7.3	MAINTENANCE	6
8	ENVIRONMENTAL CONDITIONS	6
	APPENDIX A - SPACE ENVELOPE: BARRIER BOOM LIGHT UNIT	7
	REFERENCES.....	8