

Equipment used in the controlled removal of asbestos-containing materials —

Part 1: Controlled wetting of asbestos-containing materials — Specification

ICS 13.030.40

This Publicly Available
Specification comes into effect
on 13 August 2004

© BSI 13 August 2004

ISBN 0 580 43319 6

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Acknowledgements	ii
Foreword	ii
Introduction	1
1 Scope	1
2 Terms and definitions	1
3 Design	2
4 Construction (safety)	2
5 Failure warning facility	2
6 Instructions for installation and use	2
7 Warning labels	3
8 Conformity marking	4
Annex A (normative) Method of test for similar flow from needles	5
Bibliography	7

Acknowledgments

The development of this Publicly Available Specification has been led and sponsored by the **Health & Safety Executive (HSE)**.

The following organizations have co-sponsored and been involved in the development of the Publicly Available Specification:

Asbestos Control and Abatement Division (ACAD)
Asbestos Removal Contractors Association (ARCA)
Allpoint Hire Ltd.
Asbestostrip Innovations UK Ltd.
Safety Industries (Oakwood) Ltd.
Thermac (Hire) Ltd.

In addition to the above organizations, representatives of the following individuals and organizations have been involved in the development of the Publicly Available Specification:

Graham Gwilliam, Asbestostrip Innovations UK Ltd. (technical author)
C & D Industrial Services Ltd.
Garry Burdett, Health & Safety Laboratory (technical expert)
Health & Safety Laboratory
Philip Stuart
SMH Products Ltd.

Foreword

This Publicly Available Specification is one part of a series, which consist of the following titles:

PAS 60-1, *Equipment used in the controlled removal of asbestos-containing materials — Part 1: Controlled wetting of asbestos-containing materials — Specification*;

PAS 60-2, *Equipment used in the controlled removal of asbestos-containing materials — Part 2: Negative Pressure Units — Specification*;

PAS 60-3, *Equipment used in the controlled removal of asbestos-containing materials — Part 3: Operation, cleaning and maintenance of class H vacuum cleaners — Code of practice*.

This Publicly Available Specification has been prepared and published by BSI, which retains its ownership and copyright. BSI reserves the right to withdraw or amend this Publicly Available Specification on receipt of authoritative advice that it is appropriate to do so. This Publicly Available Specification will be reviewed at intervals not exceeding two years, and any amendments arising from the reviews will be published as an amended Publicly Available Specification and publicized in *Update Standards*.

This Publicly Available Specification is not intended to restrict new developments in design and materials.

This Publicly Available Specification does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a Publicly Available Specification does not of itself confer immunity from legal obligations.

In particular, attention is drawn to the following statutory regulations:

- The Asbestos (Licensing) (Amended) Regulations 1983 [1]
- The Asbestos (Prohibitions) (Amended) Regulations 1992 [2]
- The Control of Asbestos at Work Regulations 2002 [3]
- The Electrical Equipment (Safety) Regulations 1994 [4]
- The Health and Safety at Work etc. Act 1974 [5]
- The Machinery Directive 89/392/EEC (amended 98/37/EEC) [6]
- The Supply of Machinery (Safety) (Amended) Regulations 1992 [7]
- The Provision and Use of Work Equipment (Amended) Regulations 1998 [8]
- The Simple Pressure Vessels (Safety) Regulations 1991 [9]
- The Control of Substances Hazardous to Health Regulations 2002 [10]
- The Management of Health & Safety at Work Regulations 1999 [11]

NOTE Auxiliary verbs are used as follows in a specification.

- The auxiliary “shall” is used for requirements.
- The auxiliary “should” is used for recommendations.
- The auxiliary “may” is used to express permissibility.
- The auxiliary “can” is used for statements of possibility and capability.

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 7 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.