

Equipment used in the controlled removal of asbestos-containing materials —

Part 3: Operation, cleaning and maintenance of class H vacuum cleaners — Code of practice

ICS 13.030.40; 97.080

This Publicly Available
Specification comes into effect
on 16 November 2004

© BSI 16 November 2004

Amendments issued since publication

Amd. No.	Date	Comments

ISBN 0 580 44721 9

Contents

	Page
Acknowledgments	ii
Foreword	ii
1 Scope	1
2 Terms and definitions	1
3 Training of operators	2
4 Risk assessment	2
5 Operation	2
6 Cleaning of equipment	3
7 Maintenance	5
8 Emergency procedures	6
9 Records	6
Annex A (informative) Maintenance log	7
Bibliography	9

Acknowledgments

The development of this Publicly Available Specification has been led and sponsored by the **Health & Safety Executive (HSE)**.

The following organizations have co-sponsored and developed this Publicly Available Specification:

Asbestos Control and Abatement Division (ACAD)
Asbestos Removal Contractors Association (ARCA)
Allpoint Hire Ltd
Asbestostrip Innovations UK Ltd
Safety Industries (Oakwood) Ltd
Thermac (Hire) Ltd

In addition to the above organizations, representatives of the following individuals and organizations have been involved in the development of this Publicly Available Specification:

Tony Dillon, C & D Industrial Services Ltd (technical author)
Kevin Webb, Industrial Cleaning Machine Manufacturers Association (ICMMA)
C & D Industrial Services Ltd
Health & Safety Laboratory
Philip Stuart
SMH Products Ltd

Foreword

This Publicly Available Specification is one part of a series, which consist of the following titles:

PAS 60-1, *Equipment used in the controlled removal of asbestos-containing materials — Part 1: Controlled wetting of asbestos-containing materials — Specification*;

PAS 60-2, *Equipment used in the controlled removal of asbestos-containing materials — Part 2: Negative Pressure Units — Specification*;

PAS 60-3, *Equipment used in the controlled removal of asbestos-containing materials — Part 3: Operation, cleaning and maintenance of class H vacuum cleaners — Code of practice*.

This Publicly Available Specification has been prepared and published by BSI, which retains its ownership and copyright. BSI reserves the right to withdraw or amend this Publicly Available Specification on receipt of authoritative advice that it is appropriate to do so. This Publicly Available Specification will be reviewed at intervals not exceeding two years, and any amendments arising from the reviews will be published as an amended Publicly Available Specification and publicized in *Update Standards*.

This Publicly Available Specification is not intended to restrict new developments in design and materials.

This Publicly Available Specification does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a Publicly Available Specification does not of itself confer immunity from legal obligations.

In particular, attention is drawn to the following statutory regulations:

The Asbestos (Licensing) (Amended) Regulations 1983 [1]

The Control of Asbestos at Work Regulations 2002 [2]

The Health and Safety at Work etc Act 1974 [3]

The Management of Health & Safety at Work Regulations 1999 [4]

The Special Waste Regulations 1996 [5]

NOTE Auxiliary verbs are used in this Publicly Available Specification as follows.

- The auxiliary “should” is used for recommendations
- The auxiliary “may” is used to express permissibility.
- The auxiliary “can” is used for statements of possibility and capability.

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 9 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.