

A review of present methods for

Design of bolted flanges for pressure vessels

The Panel E/-/3/2/2 consists of the following members:

Chairman: Mr. D.K. Common	
Mr. A.J. Batchelor	Dr. P. Montague
Mr. R.F. Bishop	Mr. H. Porter
Mr. R.H. Bull	Mr. J. Poyner
Professor S.S. Gill	Dr. R.T. Rose
Mr. P.J. Kemp	Mr. J.W. Strawson
Mr. M.J. Kemper, M.B.E.	Mr. C.H.A Townlay
Mr. S. Kendrick	

This Document, having been prepared by Panel E/-/3/2/2 and approved by the Pressure Vessels Standards Committee E/-/3, was published under the authority of the Executive Board on 31 October 1969

© BSI 10-1999

ISBN 580 05603 1

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Foreword	ii
1 Introduction	1
2 Existing methods	1
3 Particular cases	1
3.1 Flanges for cryogenic temperatures	1
3.2 Flanges for high temperatures	1
3.3 Flanges for high pressure	2
3.4 Flanges of materials other than steel	2
4 Deficiencies of ASME method	2
5 Recommendations	2
References	3
Table 1 — Maximum stresses in carbon steel pressure vessels at ambient temperature expressed as a decimal of the ultimate tensile strength and yield strength	2

Foreword

This is the third memorandum in the series being prepared by Committee E/-/3 and reviews the methods of design for bolted flanges given in British Standards and other codes. It comments on the limits of application of the various rules and recommends where further study is required to evolve standard design methods to take into account all relevant parameters.

This memorandum has been prepared by Mr. P.J. Kemp and has been scrutinized and approved by the various committees responsible for particular British Standards for pressure vessels and bolted flanges.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 7 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.