

PD CEN ISO/TR 7250-2:2011
+ A1:2013



BSI Standards Publication

Basic human body measurements for technological design

Part 2: Statistical summaries of body
measurements from national
populations

bsi.

...making excellence a habit.
AVA Documents™
Document Sharing Hub

National foreword

This Published Document is the UK implementation of CEN ISO/TR 7250-2:2011+A1:2013. It is identical to ISO/TR 7250-2:2010, incorporating amendment 1:2013. It supersedes PD CEN ISO/TR 7250-2:2011 which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by A1 A1.

The UK participation in its preparation was entrusted by Technical Committee PH/9, Applied ergonomics, to Subcommittee PH/9/-/4, Ergonomics - Anthropometry and Biomechanics.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 81019 0

ICS 13.180

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2011.

Amendments/corrigenda issued since publication

Date	Text affected
31 May 2011	This corrigendum renumbers PD ISO/TR 7250-2:2010 as PD CEN ISO/TR 7250-2:2011
30 June 2013	Implementation of ISO amendment 1:2013 with CEN endorsement A1:2013

English Version

**Basic human body measurements for technological design - Part
2: Statistical summaries of body measurements from national
populations (ISO/TR 7250-2:2010)**

Définitions des mesures de base du corps humain pour la
conception technologique - Partie 2: Résumés statistiques
des mesurages du corps de populations ISO individuelles
(ISO/TR 7250-2:2010)

Wesentliche Maße des menschlichen Körpers für die
technische Gestaltung - Teil 2: Anthropometrische
Datenbanken einzelner Bevölkerungen von ISO-
Mitgliedsländern (ISO/TR 7250-2:2010)

This Technical Report was approved by CEN on 3 April 2011. It has been drawn up by the Technical Committee CEN/TC 122.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of ISO/TR 7250-2:2010 has been prepared by Technical Committee ISO/TC 159 "Ergonomics" of the International Organization for Standardization (ISO) and has been taken over as CEN ISO/TR 7250-2:2011 by Technical Committee CEN/TC 122 "Ergonomics" the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of ISO/TR 7250-2:2010 has been approved by CEN as a CEN ISO/TR 7250-2:2011 without any modification.

Foreword to amendment A1

This document (CEN ISO/TR 7250-2:2011/A1:2013) has been prepared by Technical Committee ISO/TC 159 "Ergonomics" in collaboration with Technical Committee CEN/TC 122 "Ergonomics" the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of ISO/TR 7250-2:2010/Amd 1:2013 has been approved by CEN as CEN ISO/TR 7250-2:2011/A1:2013 without any modification.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Anthropometric measurements	2
4 Statistical procedures	2
4.1 Data editing	2
4.2 Statistics.....	2
4.3 Population stratification	2
4.4 Age stratification	2
4.5 Body measurements for representative body forms	2
5 Background information.....	3
5.1 General	3
5.2 Background of database.....	3
5.3 Representativeness of the sample	3
5.4 Accuracy and reliability of measurements	4
6 Procedure for presenting member body statistics	4
6.1 General	4
6.2 Submission of data	4
6.3 One data set from each member body	4
6.4 Meeting the criteria outlined in 4.2, 4.3 and 4.4.....	4
6.5 Examination of possible errors.....	4
6.6 Marks on values likely to be in error	5
7 Up-to-date data	5
8 Statistics for ISO member bodies	5
8.1 Austria	5
8.2 Germany	6
8.3 Italy	11
8.4 Japan.....	18
8.5 Kenya	24
8.6 Korea	30
8.7 The Netherlands	35
8.8 Thailand	41
8.9 United States	46
8.10 People's Republic of China.....	52
Annex A (informative) Maximum allowable difference between values obtained by the method described in ISO 7250-1 and by other methods	58
Bibliography.....	59

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In exceptional circumstances, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide by a simple majority vote of its participating members to publish a Technical Report. A Technical Report is entirely informative in nature and does not have to be reviewed until the data it provides are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TR 7250-2 was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 3, *Anthropometry and biomechanics*.

ISO/TR 7250 consists of the following parts, under the general title *Basic human body measurements for technological design*:

- *Part 1: Body measurement definitions and landmarks*
- *Part 2: Statistical summaries of body measurements from individual ISO populations*

Worldwide and regional design values for use in ISO equipment standards is to form the subject of a part 3.

Introduction

Anthropometric data used for technological design have been included in many ISO product standards. However, different review cycles make it impossible for simultaneous revision of these product standards as new anthropometric data become available. This Technical Report is intended to serve as a continually updated repository of the most current national anthropometric data. It is intended to make current and updated anthropometric data available for inclusion by reference in the various ISO product standards requiring anthropometric data.

Body dimensions of people have been increasing in many countries over the last several decades. The rate of increase differs from country to country. In the area where significant secular change is going on, statistical summaries described in this Technical Report will be outdated sooner. Therefore, it is intended that statistical summaries of human body measurements described in this Technical Report be updated as new data become available.

Basic human body measurements for technological design —

Part 2:

A1 Statistical summaries of body measurements from national populations **A1**

1 Scope

This Technical Report provides statistical summaries of body measurements together with database background information for working age people in the national populations of individual ISO member bodies. The data in this Technical Report are intended for use in conjunction with ISO standards for equipment design and safety, which require ISO 7250-1 body measurement input, wherever national specificity of design parameters is required.

NOTE 1 Users of this Technical Report who know of newly available data are encouraged to contact their ISO member bodies and the ISO TC 159/SC3 secretariat, as described in 6.2.

Body measurement data for technological design need to be reliable in terms of representing the intended population and measurement quality. To ensure the comparability of measurements, body dimensions in this Technical Report are measured according to ISO 7250-1. To ensure the reliability of statistical data, databases from which statistics are calculated adhere to ISO 15535.

This Technical Report provides body measurement data for people of working age. In order to provide practical data, the age range is not defined and the decision is left to each country, because working age differs among countries. However, the data for children under 16 years are not included.

NOTE 2 Secular change means changes in mean body dimensions of a specific group over time. The direction of change can be positive or negative.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7250-1:2008, *Basic human body measurements for technological design — Part 1: Body measurements definitions and landmarks*

ISO 15535:2006, *General requirements for establishing anthropometric databases*

A1 ISO 20685:2010 **A1**, *3-D scanning methodologies for internationally compatible anthropometric databases*

3 Anthropometric measurements

Measuring conditions and definitions of measurements in this Technical Report are the same as those described in ISO 7250-1. Body measurements are described in millimetres (mm) or kilograms (kg).

Body measurements obtained from 3-D systems or obtained using instruments different from those described in ISO 7250-1 are confirmed by member bodies to be sufficiently close to those produced by the traditional methods of ISO 7250-1 according to ISO 20685:—, Clause 5.

Sometimes a measurement is not performed exactly as described in ISO 7250-1, but is very similar. In such cases, the measurement may be substituted for the ISO 7250-1 measurement if its value is adequately close. To judge closeness, the method described in ISO 20685 needs to be used. The criteria for the judgment are given in Annex A.

The measured side (right or left) is described.

When measurements not described in ISO 7250-1 are also available, the number of these measurements and the reference are provided.

Age statistics are tabulated similarly and presented together with the anthropometric measurements.

4 Statistical procedures

4.1 Data editing

Before calculating statistical values, irregular values are detected and reviewed according to ISO 15535:2006, Annex F.

4.2 Statistics

In this Technical Report, the following statistics are described for each measurement: sample size, mean, standard deviation (SD), and 1st, 5th, 50th, 95th and 99th percentile values.

4.3 Population stratification

Population can be stratified by gender, age, location, occupation or education. To keep this Technical Report at a reasonable size, statistics are presented for females, males, and females and males combined, but not for other strata.

4.4 Age stratification

In order to provide practical data and to keep the Technical Report at a reasonable size, only one age group, including all working age people, is considered.

4.5 Body measurements for representative body forms

Measurements for body forms representing large, medium and small types are useful for technological design. While medium type can be represented by P50 values for all measurements, fixed percentile options are problematic for extreme body forms, such as those derived from all P5 or P95 values. When sitting height and leg length are P5, height is smaller than P5. Though such a problem is well recognized, there is no consensus on the method for obtaining measurements for body forms statistically representing the variation in a population. Considering this lack of consensus, it was decided not to present such data in this Technical Report.

5 Background information

5.1 General

Statistics of body dimensions are described together with the following information for users to judge their reliability and context.

5.2 Background of database

5.2.1 Time period of examination

Year(s) of measurement.

5.2.2 Location of examination

Name of the country and city.

5.2.3 Demographic data

For demographic data (gender, age, etc.), information on the following items is provided:

- a) definition of the working age;
- b) description of subjects;
- c) number of subjects by gender;
- d) ten-year age groups.

When more than one subgroup based on criteria other than the age and gender is involved, the percentage of each subgroup is provided, if necessary.

5.2.4 Publication on the anthropometric research

The author, publication year, title of the publication and the name of publisher are provided when the data have been published.

5.3 Representativeness of the sample

5.3.1 Sampling method

A description is given of the grounds on which the sample was judged to be representative of the intended population. These include an examination of the sampling method and may also include the comparison of height and weight in the measured sample data with those from a large sample representing the intended population. If the data need to be weighted in order to be representative, then the weighting method is described.

5.3.2 Information on secular change

When significant secular changes are going on, information on the rate of change over the last several decades is presented, when available, and appropriate references are given.

5.4 Accuracy and reliability of measurements

5.4.1 Skill of measurers

The number of measurers and information on the skill of each measurer, such as intra-observer mean absolute difference or technical error of measurement or repeated measurements, are shown when such data are available. When more than one measurer is involved, the methods used to control the quality of the measurement technique are documented. When the research is continued for more than one month, the method of quality control during the research period is documented.

5.4.2 Measurements from 3-D scanners

When measurements are extracted from 3-D scans, the results are compared to measurements obtained by traditional methods using the procedures in ISO 20685:—, Clause 5. Similarly, measurements taken using instruments not described in ISO 7250-1 are compared to those obtained by traditional methods.

6 Procedure for presenting member body statistics

6.1 General

This clause describes how the working group gathers and presents the statistics given in this Technical Report.

6.2 Submission of data

Users of this Technical Report and ISO member bodies are encouraged to submit anthropometric data for this Technical Report. Users with knowledge of additional anthropometric data should contact their ISO member body, and copy the ISO/TC 159/SC 3 secretariat on the communication (e-mail addresses can be found on the ISO website: <http://www.iso.org/>). Member bodies should contact the ISO/TC 159/SC 3 secretariat. When information is received, it will be processed as described below.

6.3 One data set from each member body

In the case of countries with more than one possible database, the member body has the responsibility to determine which of the databases is to be used. If more than one set of statistics is submitted, it is the responsibility of the working group to ask the member body to choose only one data set.

6.4 Meeting the criteria outlined in 4.2, 4.3 and 4.4

The working group requests that member bodies provide summary statistics that meet the criteria outlined in 4.2, 4.3 and 4.4. If the criteria are not met on the first submission, it is the responsibility of the working group to ask the member body to re-submit the statistics according to the criteria.

6.5 Examination of possible errors

6.5.1 General

Recognizing that errors can accidentally occur in any data set, it is the responsibility of the working group to examine the submitted summary statistics for reasonableness. The steps used are the following.

6.5.2 Minima and maxima

The minima and maxima for each dimension should be examined, comparing them to minima and maxima from other member body submissions. If, in the professional judgment of the working group, minima or

maxima are likely to be the result of errors, it is the responsibility of the working group to contact the member body to verify the submission.

6.5.3 Percentile values

The distance of the P1 and P99, P5 and P95 from the P50 percentile value should be examined. If the distant percentiles are, in the professional judgment of the working group, unusually distant from the P50, it is the responsibility of the working group to contact the member body to verify the submission.

6.5.4 Standard deviation

The standard deviation (SD) compared to the standard deviation submitted by other member bodies should be examined. If the standard deviation is, in the professional judgment of the working group, unusually large or unusually small, it is the responsibility of the working group to contact the member body to verify the submission.

6.5.5 Comparison of mean or P50 values from member bodies

The mean or P50 values with respect to mean or P50 values from other member bodies should be examined to make sure that the dimension being reported is that described in ISO 7250-1. If it appears, in the professional judgment of the working group, that a different measuring technique, or different measurement definition, has been used, it is the responsibility of the working group to contact the member body to verify the measurement procedure.

6.6 Marks on values likely to be in error

If resubmitted summary statistics are still, in the professional judgment of the working group, likely to be in error, the published values are marked with a footnote.

7 Up-to-date data

An online version of this Technical Report — updated as new data becomes available (and with a text document giving the update history) — can be accessed at the following web address:

<http://standards.iso.org/iso/7250/-2/> 

8 Statistics for ISO national members

8.1 Austria

Organization: Austrian Standards Institute

URL: <http://www.on-norm.at/>

Name of study: —

Austria adopts anthropometric data from DIN 33402-2:2005.

8.2 Germany

Organization: Deutsches Institut für Normung - German Standardization Institute (DIN)

URL: <http://www.din.de/cmd?level=tpl-home&contextid=din>

Name of study: —

Table 1 — Germany — Database

1 Measurement		
1.1	Measured side (right/left)	Right
1.2	Measurement definitions different from those described in ISO 7250-1	None
1.3	Substituted measurements	
1.4	Number of measurements not described in ISO 7250-1	
2 Age range		
2.1	Working age	18 to 65
2.2	Age range of subjects	18 to 65
3 Background data		
3.1	Time period of examination	1999 to 2002
3.2	Location of examination	Different areas of Germany
3.3	Survey sample	Representative (regional, social, ethnic)
3.4	Publication	DIN 33402-2:2005
4 Representativeness of the sample		
4.1	Sampling method	
4.2	Information on secular change	The secular trend in Germany has stopped.
5 Accuracy and reliability of measurements		
5.1	Intra- and inter-observer error rates	Exist
5.2	Measurements from 3-D scanners	None
5.3	Other measurement not taken using instruments described in ISO 7250-1	None
5.4	Type of clothing	Without shoes, minimal clothing

Table 2 — Germany — Statistical summary

No.	ISO 7250-1 measurement			Sample size <i>n</i>	Mean	SD	P1	P5	P50	P95	P99
		Age	Male								
			Female								
			Total								
1	4.1.1	Body mass (weight), kg	Male					64	79	100	
			Female					52	66	87	
			Total								
2	4.1.2	Stature (body height)	Male					1 650	1 750	1 855	
			Female					1 535	1 625	1 720	
			Total								
3	4.1.3	Eye height	Male					1 530	1 630	1 735	
			Female					1 430	1 515	1 605	
			Total								
4	4.1.4	Shoulder height	Male					1 345	1 450	1 550	
			Female					1 260	1 345	1 425	
			Total								
5	4.1.5	Elbow height	Male					1 025	1 100	1 175	
			Female					960	1 020	1 080	
			Total								
6	4.1.6	Iliac spine height, standing	Male								
			Female								
			Total								
7	4.1.7	Crotch height	Male					760	830	905	
			Female					710	775	830	
			Total								
8	4.1.8	Tibial height	Male					430	460	480	
			Female					400	425	450	
			Total								
9	4.1.9	Chest depth, standing	Male					195	225	270	
			Female					165	190	235	
			Total								
10	4.1.10	Body depth, standing	Male					260	285	380	
			Female					245	290	345	
			Total								
11	4.1.11	Chest breadth, standing	Male								
			Female								
			Total								
12	4.1.12	Hip breadth, standing	Male					340	360	385	
			Female					340	365	400	
			Total								
13	4.2.1	Sitting height (erect)	Male					855	910	965	
			Female					810	860	910	
			Total								
14	4.2.2	Eye height, sitting	Male					740	795	855	
			Female					705	755	805	
			Total								
15	4.2.3	Cervicale height, sitting	Male								
			Female								
			Total								

Table 2 (continued)

No.	ISO 7250-1 measurement			Sample size <i>n</i>	Mean	SD	P1	P5	P50	P95	P99
16	4.2.4	Shoulder height, sitting	Male					570	625	670	
			Female					540	590	630	
			Total								
17	4.2.5	Elbow height, sitting	Male					210	240	285	
			Female					185	230	275	
			Total								
18	4.2.6	Shoulder-elbow length	Male					330	365	400	
			Female					290	320	350	
			Total								
19	4.2.7	Elbow-wrist length	Male								
			Female								
			Total								
20	4.2.8	Shoulder (biacromial) breadth	Male					370	405	435	
			Female					345	370	400	
			Total								
21	4.2.9	Shoulder (bideitoid) breadth	Male					440	480	525	
			Female					395	435	485	
			Total								
22	4.2.10	Elbow-to-elbow breadth	Male					415	480	555	
			Female					395	485	555	
			Total								
23	4.2.11	Hip breadth, sitting	Male					350	375	420	
			Female					360	390	460	
			Total								
24	4.2.12	Lower leg length (popliteal height)	Male					410	450	490	
			Female					375	415	450	
			Total								
25	4.2.13	Thigh clearance	Male					130	150	180	
			Female					125	145	175	
			Total								
26	4.2.14	Knee height	Male					495	535	585	
			Female					460	500	545	
			Total								
27	4.2.15	Abdominal depth, sitting	Male					200	280	330	
			Female					205	250	325	
			Total								
28	4.2.16	Thorax depth at the nipple	Male								
			Female								
			Total								
29	4.2.17	Buttock-abdomen depth sitting	Male								
			Female								
			Total								
30	4.3.1	Hand length	Male					175	189	207	
			Female					162	177	193	
			Total								
31	4.3.2	Palm length perpendicular	Male					104	111	121	
			Female					92	100	108	
			Total								

Table 2 (continued)

No.	ISO 7250-1 measurement			Sample size <i>n</i>	Mean	SD	P1	P5	P50	P95	P99
32	4.3.3	Hand breadth at metacarpals	Male					80	87	94	
			Female								
			Total								
33	4.3.4	Index finger length	Male					68	75	83	
			Female					62	69	77	
			Total								
34	4.3.5	Index finger breadth, proximal	Male					19	21	23	
			Female					17	19	21	
			Total								
35	4.3.6	Index finger breadth, distal	Male					17	18	20	
			Female					14	16	18	
			Total								
36	4.3.7	Foot length	Male					245	265	285	
			Female					225	245	260	
			Total								
37	4.3.8	Foot breadth	Male					92	101	111	
			Female					83	92	102	
			Total								
38	4.3.9	Head length	Male					185	195	205	
			Female					170	185	195	
			Total								
39	4.3.10	Head breadth	Male					145	155	165	
			Female					140	150	160	
			Total								
40	4.3.11	Face length (nasion-menton)	Male					105	115	130	
			Female					95	110	125	
			Total								
41	4.3.12	Head circumference	Male					545	570	600	
			Female					520	545	570	
			Total								
42	4.3.13	Sagittal arc	Male					330	350	375	
			Female					310	330	360	
			Total								
43	4.3.14	Bitragion arc	Male					340	365	385	
			Female					320	335	360	
			Total								
44	4.4.1	Wall-acromion distance	Male								
			Female								
			Total								
45	4.4.2	Grip reach; forward reach	Male					685	740	815	
			Female					625	690	750	
			Total								
46	4.4.3	Elbow-grip length	Male					325	350	390	
			Female					295	315	350	
			Total								
47	4.4.4	Fist (grip axis) height	Male					730	765	825	
			Female					670	715	760	
			Total								

Table 2 (continued)

No.	ISO 7250-1 measurement			Sample size <i>n</i>	Mean	SD	P1	P5	P50	P95	P99
48	4.4.5	Forearm-fingertip length	Male					440	475	510	
			Female					400	430	465	
			Total								
49	4.4.6	Buttock-popliteal length (seat depth)	Male					450	495	540	
			Female					435	485	530	
			Total								
50	4.4.7	Buttock-knee length	Male					565	610	655	
			Female					545	590	640	
			Total								
51	4.4.8	Neck circumference	Male					335	380	410	
			Female					305	345	385	
			Total								
52	4.4.9	Chest circumference	Male					870	975	1 110	
			Female					850	990	1 180	
			Total								
53	4.4.10	Waist circumference	Male					700	875	1 010	
			Female					665	790	990	
			Total								
54	4.4.11	Wrist circumference	Male					160	175	190	
			Female					150	165	180	
			Total								
55	4.4.12	Thigh circumference	Male					490	570	640	
			Female					485	565	670	
			Total								
56	4.4.13	Calf circumference	Male					325	375	415	
			Female					325	360	415	
			Total								

8.3 **Italy**

Organization: Ente Nazionale Italiano di Unificazione (UNI)

URL: <http://www.uni.com/it/>

Name of study: "Italia si misura" project

Table 3 — Italy — Database


1 Measurement		
1.1	Measured side (right/left)	Right
1.2	Measurement definitions different from those described in ISO 7250-1	None
1.3	Substituted measurements	4.1.7 Crotch height: obtained from the difference of Stature less Sitting height (4.1.2 – 4.2.1). 4.2.3 Cervicale height, sitting and 4.2.4 Shoulder height, sitting as the difference of Stature less Cervicale height, standing and Stature less Shoulder height, standing from Sitting height: 4.2.3 = [4.2.1 – (4.1.2 – Cervicale height, standing)] and 4.2.4 = [4.2.1 – (4.1.2 – Shoulder height standing)]
1.4	Number of measurements not described in ISO 7250-1	Five measurements: Cervicale height, standing (See Reference [2], no. 11) , Crestale height (Reference [3] Altezza Crista iliaca), Bi-cristal breadth, Shoulder height, standing (see References [2] and [3]), Styloid height, standing, (see References [2] and [3])
2 Age range		
2.1	Working age	Age 17 to 84: the full sample ($n = 4\,135$)
2.2	Age range of subjects	Age 18 to 65: the sample used for this statistical presentation ($n = 4\,020$)
3 Background data		
3.1	Time period of examination	1990 to 1991, July to September
3.2	Location of examination	Province of Ancona (postcode 60100) littoral from Senigallia to Numana (1990): mainly centre-north Italian population; Province of Naples (postcode 80100) littoral from Pozzuoli to Sorrento (1991): mainly south Italian population (independently by examination location, subject's origin is identified by their birth location first two digits of Italian post office postcode: centre-north <70 south ≥70). Postcode is a geographical (west < east, north < south, 00 Rome) and numerical variable that allows the arrangement of cases according to the user's needs.  Y frequency 1 centre-north 2 south

Table 3 (continued)

3.3	Survey sample	Approximately 2 300 males and 1 850 females (the correct number is reported for each variable) distributed in almost equivalent centre-north Italy (Ancona) and south Italy (Naples) locations. The subdivision of centre-north and south population is based on ISTAT (Italian Statistical Body) military recruitment standards. The subjects are common volunteer adult people present on the survey site (beach). The choice of seashore in holiday time was to approach a reasonably non-specific population sample to incidentally measure people that had time to spend and no difficulty concerning clothing, making no selection of the volunteers. The choice of the site avoided socially selected locations.																																																
3.4	Publication	Reference [4] Reference [5] Reference [6] Reference [7]																																																
4 Representativeness of the sample																																																		
4.1	Sampling method	The age and gender frequencies reflect the proportions of the people at the beach and their willingness to collaborate. This can at first look to be a serious restriction of the sample. Nevertheless, such a distribution looks like a section of the natural distribution of the population by age, the so-called Lexis curve, and consequently, the bias is not expected to be critical, considering the primary object of the research. To balance the sample by gender, the samples are weighted equal (weight coefficients: 0,898 males and 1,129 females), keeping the total number equal to the original sample $4\,020 \pm 1$.																																																
4.2	Information on secular change	Sample shows an inner tendency of change that combines “secular trend” and “ageing”. Female stature by age classes <table border="1"><caption>Estimated data for Female stature by age classes</caption><thead><tr><th>Age Class</th><th>North F (cm)</th><th>Centre F (cm)</th><th>South F (cm)</th></tr></thead><tbody><tr><td>29 inf</td><td>1625</td><td>1620</td><td>1595</td></tr><tr><td>30-39</td><td>1615</td><td>1610</td><td>1580</td></tr><tr><td>40-49</td><td>1605</td><td>1600</td><td>1565</td></tr><tr><td>50-59</td><td>1595</td><td>1590</td><td>1550</td></tr><tr><td>60 sup</td><td>1585</td><td>1580</td><td>1540</td></tr></tbody></table> Male stature by age classes <table border="1"><caption>Estimated data for Male stature by age classes</caption><thead><tr><th>Age Class</th><th>Centre M (cm)</th><th>North M (cm)</th><th>South M (cm)</th></tr></thead><tbody><tr><td>29 inf</td><td>1765</td><td>1765</td><td>1730</td></tr><tr><td>30-39</td><td>1770</td><td>1735</td><td>1715</td></tr><tr><td>40-49</td><td>1730</td><td>1730</td><td>1695</td></tr><tr><td>50-59</td><td>1715</td><td>1710</td><td>1690</td></tr><tr><td>60 sup</td><td>1695</td><td>1695</td><td>1665</td></tr></tbody></table>	Age Class	North F (cm)	Centre F (cm)	South F (cm)	29 inf	1625	1620	1595	30-39	1615	1610	1580	40-49	1605	1600	1565	50-59	1595	1590	1550	60 sup	1585	1580	1540	Age Class	Centre M (cm)	North M (cm)	South M (cm)	29 inf	1765	1765	1730	30-39	1770	1735	1715	40-49	1730	1730	1695	50-59	1715	1710	1690	60 sup	1695	1695	1665
Age Class	North F (cm)	Centre F (cm)	South F (cm)																																															
29 inf	1625	1620	1595																																															
30-39	1615	1610	1580																																															
40-49	1605	1600	1565																																															
50-59	1595	1590	1550																																															
60 sup	1585	1580	1540																																															
Age Class	Centre M (cm)	North M (cm)	South M (cm)																																															
29 inf	1765	1765	1730																																															
30-39	1770	1735	1715																																															
40-49	1730	1730	1695																																															
50-59	1715	1710	1690																																															
60 sup	1695	1695	1665																																															

Table 3 (*continued*)

5 Accuracy and reliability of measurements		
5.1	Intra- and inter-observer error rates	The survey was carried out by a team of four (two male and two female) operators: Physical Education graduates (Ancona) and Doctor of Medicine graduate students (Naples), supervised by an expert anthropometrist and certified ergonomist (Dr. Ivana Coniglio). No specific intra- and inter- observer measurement of error rates had been performed. Original forms consent to identify operators. All measurements and statistics are taken and rounded in units of millimetres and kilograms.
5.2	Measurements from 3-D scanners	None
5.3	Other measurement not taken using instruments described in ISO 7250-1	None
5.4	Type of clothing	Their own bathing suits